

1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1d0-437.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official
Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Which statement is the most accurate?

- A. The unshift function removes elements from the beginning of an array.
- B. The unshift function adds elements to the end of an array.
- C. The shift function adds elements to the end of an array.
- D. The shift function removes elements from the beginning of an array.

Correct Answer: D

QUESTION 2

Consider the program code in the attached exhibit. What is the result of executing this program code?

- A. The code will output the following: $3 + 5 + 2 + 3 = 13$
- B. The code will output the following: $= 3 + 5 + 2 + 3$ 13
- C. The code will output the following: $= 13$ $3 + 5 + 2 + 3$
- D. The code will fail at line 3 because add is a reserved word.

Correct Answer: A

QUESTION 3

Consider the following program code:

```
$x = 5;
$y = 10;
while (++$x
{
print ($x $y );
}
print ($x $y );
```

What is the result of executing this program code?

- A. The code will output the following: 6 11 7 12 8 13 9 14 10 15
- B. The code will output the following: 6 11 7 12 8 13 9 14 10 14

C. The code will output the following: 5 10 6 11 7 12 8 13 9 13

D. The code will output the following: 5 10 6 11 7 12 8 13 9 14

Correct Answer: B

QUESTION 4

Consider the following lines of code:

```
sub mySub {  
  ($arg, @args) = @_;  
  foreach $val (@args) {  
    $returnVal .= "$arg, $val\n";  
  }  
  $returnVal . " " . @args;  
}
```

`print andmySub(1, "a value", "another value", "a parameter", "another parameter");` What is the output of these lines of code?

A. 1, a value 1, another value 1, a parameter 1, another parameter 4

B. 1, a value 1, another value 1, a parameter 1, another parameter a valueanother valuea parameteranother parameter

C. 1, a value, another value, a parameter, another parameter a value another value a parameter another parameter

D. 1, a value, another value, a parameter, another parameter 4

Correct Answer: A

QUESTION 5

Consider the following program code:

```
$x = 150;  
$y = "250";  
if (($x + 100) == $y) { print("1 "); }  
if ("250" == $y) { print("2 "); }  
if ("250" eq $y) { print("3 "); }  
if ($x lt $y) { print("4 "); }
```

```
if ($x ge $y) { print("5 "); }
```

What is the result of executing this program code?

- A. The code will output the following: 1 2 3 4
- B. The code will output the following: 1 3 4
- C. The code will output the following: 1 3 5
- D. The code will output the following: 1 2 3 4 5

Correct Answer: A

QUESTION 6

Consider the program code in the attached exhibit.

```
$string =  
"OpEd #32x389B Mac #A8d8922c PrdKey #328cs832Q";  
  
if ($string =~ m/./)  
{  
    print "1 "  
}  
if ($string =~ m/\w+\s{0,5}#\S*/)  
{  
    print "2 ";  
}  
if ($string =~ m/\w*\s{2,}#32x389B/)  
{  
    print "3 ";  
}  
if ($string =~ m/\s+#A8d8922C/)  
{  
    print "4 ";  
}  
if ($string =~  
    m/....\s*(#)\d{2,}x\w*\s*MAC\s+$1/i)  
{  
    print "5 ";  
}
```

What is the result of executing this program code?

- A. The code will output the following: 3 4
- B. The code will output the following: 1 2 3 4
- C. The code will output the following: 1 2 4 5
- D. The code will output the following: 1 2 5

Correct Answer: D

QUESTION 7

Which one of the following choices lists only valid expression operators?

A. + - ** //

B. * ** / //

C. ** / ++ %

D. */ % -- **

Correct Answer: C

QUESTION 8

Consider the following program code: %_Nifty = (one, two, three, four); @NiftyKeys = sort(keys(%_Nifty));

```
foreach (@NiftyKeys)
```

```
{
```

```
print ($_Nifty{$_} . );
```

```
}
```

What is the result of executing this program code?

A. The code will output the following: one three

B. The code will output the following: four two

C. The code will output the following: two four

D. The code will output the following: four one three two

Correct Answer: C

QUESTION 9

Consider the following statement:

```
$buffer = a string;
```

Also consider that a file named test.txt contains the following line of text: One line of test text. What is the

output of the following lines of code? \$file = "test.txt";

```
open (OUT, "
```