

1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1d0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Consider the following code:

```
<script type="text/javascript">
var NamePerson = Jane Smith;
  if(NamePerson == "Jane Smith")
    {window.alert("Hello");}
  else{window alert("Goodbye");}
</script>
```

What is the expected result when you run this script in the browser?

- A. A window alert box will display Hello.
- B. A window alert box will display Goodbye.
- C. No window alert box will appear because there is an error in the code.
- D. A window alert box will display Hello then a second alert box will display Goodbye.

Correct Answer: C

QUESTION 2

Consider the following message displayed in a pop-up window: Welcome to the CIW Web site! Which line of code will deliver the pop-up window that displays this message?

- A. [CIW Web site](#)
- B. [CIW Web site](#)
- C. _

Correct Answer: B

QUESTION 3

You want to add a personalized interaction with your users when they enter your Web site. To do this, you can display a JavaScript prompt on the home page that asks the user to enter her name. When the user enters text and clicks the OK button, an alert dialog box will appear and display the text "Welcome, name" (where name is the text entered by the user). Which choice shows the correct JavaScript code for this action?

- A. alert("Welcome, " + prompt("What is your name?", ""));
- B. alert("Welcome, ") + prompt("What is your name?", "");
- C. prompt("What is your name?", "") + alert("Welcome, ");
- D. prompt("What is your name?", "" + alert("Welcome, "));

Correct Answer: A

QUESTION 4

Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

Correct Answer: B

QUESTION 5

Consider the following statement:

```
for (X; Y; Z)
```

What does Z represent in this code?

- A. The counter variable
- B. The loop counter update expression
- C. The condition under which the loop will execute
- D. The highest value that the counter variable may reach

Correct Answer: B

QUESTION 6

You are developing a Web page for your company's site, and you plan to use a library plug-in from the jQuery library. Which choice describes the proper steps for using the plug-in?

- A. After locating the plug-in that you want to use, you then copy the code from the jQuery site and paste it into your CSS file using the tag.
- B. After locating the plug-in that you want to use, you then download the EXE file and install it on your browser. The plug-in will take effect after you restart the browser.
- C. After locating the plug-in that you want to use, you download the plug-in, compile the code and upload it to your server, then you reference the compiled code with a tag in your X/HTML file.
- D. After locating the plug-in you want to use, you add to your X/HTML file a tag referencing the jQuery library and a tag referencing the external plug-in file.

Correct Answer: D

QUESTION 7

Which statement will correctly call a JavaScript function without error?

- A. var myFunction()
- B. initiate myFunction()
- C. call myFunction()
- D. myFunction()

Correct Answer: D

QUESTION 8

Assuming the function is called, which script block will display Hello Joe in the document window after you enter the name Joe?

- A.

```
function DisplayName(void){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}
```
- B.

```
function DisplayName(){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}
```
- C.

```
function DisplayName(void){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}
```
- D.

```
function DisplayName(){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + yourname);}
```

Correct Answer: B

QUESTION 9

Consider the following code:

```
<span id="myLink">  
CIW  
</span>
```

What does the following JavaScript function accomplish?

```
function ciwLink(){  
var myLink = document.getElementById('myLink');  
myLink.innerHTML = "<a href='http://www.CIWcertified.com'>" + myLink.innerHTML + "</a>";  
}
```

- A. Replaces the text CIW with the text `http://www.CIWcertified.com`
- B. Replaces the text CIW with a link that reads myLink and points to the URL `www.CIWcertified.com`
- C. Converts the text CIW into a link that reads CIW and points to the URL `www.CIWcertified.com`
- D. Returns true if the content of the `is` is a link to `www.CIWcertified.com`, or returns false if the content of the `is` is not a link to `www.CIWcertified.com`

Correct Answer: C

QUESTION 10

Consider the following code: `var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + ", " + v2); } f(); v1="charlie"; alert (v1 + ", " + v2);` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

Correct Answer: B

[1D0-635 PDF Dumps](#)

[1D0-635 Practice Test](#)

[1D0-635 Braindumps](#)