

## 1K0-001<sup>Q&As</sup>

Polycom Certified Videoconferencing Engineer (PCVE)

### Pass Polycom 1K0-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1k0-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Polycom  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Real Time Transport Protocol and Real Time Transport Control Protocol are used to provide:

- A. Lower Layer Transport of Data Collaboration.
- B. Lower Layer Transport of Audio and Video.
- C. Upper Layer Data Packet Sequencing, Timing, and Synchronization for Audio and Video.
- D. Upper Layer Packet Loss and Packet Errors Statistics and Corrective Action.
- E. A and B.
- F. C and D.
- G. all of the above.

Correct Answer: F

---

## QUESTION 2

Which of the following are Call Establishment packets? (Select three of the following options.)

- A. Receiver Ready
- B. Disconnect Request
- C. Release Request
- D. Setup
- E. Connect Acknowledged
- F. Receiver Not Ready
- G. Alerting
- H. Release Complete

Correct Answer: DEG

---

## QUESTION 3

Which of the following devices is used to change Sound Energy into Electrical Energy for the purpose of the Far-End audience to hear the Near -End audience?

- A. Mixer
- B. Desk top microphone

- C. Loud speaker
- D. Sound pressure meter

Correct Answer: B

---

#### QUESTION 4

How is noise measured?

- A. Volume
- B. Distance
- C. Amplitude
- D. Impedance

Correct Answer: AC

---

#### QUESTION 5

Which of the following are the two most correct definitions of ISDN reference points?

- A. U Reference point is between the ISDN terminal and the network termination
- B. U Reference point is between the Network Termination and the Network Exchange Equipment
- C. S/T Reference point is between ISDN Terminal Equipment and the Network Termination
- D. S/T Reference point is between the Network Termination and the Network Exchange Equipment

Correct Answer: BC

---

#### QUESTION 6

Which Network Services speeds are governed by cable length and cable wire gauge?

- A. Packet Switching
- B. Integrated Services Digital Network Primary Rate
- C. D-Channels
- D. B-Channels
- E. Digital Subscriber Line Services

Correct Answer: E

---

## QUESTION 7

The first process for H.323 Terminals to be defined within a Gatekeeper Tables is for Terminals to \_\_\_\_\_, \_\_\_\_\_.

- A. Admission Request, Admission Confirmed
- B. Admission Request, Acknowledge Request
- C. Bandwidth Request, Bandwidth Confirmed
- D. Registration Request, Registration Rejected
- E. Registration Request, Registration Confirmed
- F. All of the above

Correct Answer: E

---

## QUESTION 8

How many frames per second make up a NTSC and PAL video signal?

- A. NTSC 20
- B. NTSC 25
- C. NTSC 30
- D. PAL 25
- E. PAL 30

Correct Answer: CD

---

## QUESTION 9

Public Switched Telephone Company channel network components starting at the customer site and continuing to the Far-End site are set up as follows:

- A. Station / Interoffice Facilities / Local Exchange Carrier Digital Switch
- B. Station / Local Loop / Interoffice Facilities / Local Exchange Carrier Digital Switch
- C. Station / Interoffice Facilities / Local Loop / Local Exchange Carrier Digital Switch
- D. Station / Local Loop / Local Exchange Carrier Digital Switch / Interoffice Facilities

Correct Answer: D

---

## QUESTION 10

To setup a Videoconferencing system to be capable of ISDN speeds up to 512 kilobits per second, which of the following is required? (Select three of the following options.)

- A. 3 TE-2
- B. 4 NT-1
- C. 4 TE-2
- D. 1 IMUX with 3 BRI line support
- E. 1 IMUX with 4 BRI line support
- F. 3 BRI lines
- G. 3 NT-1
- H. 6 BRI lines
- I. 4 BRI lines

Correct Answer: BEI

---

## QUESTION 11

Pick the best match; Audio "Critical Distance" is a definition that relates to:

- A. Distance between the audio amplifier inputs and room microphone
- B. Distance between the person speaking and the microphone used
- C. Distance between the video display monitor and camera
- D. Distance between the walls, floor to ceiling, and doorways

Correct Answer: B

---

## QUESTION 12

What is the audio data rate in bits per second that a G.723.1 and G.729 audio algorithms that use over a network connection?

- A. greater than 64,000
- B. greater than 16,000
- C. less than 5,000
- D. less than 10,000

Correct Answer: D

---

## QUESTION 13

G.711 Audio Coding may also be called \_\_\_\_\_ Audio Coder.

- A. Quite Band
- B. Medium Band
- C. Wide Band
- D. Super Wide Band
- E. CD Quality
- F. Narrow Band

Correct Answer: F

---

## QUESTION 14

Which of the following correctly describes echo as it relates to acoustic echo cancellations?

- A. The sound one hears when the far-end is talking and one tries to talk at the same time.
- B. The sound of the room reverberation as picked up by the local microphones, amplified and returned to the far-end.
- C. The result of sound bouncing off the walls in the room caused by the person speaking in that room being picked up by the microphones.
- D. The sound of the far-end being returned to themselves, caused by the room microphones picking up the audio from the room loudspeakers.

Correct Answer: D

---

## QUESTION 15

G.723.1 uses which bit rates?

- A. 5.3 and 6.3 kilobits per second
- B. 5.3 and 6.3 kilobytes per second
- C. 8 and 16 kilobits per second
- D. 8 and 16 kilobytes per second
- E. 12 and 24 kilobits per second

Correct Answer: A