

## 1Y0-371<sup>Q&As</sup>

Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

**Pass home 1Y0-371 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-371.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by home  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

Scenario: A Citrix Engineer needs to implement SSL Offload in which traffic is encrypted all the way from the client device to the XenMobile Server. The vServer and service configurations are listed below.

Load balancing vServers:

-

Protocol: SSL, Port: 443

-

Protocol: SSL, Port: 8443 Services:

-

Protocol: SSL, Port: 443 (Bound to 443 vServer)

-

Protocol: SSL, Port: 8443 (Bound to 8443 vServer)

The current configuration is NOT working properly.

What should the engineer adjust to implement SSL Offload successfully?

A.

Bind Port 80 services to both the 443 and 8443 load-balancing vServers but make no other changes.

B.

Bind the port 8443 service to the port 443 vServer; the port 443 service is NOT needed.

C.

Bind the port 443 service to the port 8443 vServer; the port 8443 service is NOT needed.

D.

Bind Port 80 services to both the 443 and 8443 load-balancing vServers and open port 80 on the XenMobile Server IP Tables firewall.

Correct Answer: B

---

## QUESTION 2

In which two ways could a Citrix Engineer configure User Provisioning to ShareFile within the XenMobile Console? (Choose two.)

A. Configure the SSO section in the ShareFile website.

- B. Configure the ShareFile section in the XenMobile Console.
- C. Configure the ShareFile\_SAML Web/SaaS application.
- D. Configure the location of the ShareFile public application store link.

Correct Answer: BC

---

### QUESTION 3

XenMobile Mail Manager is blocking an ActiveSync device and a local administrator is unsure about the cause of the issue.

In which two areas could a Citrix Engineer look to troubleshoot this issue? (Choose two.)

- A. XenMobile Mail Manager Monitor
- B. XenMobile Server Device Details state
- C. NetScaler logs
- D. Windows Event logs
- E. XenMobile Server connectivity check

Correct Answer: AB

---

### QUESTION 4

Scenario: An organization hires a Citrix Engineer to provide guidance on options that would allow WorxWeb users to access external and internal URLs. The internal IT team plans to keep WorxWeb in Secure browse mode.

Which two strategies could the engineer recommend to meet the needs of the customer? (Choose two.)

- A. Configure traffic policies and profiles and bind them to the NetScaler Gateway.
- B. Enable Split Tunneling through the NetScaler Gateway Session Profile.
- C. Configure the '\\Proxy\\' tab within the NetScaler Gateway Session Profile.
- D. Configure a responder policy and profile, and bind them to the NetScaler Gateway.

Correct Answer: AB

---

### QUESTION 5

Which XenMobile Windows Phone 8.1 policy should a Citrix Engineer configure in order to deploy Worx MDX apps to a Windows Phone 8.1 device?

- A. Enterprise Hub policy

- B. Exchange policy
- C. App Inventory policy
- D. Sideload Key policy

Correct Answer: A

---

## QUESTION 6

Which XenMobile deployment option would pose the greatest security risk?

- A. SSL Bridge at the NetScaler load balancing tier with the XenMobile Server in the Demilitarized Zone (DMZ).
- B. SSL Bridge at the NetScaler load balancing tier with the XenMobile Server on the internal network segment.
- C. SSL Offload at the NetScaler load balancing tier with the XenMobile Server in the Demilitarized Zone (DMZ).
- D. SSL Offload at the NetScaler load balancing tier with the XenMobile Server on the internal network segment.

Correct Answer: B

---

## QUESTION 7

A Citrix Engineer is adding a second node to an existing standalone XenMobile deployment. Which three steps must the engineer take when deploying additional nodes? (Choose three.)

- A. Enable the cluster option on the existing node.
- B. Connect to the existing XenMobile Server database.
- C. Use the internal PKI certificate password from the existing node.
- D. Use the same device certificate as the existing node.
- E. Use the same host name as the existing node.

Correct Answer: ABC

---

## QUESTION 8

Which two XenMobile policies could a Citrix Engineer use to block the camera on an iOS device? (Choose two.)

- A. MDM Restriction policy
- B. MDX policy
- C. App Lock policy
- D. App Configuration policy

Correct Answer: AB

---

## QUESTION 9

Which three NetScaler features must a Citrix Engineer configure in order for XenMobile NetScaler Connector to properly function? (Choose three.)

- A. Content Switching
- B. Integrated Caching
- C. HTTP Callout
- D. Responder
- E. App Flow

Correct Answer: BCD

---

## QUESTION 10

Scenario: A Citrix Engineer needs to publish a custom mobile application for iOS devices from the XenMobile environment.

Security requirements for the application are as follows:

-Clipboard must be disabled.

-

Application cannot be installed on jailbroken devices.

Which action must the engineer take to meet the security requirements stated in the scenario?

- A.  
Wrap the .ipa file using the MDX Toolkit for XenMobile and configure the MDX policies.
- B.  
Upload the .ipa file to the XenMobile Device Manager and create a deployment package to install the application on the user device during device enrollment.
- C.  
Upload the .ipa file directly to App Controller and require enrollment to the XenMobile Device Manager before users can register with the App Controller.
- D.  
Publish the application for employees using the Apple App Store and require that users download the application from the Apple App Store instead of the App Controller.

Correct Answer: A

---

## QUESTION 11

Scenario: A customer has attempted to integrate XenMobile with XenApp and XenDesktop. Users connect to the Worx Store and can see MDX applications but CANNOT see published applications or desktops.

A Citrix Engineer determines a possible cause of this issue is that either port \_\_\_\_\_ or \_\_\_\_\_ between the XenMobile Server and StoreFront is NOT open. (Choose the two correct options to complete the sentence.)

- A. 80
- B. 443
- C. 8443
- D. 1494
- E. 2598

Correct Answer: AB

---

## QUESTION 12

A Citrix Engineer needs to push native email profiles and configurations to user devices.

Which XenMobile macros could the engineer use to automate email provisioning of native email clients on user devices?

- A. {user.username} {user.mail}
- B. (User.username) (User.mail)
- C. %user.username %user.mail
- D. #user.username #user.mail

Correct Answer: A

---

## QUESTION 13

Scenario: According to corporate policy, corporate data should be removed if a device is jailbroken or rooted and the device should NOT be allowed to re-enroll. A Citrix Engineer is asked to implement the action based on mobile device status to facilitate the company's security compliance.

Which action should the engineer take to meet the requirements of the scenario?

- A. Revoke the device.
- B. Perform a selective wipe of the device.

- C. Perform a full wipe of the device.
- D. Mark the device as out of compliance.

Correct Answer: A

---

## QUESTION 14

Scenario: A customer plans to use the XenMobile Server as the SAML Identity Provider for ShareFile authentication. SAML authentication should be available for MDX users as well as through the desktop sync client for Windows and Mac. The customer does NOT plan to use StorageZone Connectors.

What is the minimum configuration that a Citrix Engineer must perform in order to meet the needs of the customer?

- A. Populate the XenMobile Server Settings > ShareFile tab
- B. Populate the XenMobile Server Settings > ShareFile tab Create the appropriate NetScaler Gateway Session profile and policy
- C. Populate the XenMobile Server Settings > ShareFile tab Create the appropriate NetScaler Gateway Session profile and policy Adjust the '\\login URL\\' settings on the ShareFile Control Plane
- D. Populate the XenMobile Server Settings > ShareFile tab Create the appropriate NetScaler Gateway Session profile and policy Adjust the '\\login URL\\' settings on the ShareFile Control Plane Create a AAA vServer on NetScaler

Correct Answer: C

---

## QUESTION 15

A Citrix Engineer is configuring access to an existing XenDesktop environment.

Which three settings should the engineer configure in the XenApp/XenDesktop section of the XenMobile Server? (Choose three.)

- A. The legacy PNAgent site path
- B. The IP address of the XenDesktop Delivery Controller
- C. The XenDesktop site name
- D. The path to Receiver for Web site
- E. The FQDN of the StoreFront Server
- F. The port used to connect to StoreFront

Correct Answer: AEF

---

[Latest 1Y0-371 Dumps](#)

[1Y0-371 VCE Dumps](#)

[1Y0-371 Practice Test](#)