

1Z0-1076-20^{Q&As}

Oracle Cloud Platform Systems Management 2020 Specialist

Pass Oracle 1Z0-1076-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-1076-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Your customer utilizes an authenticated web proxy to connect to the Internet. You need to install an Application Performance Monitoring (APM) agent for a WebLogic server. What should you do?

- A. Add an exception to Web browser proxy settings to access Oracle Management Cloud.
- B. Shut down the Web proxy during APM agent installation.
- C. Generate a proxy token to access the Oracle Management Cloud gateway agent.
- D. Generate and download a registration key for the Web proxy.
- E. Update the config file AgentHttpBasic.properties with the user/password or token.
- F. Specify a fully qualified Oracle Repository name during agent deployment.

Correct Answer: D

QUESTION 2

Which three are functional areas of Oracle Configuration and Compliance? (Choose three.)

- A. Execution and scoring of custom scripts or processes
- B. Results consumption and scoring of automated industry-standard benchmarks
- C. Proactive monitoring of issues, troubleshooting and resolving them before they impact end user
- D. Rapid detection, investigation and remediation of the broadcast range of security threats
- E. Execution of REST based cloud rules against cloud provider endpoints

Correct Answer: ABE

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/comcs/getting-startedconfigurationand-compliance.html#GUID-9EFDEA9D-111B-474D-B4C4-7007F6822E59>

QUESTION 3

You are installing an Application Performance Monitoring (APM) agent on a WebLogic server. The installation script completed successfully, but your application server does not appear in Oracle Management Cloud (OMC). Which troubleshooting step should you perform?

- A. Create an Application Definition for your application server in APM.
- B. Verify that you have modified the WebLogic startup script and restarted the server.
- C. Ensure that your registration key appears under OMC Agents > Registration Keys.
- D. Download the OMC Master Installer from OMC Agents > Download.

E. Confirm that your Gateway Agent is online and sending data to OMC.

Correct Answer: E

QUESTION 4

You find that a customer has logs outside of the default destination defined by the built-in log source definition. How should they edit a built-in log source?

- A. Highlight the built-in log source and use Create Like to edit.
- B. A user cannot edit built-in log sources.
- C. Delete the built-in log source and deploy a new agent.
- D. Use the Edit option under configuration menu.

Correct Answer: D

QUESTION 5

Which two answers include examples of tasks that can be performed using Oracle Orchestration? (Choose two.)

- A. Automatically create an OMC instance.
- B. Configure a cloud agent, running scripts on multiple hosts.
- C. Correct rule violations, provision an entire application stack.
- D. Resize cloud resources, provision new instances of a database, running scripts on multiple hosts.

Correct Answer: CD

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/orccs/using-oracle-orchestration.pdf>

QUESTION 6

An Oracle IT Analytics customer has configured the service to source and analyze their Automatic Workload Repository (AWR) data, but no data is found. What should they check?

- A. that they've licensed the Oracle AWR Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- B. that they've licensed the Oracle Performance Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- C. that they've licensed the Oracle Tuning Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- D. that they've licensed the Oracle Diagnostics Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics

Correct Answer: B

QUESTION 7

Your customer wants to install 10,000 Oracle Management Cloud (OMC) cloud agents for Oracle Log Analytics. What is the minimum number of gateway agents needed for the deployment?

- A. 1 gateway agent; being a gateway, it can manage data transfer for any number of cloud agents
- B. 10 gateway agents; because a gateway can manage data transfer for up to 1,000 cloud agents
- C. 5 gateway agents; because a gateway can manage data transfer for up to 2,000 cloud agents
- D. 2 gateway agents; because a gateway can manage data transfer for up to 5,000 cloud agents

Correct Answer: C

QUESTION 8

After setting up Oracle Security Monitoring and Analytics (SMA), you want to upload the user identification data in SM

- A. Which two options should you use? (Choose two.)
- B. Using Identity Context Configuration interface
- C. Using REST API calls
- D. Using Cloud Agents
- E. Data Collector

Correct Answer: BC

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/omsma/using-oraclesecuritymonitoring-and-analytics.pdf>

QUESTION 9

You have deployed Oracle Security Monitoring and Analytics (SMA) in your organization for detecting anomalies based on learned behavioral patterns from users and assets. Which two methods will SMA use? (Choose two.)

- A. Application Performance Management
- B. SQL Analysis
- C. Self Organizing Maps
- D. Peer Group Analysis

Correct Answer: BD

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/omsma/using-oraclesecuritymonitoring-and-analytics.pdf> (B-1)

QUESTION 10

Which command should you run to check the WebLogic Server version?

- A. `java -cp weblogic.jar weblogic.version`
- B. `tail weblogic.version`
- C. `Weblogic_vercheck.exe`
- D. `grep version weblogic.jar`

Correct Answer: A

QUESTION 11

Which action should you perform to exclude a log file from the Oracle Log Analytics service collection?

- A. Within the Oracle Management Cloud user interface, navigate from Oracle Log Analytics to Log Admin and then to Log Sources configuration section, and choose the option Excluded Patterns.
- B. When deploying a Cloud agent, there is an option to include or exclude logs.
- C. All logs must be collected, but you can choose to exclude specific logs from going to the Oracle Management Cloud using Gateway commands.
- D. If already set up by default, you need to install the agent.

Correct Answer: A

QUESTION 12

Your customer wants to utilize Oracle IT Analytics to harvest existing entity, configuration, and metric data from their Oracle Enterprise Manager Cloud Control installation. What is the minimum version of Oracle Enterprise Manager Cloud Control they must have?

- A. 12.1.0.3
- B. 12.1.0.5
- C. 12.1.0.2
- D. 13.1.0.0

Correct Answer: C

QUESTION 13

What are two options to obtain an Oracle Management Cloud registration key? (Choose two.)

- A. Registration keys are generated and emailed by Oracle Licensing after service subscription.
- B. Within Oracle Management Cloud display, choose Agents, select Registration Keys and create new key.
- C. Within Oracle Management Cloud display, choose Agents, select Registration Keys, and select a key to download to your local drive.
- D. From Oracle Cloud MyServices console, choose Agents and select "display all registration keys" to view key values
- E. When you download the Oracle Management Cloud software a key is emailed to you.
- F. Connect to the Oracle Cloud Service using SSH and issue the command `cat omcregkey.txt`.

Correct Answer: BC

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/emcad/creating-registrationkey.html>

QUESTION 14

Which change is made to the application server home during Application Performance Monitoring (APM) service provisioning for WebLogic?

- A. A directory is created under the application server for the APM agent.
- B. Application server permissions are changed to allow read/write operations from the APM agent.
- C. A directory is created in the temporary file space for the APM agent.
- D. Group ownership of the application server is changed to include the group of the APM agent.
- E. A directory is created under the data collector directory for the APM agent.

Correct Answer: A

QUESTION 15

Which four capabilities does Oracle Configuration and Compliance cover? (Choose four.)

- A. Uniform posture and state across on-premise and cloud deployments.
- B. Authoring a workflow submission in JSON.
- C. Automated remediation of compliance violations and drift.
- D. Machine Learning driven configuration drift detection.
- E. Out of the box industry-standard benchmarks and best practice standards.

Correct Answer: ABCE

[Latest 1Z0-1076-20 Dumps](#)

[1Z0-1076-20 PDF Dumps](#)

[1Z0-1076-20 Practice Test](#)