

1Z0-1093-22^{Q&As}

Oracle Cloud Database Services 2022 Professional

Pass Oracle 1Z0-1093-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-1093-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Which TWO statements are true about Interface for Exadata I/O Resource Management (IORM)? (Choose all correct answers)

- A. IORM allows workloads and databases to share I/O resources automatically according to admin-defined policies.
- B. IORM can be enabled across multiple databases using the Cloud interface of Exadata Cloud Service.
- C. IORM allows workloads and databases to share I/O resources automatically according to user requests.
- D. IORM can be enabled across multiple Exadata Racks using the Cloud interface of Exadata Cloud Service.

Correct Answer: AB

QUESTION 2

In addition to the automatic backup of your Oracle Database associated with a database deployment, you are planning to take an on-demand backup of a database on Exadata CloudService. How do you do this?

- A. Disable the automatic backup configuration and then take an on-demand backup.
- B. First connect to the Exadata Cloud Instance as the oracle user and then take a backup.
- C. Use the Create Backup button in the backup section of the Database Details page.
- D. Perform a recovery operation to a specific long-term backup.

Correct Answer: C

QUESTION 3

When you created your development database on Exadata Cloud@Customer, you selected "None" for backup location during provisioning. You now need to enable automatic backups on the development database with a retention period of 45 days. Which action should you perform?

- A. No action can be taken, because a new backup location cannot be set after creation.
- B. Change the database backup location to local storage backups and set retention to 45 days.
- C. Change the database backup location to an NFS backup location with a 45-day retention period set.
- D. Change the database backup location to Object Storage with the default retention period set.

Correct Answer: A

QUESTION 4

Which tool can be used to monitor a storage server in Exadata Cloud Service?

A. OCI CLI

B. ocpuccli

C. exaccli

D. dbaascli

Correct Answer: C

QUESTION 5

After you have provisioned a virtual machine (VM) database (DB) system, what action can you take to meet changes in block storage requirements?

A. After you have provisioned a VM DB system, you cannot increase or decrease block storage.

B. If a vm DB system requires more blockstorage, increase the storage at any time without impacting the system.

C. If a vm DB system has different requirements for block storage, increase or decrease the storage at any time without impacting the system.

D. Only bare metal DB systems can increaseblock storage at any time without impacting the system.

Correct Answer: B

QUESTION 6

Patching requires role permissions. However, since roles are not granted by default, which role needs to be added to someone patching the DB system?

A. Let security admins manage vaults, keys, and secrets.

B. Let database and fleet admins manage Autonomous Databases.

C. Let database administrator\\s manage DB systems.

D. Let users manage compute instance configurations, instance pools, and cluster networks.

Correct Answer: C

QUESTION 7

You define a maintenance window for your MySQL DB systems. When the automatic maintenance process takes place, which TWO activities does the system perform while its status is set to UPDATING? (Choose all correct answers)

A. It patches the MySQL server itself along withany underlying hardware.

B. It analyzes, rebuilds, and optimizes MySQL database tables and indexes.

C. It patches the underlying operating system of the MySQL database.

D. It upgrades the associated compute instance to the latest Linux operating system version.

Correct Answer: AC

QUESTION 8

What permissions do you need to perform actions on a NoSQL table?

- A. NOSQL_TABLE_INSPECT, NOSQL_TABLE_UPDATE
- B. NOSQL_TABLE_WRITE, NOSQL_ROWS_INSERT
- C. NOSQL_TABLE_DESTROY, NOSQL_TABLE_ALTER
- D. NOSQL_ROWS_READ, NOSQL_ROWS_DELETE

Correct Answer: D

QUESTION 9

Which TWO statements are true when deciding which Oracle Cloud Infrastructure (OCI) region to register an Exadata Cloud@Customer infrastructure in? (Choose all correct answers)

- A. Exadata Cloud@Customer is hosted in a customer data center so the Exadata infrastructure is not registered in an OCI region.
- B. Consider any business policies or regulations that preclude the use of a particular region.
- C. Consider the physical proximity of the region you register the infrastructure in to your data center.
- D. The Exadata Cloud@Customerregion can be changed after the infrastructure is created.
- E. Consider which availability domain (within the region) to create the Exadata Cloud@Customer infrastructure in.

Correct Answer: AB

QUESTION 10

Which TWO statements are true when enabling autonomous Data Guard on Autonomous Exadata.(Choose all correct answers)

- A. Autonomous databases inherit their Data Guard configuration from their Autonomous Container Database.
- B. Data Guard can be set per individual Autonomous Database within a Container Database.
- C. Data Guard is not currently supported on Autonomous Exadata Cloud@Customer.
- D. Autonomous Data Guard only supports Maximum Performance and Maximum Protection protection modes.
- E. When in a Data Guard configuration patching will always take place on the standby database first.

Correct Answer: AE

[Latest 1Z0-1093-22 Dumps](#)

[1Z0-1093-22 PDF Dumps](#)

[1Z0-1093-22 Exam
Questions](#)