

1Z0-858^{Q&As}

Java Enterprise Edition 5 Web Component Developer Certified
Professional Exam

Pass Oracle 1Z0-858 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-858.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

A custom tag is defined to take three attributes. Which two correctly invoke the tag within a JSP page? (Choose two.)

- A.
- B.
- C.
- D.
- E.
- F.
- G. foobarbaz

Correct Answer: AG

QUESTION 2

Given a servlet mapped to /control, place the correct URI segment returned as a String on the corresponding HttpServletRequest method call for the URI: /myapp/control/processororder.

Select and Place:

Drag and Drop

Given a servlet mapped to /control, place the correct URI segment returned as a String on the corresponding HttpServletRequest method call for the URI: /myapp/control/processororder

HttpServletRequest Method	URI Segment
<code>getServletPath</code>	<code>/myapp</code>
<code>getPathInfo</code>	<code>/control</code>
<code>getContext</code>	<code>/processororder</code>

Done

Select and Place:

Drag and Drop

Given a servlet mapped to /control, place the correct URI segment returned as a String on the corresponding HttpServletRequest method call for the URI: /myapp/control/processororder

HttpServletRequest Method	URI Segment
getServletPath	/myapp
getPathInfo	/control
getContext	/processororder

Done

Correct Answer:

Drag and Drop

Given a servlet mapped to /control, place the correct URI segment returned as a String on the corresponding HttpServletRequest method call for the URI: /myapp/control/processororder

HttpServletRequest Method	URI Segment
/control	
/processororder	
/myapp	

Done

QUESTION 3

Your web application uses a simple architecture in which servlets handle requests and then forward to a JSP using a request dispatcher. You need to pass information calculated by the servlet to the JSP; furthermore, that JSP uses a custom tag and must also process this information. This information must NOT be accessible to any other servlet, JSP or session in the webapp. How can you accomplish this goal?

- A. Store the data in a public instance variable in the servlet.
- B. Add an attribute to the request object before using the request dispatcher.
- C. Add an attribute to the context object before using the request dispatcher.
- D. This CANNOT be done as the tag handler has no means to extract this data.

Correct Answer: B

QUESTION 4

You are creating a servlet that generates stock market graphs. You want to provide the web browser with precise information about the amount of data being sent in the response stream. Which two HttpServletResponse methods will you use to provide this information? (Choose two.)

- A. `response.setLength(numberOfBytes);`
- B. `response.setContentLength(numberOfBytes);`
- C. `response.setHeader("Length", numberOfBytes);`
- D. `response.setIntHeader("Length", numberOfBytes);`
- E. `response.setHeader("Content-Length", numberOfBytes);`
- F. `response.setIntHeader("Content-Length", numberOfBytes);`

Correct Answer: BF

QUESTION 5

You are designing an n-tier Java EE application. You have already decided that some of your JSPs will need to get data from a Customer entity bean. You are trying to decide whether to use a Customer stub object or a Transfer Object. Which two statements are true? (Choose two.)

- A. The stub will increase network traffic.
- B. The Transfer Object will decrease data staleness.
- C. The stub will increase the logic necessary in the JSPs.
- D. In both cases, the JSPs can use EL expressions to get data.
- E. Only the Transfer Object will need to use a Business Delegate.
- F. Using the stub approach allows you to design the application without using a Service Locator.

Correct Answer: AD

QUESTION 6

Which defines the welcome files in a web application deployment descriptor?

- A. /welcome.jsp/ index.html
- B. welcome.jspindex.html
- C. welcome.jspindex.html
- D. /welcome.jsp/index.html
- E. Welcomewelcome.jspIndexindex.html

Correct Answer: B

QUESTION 7

Which two are required elements for the element of a web application deployment descriptor? (Choose two.)

- A.
- B.
- C.
- D.
- E.

Correct Answer: BD

QUESTION 8

You have a new IT manager that has mandated that all JSPs must be refactored to include no scriptlet code. The IT manager has asked you to enforce this. Which deployment descriptor element will satisfy this constraint?

- A. *.jspfalse
- B. *.jspfalse
- C. *.jsptrue
- D. *.jsptrue

Correct Answer: D

QUESTION 9

Given that a scoped attribute cart exists only in a user's session, which two, taken independently, ensure the scoped attribute cart no longer exists? (Choose two.)

- A. `${cart = null}`
- B.
- C.
- D.
- E. `cart`
- F.
- G. `${cart}`

Correct Answer: BD

QUESTION 10

A developer for the company web site has been told that users may turn off cookie support in their browsers. What must the developer do to ensure that these customers can still use the web application?

- A. The developer must ensure that every URL is properly encoded using the appropriate URL rewriting APIs.
- B. The developer must provide an alternate mechanism for managing sessions and abandon the HttpSession mechanism entirely.
- C. The developer can ignore this issue. Web containers are required to support automatic URL rewriting when cookies are not supported.
- D. The developer must add the string `?id=` to the end of every URL to ensure that the conversation with the browser can continue.

Correct Answer: A

QUESTION 11

Given:

- 1.
- 3.
- `${5 + 3 lt 6}`
- 4.

```
${requestScope['foo'][0] ne 10 div 0}
```

5.

```
${10 div 0}
```

What is the result?

- A. true true
- B. false true
- C. false true 0
- D. true true Infinity
- E. false true Infinity
- F. An exception is thrown.
- G. Compilation or translation fails.

Correct Answer: E

QUESTION 12

You have a simple web application that has a single Front Controller servlet that dispatches to JSPs to generate a variety of views. Several of these views require further database processing to retrieve the necessary order object using the `orderId` request parameter. To do this additional processing, you pass the request first to a servlet that is mapped to the URL pattern `/WEB-INF/retrieveOrder.do` in the deployment descriptor. This servlet takes two request parameters, the `orderId` and the `jspURL`. It handles the database calls to retrieve and build the complex order objects and then it dispatches to the `jspURL`.

Which code snippet in the Front Controller servlet dispatches the request to the order retrieval servlet?

- A. `request.setAttribute("orderId", orderId);request.setAttribute("jspURL", jspURL);RequestDispatcher view= context.getRequestDispatcher("/WEB-INF/retrieveOrder.do");view.forward(request, response);`
- B. `request.setParameter("orderId", orderId);request.setParameter("jspURL", jspURL);Dispatcher view=request.getDispatcher("/WEB-INF/retrieveOrder.do");view.forwardRequest(request, response);`
- C. `String T="/WEB-INF/retrieveOrder.do?orderId=%d&jspURL=%s";String url = String.format(T, orderId, jspURL);RequestDispatcher view= context.getRequestDispatcher(url);view.forward(request, response);`
- D. `String T="/WEB-INF/retrieveOrder.do?orderId=%d&jspURL=%s";String url = String.format(T, orderId, jspURL);Dispatcher view= context.getDispatcher(url);view.forwardRequest(request, response);`

Correct Answer: C

QUESTION 13

What is the purpose of session management?

- A. To manage the user's login and logout activities.
- B. To store information on the client-side between HTTP requests.
- C. To store information on the server-side between HTTP requests.
- D. To tell the web container to keep the HTTP connection alive so it can make subsequent requests without the delay of making the TCP connection.

Correct Answer: C

QUESTION 14

Given:

6.

7.

8.

and a custom tag handler for foo which extends TagSupport.

Which two are true about the tag handler referenced by foo? (Choose two.)

- A. The doStartTag method is called once.
- B. The doAfterBody method is NOT called.
- C. The EVAL_PAGE constant is a valid return value for the doEndTag method.
- D. The SKIP_PAGE constant is a valid return value for the doStartTag method.
- E. The EVAL_BODY_BUFFERED constant is a valid return value for the doStartTag method.

Correct Answer: AC

QUESTION 15

You are building a Front Controller using a JSP page and you need to determine if the user's session has NOT been created yet and perform some special processing for this case. Which scriptlet code snippet will perform this test?

- A.
- B.
- C.

D.

Correct Answer: A

[1Z0-858 PDF Dumps](#)

[1Z0-858 VCE Dumps](#)

[1Z0-858 Study Guide](#)