

## 200-550<sup>Q&As</sup>

Zend Certified PHP Engineer

### Pass Zend 200-550 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/200-550.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Zend  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

What would be the output of the following code?

```
namespace MyFramework\DB;

class MyClass {

static function myName() {

return __METHOD__;

}

}

print MyClass::myName();
```

- A. MyFramework\DB\myName
- B. MyFramework\DB\MyClass\myName
- C. MyFramework\DB\MyClass::myName
- D. MyClass::myName

Correct Answer: C

---

## QUESTION 2

How do you allow the caller to submit a variable number of arguments to a function?

- A. Using a prototype like function test(... \$parameters).
- B. Using a prototype like function test() and the function func\_get\_args() inside the function body.
- C. Using a prototype like function test(\$parameters[]).
- D. Using a prototype like function test() and the function get\_variable\_args() inside the function body.
- E. This is not possible in PHP.

Correct Answer: B

---

## QUESTION 3

What will an opcode cache ALWAYS automatically improve?

- A. Running time of a loop in a PHP script
- B. Efficiency of HTML markup generated by a PHP script

- C. Execution speed of a PHP script
- D. Memory footprint of a PHP script
- E. None of the above

Correct Answer: E

---

#### QUESTION 4

Which of the following parts must a XML document have in order to be well-formed?

- A. An XML declaration
- B. A root element
- C. A specified encoding
- D. A reference to either a DTD or an XML schema definition

Correct Answer: B

---

#### QUESTION 5

What is the name of the key for the element in `$_FILES[\\'name\\']` that contains the provisional name of the uploaded file?

Correct Answer: Answer: tmp\_name

---

#### QUESTION 6

What is the name of the function that allows you register a set of functions that implement user-defined session handling?

- A. `session_set_handler()`
- B. `session_set_storage_handler()`
- C. `session_register_handler()`
- D. `session_set_save_handler()`

Correct Answer: D

---

#### QUESTION 7

Which of these elements can be encapsulated by namespaces and made accessible from the outside?

- A. Only classes

B. Classes, functions and constants

C. Classes, functions, constants and variables

Correct Answer: B

---

## QUESTION 8

Which of the following items in the `$_SERVER` superglobal are important for authenticating the client when using HTTP Basic authentication? (Choose 2)

A. `PHP_AUTH_TYPE`

B. `PHP_AUTH_PASSWORD`

C. `PHP_AUTH_DIGEST`

D. `PHP_AUTH_PW`

E. `PHP_AUTH_USER`

Correct Answer: DE

---

## QUESTION 9

When tracking upload progress with sessions, the values of 2 INI settings are needed to determine the key in `$_SESSION` of the upload progress data. What are the INI settings? (Choose 2)

A. `session.upload_progress.file`

B. `session.upload_progress.key`

C. `session.upload_progress.prefix`

D. `session.upload_progress.freq`

E. `session.upload_progress.name`

Correct Answer: CE

---

## QUESTION 10

Which function can NOT help prevent cross-site scripting? (Choose 2)

A. `addslashes()`

B. `htmlentities()`

C. `htmlspecialchars()`

D. `strip_tags()`

E. quotemeta()

Correct Answer: AE

---

### QUESTION 11

What is the output of the following code?

```
class Bar {  
    private $a = '\\b\\';  
    public $c = '\\d\\';  
}  
  
$x = (array) new Bar();  
  
echo array_key_exists('\\a\\', $x) ? '\\true\\' : '\\false\\';  
  
echo '\\-\\';  
  
echo array_key_exists('\\c\\', $x) ? '\\true\\' : '\\false\\';
```

A. false-false

B. false-true

C. true-false

D. true-true

Correct Answer: B

---

### QUESTION 12

Consider the following code:

```
$result = $value1 ??? $value2;
```

Which operator needs to be used instead of ??? so that \$result equals \$value1 if \$value1 evaluates to true, and equals \$value2 otherwise? Just state the operator as it would be required in the code.

Correct Answer: Answer: ?:

---

### QUESTION 13

Given a php.ini setting of

```
default_charset = utf-8
```

what will the following code print in the browser?

```
header(\\Content-Type: text/html; charset=iso-8859-1\\');
```

```
echo \\and#9986;and#10004;and#10013;\\';
```

- A. Three Unicode characters, or unreadable text, depending on the browser
- B. and#9986;and#10004;and#10013;
- C. A blank line due to charset mismatch

Correct Answer: A

---

#### QUESTION 14

What is the output of the following code?

```
function z($x) {  
    return function ($y) use ($x) {  
        return str_repeat($y, $x);  
    };  
}  
  
$a = z(2);  
$b = z(3);  
  
echo $a(3) . $b(2);
```

- A. 22333
- B. 33222
- C. 33322
- D. 222333

Correct Answer: B

---

#### QUESTION 15

How many times will the function counter() be executed in the following code?

```
function counter($start, and$stop)  
{  
    if ($stop > $start)
```

```
{  
return;  
}  
counter($start--, ++$stop);  
}  
$start = 5;  
$stop = 2;  
counter($start, $stop);
```

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: C

[200-550 PDF Dumps](#)

[200-550 Study Guide](#)

[200-550 Exam Questions](#)