

# 220-010<sup>Q&As</sup>

VCE Vblock Systems Administration Exam

## Pass VCE 220-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/220-010.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

A customer is interested in executing the VCE Vision™ Intelligent Operations Compliance Checker. What is required to access the local RCM data?

- A. CAS authentication credentials for the administrator
- B. vSphere administrator credentials
- C. Administrator authentication to VCE Vision™ Intelligent Operations
- D. Full access rights to the RCM

Correct Answer: A

---

## QUESTION 2

You have added physical disks to your Vblock® System 720 to a physical disk group and then created data devices.

What must you do to see the new capacity?

- A. Add the devices to the masking group.
- B. Map the devices to the front end ports.
- C. Add the devices to the thin pool and enable them.
- D. Add the devices to the FAST VP policy.

Correct Answer: C

---

## QUESTION 3

You have deployed a pool of UCS blades to support a development environment that is managed by a development support team. The development support team requires console access to their blade servers. You created a role in the UCSM that only allows console access and power operations.

Which mechanism is used to ensure that you only assign the development support team to the blade servers that they support?

- A. Multi tenancy policies
- B. Isolation pools
- C. Service profiles
- D. Organizations

Correct Answer: D

---

**QUESTION 4**

What is the interface used to administer physical servers in a Vblock® System 200?

- A. CIMC
- B. DCNM
- C. UCSM
- D. Unisphere

Correct Answer: A

---

**QUESTION 5**

During a configuration audit of your VMware environment, you determine that one of your data stores is smaller than specified by your company's standards. The data store is connected to all hosts in the cluster and is running virtual machines. Which two actions would you perform to ensure that the data store meets the standards? (Choose two)

- A. Remove and re-create the LUN on the storage array.
- B. Expand the LUN on the storage array.
- C. Increase the data store size in vCenter.
- D. Use vMotion to move virtual machines to another host.

Correct Answer: BC

---

**QUESTION 6**

While monitoring your PowerPath/VE licensing, you notice that some of your hosts are no longer licensed. In this scenario, which statement is correct?

- A. PowerPath will continue to function but will not allow more devices to be configured.
- B. PowerPath will route all traffic down one path, disabling the alternative path.
- C. PowerPath will switch to round robin mode but will not allow more devices to be configured.
- D. PowerPath will continue to route traffic but will lose some management features.

Correct Answer: D

---

**QUESTION 7**

Click the Exhibit button -- Exhibit -

VLAN	Name	Status	Ports
1	default	active	
111	VLAN0111	active	
112	VLAN0112	active	
VLAN Type			
1	enet		
111	enet		
112	enet		
Remote SPAN VLANs			
Primary	Secondary	Type	Ports

-- Exhibit -What is determined from the output shown in the exhibit?

- A. VLAN 112 has been assigned as the management VLAN.
- B. Pooling has been configured.
- C. The show vlan command has been executed.
- D. VSAN 112 has been configured.

Correct Answer: C

## QUESTION 8

An existing customer wants to add external IP addresses to its management pool. Which element manager would you recommend?

- A. Data Center Network Manager
- B. Unisphere
- C. VCE Vision™ Intelligent Operations
- D. UCSM

Correct Answer: D

## QUESTION 9

A company wants to ensure that they monitor the amount of storage used by thin provisioned VMs. What should be used to accomplish this task?

- A. vCenter VM Edit Settings menu
- B. vCenter storage maps
- C. vCenter storage reports
- D. vCenter hardware status page

Correct Answer: C

---

#### QUESTION 10

You are asked to permanently shrink a vSphere cluster from five nodes to four nodes. You confirm that all five ESXi hosts are at less than 20% utilization. You also confirm that VMware DRS is properly configured and running on the cluster.

Which procedure should be followed to shrink the cluster?

- A. In UCSM, stop the server then delete the service profile; in vCenter, delete the host.
- B. In vCenter, put the ESXi host into maintenance mode, remove the host from the cluster; in UCSM, stop the server then delete the service profile.
- C. In vCenter, put the ESXi host into maintenance mode, remove the host from the cluster; in UCSM, stop the server then disconnect the service profile.
- D. In UCSM, stop the server then delete the service profile; in vCenter, put the ESXi host into maintenance mode, remove the host from the cluster.

Correct Answer: B

---

#### QUESTION 11

What is the result of using the same VLAN ID for both a VLAN and an FCoE VLAN in a VSAN?

- A. All traffic is automatically forced to 10 GbE speed and jumbo frames enabled.
- B. A critical fault will be created with traffic disruption for all vNICs and uplink ports using that VLAN.
- C. A warning fault will be created with performance degradation within the VLAN.
- D. FCoE traffic will be forced down to the speed and frame size set on the vNICs

Correct Answer: B

---

#### QUESTION 12

You have a Vblock® System 340 in a unified network configuration and you need to provide connectivity for file and block storage. Which component would you use to provide connectivity between the server and the storage resources?

- A. MDS 9100 switches

- B. Nexus 5500 switches
- C. VNX Data Mover
- D. VNX Storage Processors

Correct Answer: B

---

## QUESTION 13

An application owner complains about poor application performance since the application was moved to the Vblock® System 340. Your VMware administrator determines that the storage used for this application has a very high latency. Which step would you take to gather information from your storage array to send to EMC technical support?

- A. Generate a diagnostic file for each storage processor in Unisphere.
- B. Generate a diagnostic file for each block pool in Unisphere.
- C. Create a support bundle for each RAID group in Unisphere.
- D. Create a support bundle for the FAST cache in Unisphere.

Correct Answer: A

---

## QUESTION 14

You are managing a Vblock® System 340 and need to configure an additional ESXi server. After loading the server, you need to provision a few data devices to the host.

According to VCE best practices, which starting LUN ID should be used for these data devices?

- A. 10
- B. 32
- C. 100
- D. 132

Correct Answer: D

---

## QUESTION 15

What are three supported disk types for a Vblock® System 720? (Choose three)

- A. EFD
- B. FC
- C. SAS

D. SATA

E. NL\_SAS

Correct Answer: ABD

[220-010 VCE Dumps](#)

[220-010 Exam Questions](#)

[220-010 Braindumps](#)