

250-352^{Q&As}

Administration of Storage Foundation and HA 6.0 for Windows

Pass Symantec 250-352 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/250-352.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A two-system cluster has two independent heartbeat connections as the only heartbeat mechanisms. What happens when one of the heartbeat connections is lost?

- A. Service group failover is disabled on system fault.
- B. Service group failover functions normally on system fault.
- C. Veritas Cluster Server automatically configures a low-pri heartbeat over the public net.
- D. Veritas Cluster Server automatically marks all service groups auto-disabled.

Correct Answer: A

QUESTION 2

Which two options are correct for expanding a 1GB striped volume with two columns to a 2GB volume? (Select two.)

- A. add 4 256MB disks to the disk group and expand the volume using the max-size option
- B. add 4 512MB disks to the disk group and expand the volume using the max-size option
- C. add 2 512MB disks to the disk group and expand the volume using the max-size option
- D. add 2 1GB disks to the disk group and expand the volume using the max-size option
- E. add 1 1GB disk to the disk group and expand the volume using the max-size option

Correct Answer: AC

QUESTION 3

Refer to the Service Group Definition displayed below.

```
Group SQLSG {  
    SystemList = {Server1=2, Server2=1, Server3=0,  
                Server4=3}  
    AutoStartList = {Server3, Server1, Server4, Server2}  
    FailOverPolicy = Load  
    Load = 75  
}
```

Which server will start the SQLSG service group if a critical resource faults on Server3 and all servers have a current available capacity of 300?

- A. Server1

B. Server2

C. Server3

D. Server4

Correct Answer: B

QUESTION 4

What is the optimal way to migrate Hyper-V virtual machines to new storage locations without disruption?

A. mirror the volumes hosting the virtual machines to the new storage locations and break the mirrors

B. migrate the virtual machines to their new storage locations with the Storage Migration Wizard Hyper-V option

C. drag the volumes containing the virtual machines to their new storage locations in the Veritas Enterprise Administrator

D. create volumes on the new storage locations and copy data from the volumes hosting the virtual machines

Correct Answer: B

QUESTION 5

An application is experiencing various resource failures. The application administrator wants Veritas Cluster Server (VCS) to take all resources offline after failure. The entire application should remain offline. Which attribute should the administrator use?

A. ManageFaults

B. FailOverPolicy

C. AutoFailOver

D. Critical

Correct Answer: C

QUESTION 6

Which Veritas Storage Foundation and High Availability Solutions 6.0 for Windows installation option adds fault tolerance to disk storage by making use of multiple connections between a server and a disk in a storage array?

A. DMP Device Specific Modules (DSMs)

B. Fast Failover

C. Global Cluster Option (GCO)

D. FlashSnap

Correct Answer: A

QUESTION 7

Which configuration is excluded from the list of Microsoft SharePoint Server configurations supported for setting up SharePoint with Veritas Cluster Server (VCS) for disaster recovery?

- A. stand-alone
- B. web server
- C. small server farm
- D. large server farm

Correct Answer: A

QUESTION 8

An administrator notices that a disk in a disk group is tagged as Foreign. In which disk group is the Foreign disk located?

- A. Dynamic disk group
- B. Private disk group
- C. Unknown disk group
- D. Basic disk group

Correct Answer: C

QUESTION 9

What are two advantages of a properly configured mirrored volume layout? (Select two.)

- A. improves volume capacities with multiple plexes
- B. improves disk storage usage with multiple disks
- C. improves read performance with multiple plexes
- D. improves write performance with multiple plexes
- E. improves availability by providing redundancy

Correct Answer: CE

QUESTION 10

Which type of service group is appropriate for applications that manage multiple application instances that run simultaneously without data corruption?

- A. application
- B. hybrid
- C. failover
- D. parallel

Correct Answer: D

QUESTION 11

Refer to the Service Group Definition displayed below.

```
Group FileShareSG {
    SystemList = {Server5=2, Server2=1, Server3=4
                Server1=3, Server4=0}
    AutoStartList = {Server2, Server1, Server4,
                   Server3, Server5}
    ;
}
```

Which server will start the FileShareSG service group following a critical resource fault on Server2?

- A. Server1
- B. Server3
- C. Server4
- D. Server5

Correct Answer: C

QUESTION 12

An administrator needs to reduce the time a resource has remained online without encountering problems such that previous faults and restart attempts are ignored by the agent. Which agent type attribute needs to be tuned?

- A. ConflInterval
- B. ToleranceLimit
- C. RestartLimit
- D. RetryInterval

Correct Answer: A

QUESTION 13

Where can Veritas Cluster Server (VCS) users acquire credentials for secure communications between cluster nodes?

- A. Active Directory
- B. Authentication broker
- C. LDAP authentication
- D. VCS SSL broker

Correct Answer: B

QUESTION 14

Which two channels can be used for the second Veritas Cluster Server (VCS) heartbeat link? (Select two.)

- A. private network
- B. public network
- C. VPN network
- D. TCP/IP network
- E. storage area network

Correct Answer: AB

QUESTION 15

An administrator created three servers with the AutoStartPolicy set to Load. Which system attribute quantifies the available System Load?

- A. Capacity
- B. Load
- C. AvailableCapacity
- D. SystemLoad

Correct Answer: C

[250-352 Practice Test](#)

[250-352 Study Guide](#)

[250-352 Braindumps](#)