

## 250-440<sup>Q&As</sup>

Administration of Symantec PacketShaper 11.9.1

### Pass Symantec 250-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/250-440.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

When would Symantec recommend backing up measurement data, using the measurement engine?

- A. Prior to a software upgrade
- B. Before returning the appliance to the manufacturer
- C. When verifying that a transfer is complete
- D. After performing a restore of the data from backups

Correct Answer: D

Explanation: <https://originsymwisedownload.symantec.com/resources/webguides/packetguide/current/reference/cli/measurerestore.htm>

---

## QUESTION 2

How are classes sorted in a traffic tree?

- A. By service precedence
- B. By priority, rate and average utilization
- C. By parent, child, and sibling relationships
- D. By server port number

Correct Answer: C

Explanation: <https://originsymwisedownload.symantec.com/resources/webguides/packetguide/11.5/Content/Topics/overviews/tree-overview-legacy.htm>

---

## QUESTION 3

What does "network delay" mean within PacketShaper?

- A. The time lot the Oracle server to access memory
- B. The increase in average transaction
- C. The total transit time for a single packet to traverse the PacketShaper interfaces
- D. The total transit time for all requited packets

Correct Answer: D

**QUESTION 4**

The "traffic active" CU command displays the maximum number of TCP, UDP, and legacy flows on the PacketShaper. What interval are these maximums automatically checked against current conditions and updated if necessary?

- A. Once per day
- B. Every second
- C. Every 15 minutes
- D. Every 30 minutes

Correct Answer: A

---

**QUESTION 5**

A network administrator is interested in protecting VoIP traffic on the network.

How can the administrator best accomplish this while maintaining visibility into overall VoIP bandwidth utilization\\'

- A. An administrator is unable to monitor and protect All VoIP traffic at once using a PacketShaper
- B. Create a class based on the IP addresses of the IP phones so that all traffic between them can be measured and controlled
- C. Use PacketShaper\\'s Flow Detail Record (FDR) feature to have the PacketShaper export VoIP flow data to ReportCenter
- D. Create a folder with a guaranteed minimum sue partition and move all of the VoIP related classes into the folder

Correct Answer: B

---

**QUESTION 6**

What condition would signal an administrator to track class response time?


- A. When the associated traffic is UDP and conforms to recognized transaction behavior
- B. When a network is unreliable or unstable more than 50% of the time
- C. When network retransmission rates are close to zero
- D. When the associated traffic is TCP and conforms to recognized transaction behavior

Correct Answer: D

---

## QUESTION 7

Refer to the traffic tree in the exhibit.



Which policy is applied to Inbound/Country/City/Citrix?

- A. Priority 6
- B. Priority 3
- C. Rate(6) 20k
- D. Rate(3) 0

Correct Answer: C

## QUESTION 8

What do instances of bold text in the PacfcetShapet Wffie lice represent?

- A. Default Policy

B. Policy that n actively being used

C. Policy that was changed during the current session D. Inheritable Policy

Correct Answer: B

---

## QUESTION 9

Which PacketShaper feature can be applied to the Folder class?

A. Matching rule

B. Partition

C. Policy

D. Outbound/Default classification

Correct Answer: A

---

## QUESTION 10

Traffic from a single internal server contains bandwidth peaking at 750K and averaging at 350K during sessions.

What information would an administrate utilize to determine the rates to specify in a guaranteed rate policy for the traffic class?

A. Output from the setup show command to determine the PacketShaper\\'s configuration limits

B. An ASCII fie saved in the 9.256/cmd directory

C. Output from the traffic flow command to see how many concurrent flows of a specific type are present

D. Output from the ver ver command, which is divided into non-sharable and sharable settings

Correct Answer: A

---

## QUESTION 11

Which file type is created when saving a traffic tree with the command: config save myshaper?

A. LDIF

---

B. A file in a custom binary format

C. HTML

D. XML

Correct Answer: A

---

## QUESTION 12

Which CU command displays the basic configuration for the PacketShaper?

A. version verbose

B. setup show

C. classily packetshaper

D. show setup

Correct Answer: A

---

## QUESTION 13

Which PacketShaper report displays the percentage of bytes that are NOT retransmits?

A. The TCP Health graph

B. The Network Efficiency graph

C. The Normalized Network Delay graph

D. The Top 10 Classes graph

Correct Answer: B

Explanation: <https://originsymwisedownload.symantec.com/resources/webguides/packetguide/11.10/Content/PDFs/AdaptiveResponse.pdf>

---

## QUESTION 14

What does the Packets Size retransmitted graph display?

A. Transmuted packets against retransmitted packets, in seven size buckets

B. Transmitted bytes against retransmitted bytes, in line chart format

- C. Packets received on the Inbound or Outbound link, in line chart format
- D. Packets received on the Inbound or Outbound link, in seven size buckets

Correct Answer: A

---

## QUESTION 15

What is required on the network to allow classification of traffic flow by a specific user?

- A. Install the Blue Coat Authentication and Authorization Agent (BCAAA) on a separate server.
- B. Nothing. Users are automatically discovered by your PacketShaper.
- C. Enable Users and Groups on the PacketShaper Setup page.
- D. Install the Blue Coat Authentication and Authorization Agent (BCAAA) on your PacketShaper appliance.

Correct Answer: A

[Latest 250-440 Dumps](#)

[250-440 Study Guide](#)

[250-440 Exam Questions](#)