

299-01^{Q&As}

Riverbed Certified Solutions Professional - Network Performance Management

Pass Riverbed 299-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/299-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

What is the maximum number of custom applications (Layer 4 and 7 combined) permitted to be defined on a single Cascade Profiler?

- A. 50
- B. 75
- C. 100
- D. 125
- E. Unlimited

Correct Answer: C

QUESTION 2

Trace clips that no longer have data because their packet data and trend data is no longer available in the parent capture job trace:

- A. Appear with a red lightning bolt icon within Cascade Pilot.
- B. Appear with a lock icon within Cascade Pilot.
- C. Appear with a grey lightning bolt icon within Cascade Pilot.
- D. Appear with a yellow lightning bolt icon within Cascade Pilot.
- E. Appear with the trace clip name in red text within Cascade Pilot.

Correct Answer: E

QUESTION 3

When you modify a filter in Cascade Pilot:

- A. Changes are saved only in the View to which the filter has been applied.
- B. The modified filter is saved on the machine on which Cascade Pilot is running.
- C. The modified filter is saved on any Cascade Shark that Cascade Pilot is connected to.
- D. The changes are lost when you close Cascade Pilot.

Correct Answer: B

QUESTION 4

What versions of NetFlow export the TCP flags?

- A. v5 and v9
- B. v1
- C. v7 and v8
- D. All of the above
- E. None of the above

Correct Answer: A

QUESTION 5

Which of the following are valid syntax for host group definitions on Cascade Profiler? (Select 2)

- A. 192.168.66.* Web Servers
- B. 192.168.0.100/255.255.0.255 Database_Servers
- C. 192.168.14.0/24 Mail_Servers
- D. 192.168.*.* Boston

Correct Answer: BC

QUESTION 6

Which of the following are TRUE concerning packet capture jobs on the Cascade Shark appliance. (Select 4)

- A. Packets can be captured from multiple capture ports on one Cascade Shark appliance.
- B. The maximum length the packet data can be specified.
- C. Packets can be filtered on host IP addresses.
- D. SSL traffic can be decoded if the appropriate certificate are loaded in the Cascade Shark appliance.
- E. The maximum storage bandwidth for the job can be specified in bits/sec.
- F. Multiple packet capture jobs can run concurrently.

Correct Answer: ABCF

QUESTION 7

When defining a service which of the following are supported ways of aggregating the results? (Select 2)

- A. Client Ports

B. Applications

C. Ports

D. Server

Correct Answer: BC

QUESTION 8

What are possible explanations for no Server Delay measurement being reported for a particular flow? (Select 4)

A. The flow includes the UDP protocol.

B. The traffic was not reported by a Cascade Sensor or Cascade Shark appliance.

C. The traffic was not reported by a Steelhead appliance\\'s CascadeFlow

D. The start time for the connection was prior to the timeframe selected for the traffic query.

E. The packets involved in the initial setup of the TCP connection were not seen by a Cascade Sensor or Cascade Shark appliance.

Correct Answer: ABDE

QUESTION 9

When changing the priority for a Layer 4 mapping on Cascade Profiler best practices indicate that Application Mappings should be given higher priorities based on:

A. Longest Match

B. Shortest Match

C. IP and Port

D. IP

Correct Answer: A

QUESTION 10

Which of the following is information that Netflow v5 provides to the Cascade solution? (Select 2)

A. End time of Flow

B. Source MAC address

C. Layer 4 Protocol Type

D. TCP Checksum Validation Result

Correct Answer: AC

QUESTION 11

Cascade de-duplicates the same conversation if it traverses multiple exporting Sensor devices. What is the maximum number of hops Cascade will preserve data for?

- B. 5
- C. 10
- D. 15

Correct Answer: B

QUESTION 12

Within the Cascade Pilot GUI, the following filter types are available. (Select 3)

- A. Wireshark display filter
- B. BPF
- C. Cascade Pilot Filter
- D. Cascade-Scripting filter
- E. IP chains filter

Correct Answer: ABC

QUESTION 13

What is one item for which the analytics license is required?

- A. The Analytics license is required to generate traffic report.
- B. The Analytics license is required to generate network operation dashboard.
- C. The Analytics license is required to connect CMDB system.
- D. The analytics license is required for the analytics defined as part of a service to begin the initialization process.

Correct Answer: D

QUESTION 14

If a Cascade Profiler customer wants to understand if poor user experience for a particular application is due to application inefficiency or not, what report parameters should you look at?

- A. RTT
- B. Server delay
- C. Response time
- D. Server delay relative to Network RTT
- E. Number of active connections

Correct Answer: D

QUESTION 15

Which of the following describes how a Cascade Gateway transfers flow data to a Cascade Profiler? (Select 2)

- A. It uses IETF's IPFIX protocol.
- B. It uses whichever flow protocol it received the data on.
- C. It uses a proprietary compressed and encrypted connection.
- D. It sends data over SYSLOG port 514 which is compressed and encrypted via proprietary technology.
- E. It sends data over TCP/41017.

Correct Answer: CE

[299-01 VCE Dumps](#)

[299-01 Exam Questions](#)

[299-01 Braindumps](#)