

300-720^{Q&As}

Securing Email with Cisco Email Security Appliance (SESA)

Pass Cisco 300-720 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-720.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.



Which SPF record is valid for mycompany.com?

- A. v=spf1 a mx ip4:199.209.31.2 -all
- B. v=spf1 a mx ip4:10.1.10.23 -all
- C. v=spf1 a mx ip4:199.209.31.21 -all
- D. v=spf1 a mx ip4:172.16.18.230 -all

Correct Answer: D

QUESTION 2

An administrator notices that incoming emails with certain attachments do not get delivered to all recipients when the emails have multiple recipients in different domains like cisco.com and test.com. The same emails when sent only to recipients in cisco.com are delivered properly. How must the Cisco ESA be configured to avoid this behavior?

- A. Modify DLP configuration to ensure that all attachments are permitted for test.com.
- B. Modify DLP configuration to exempt DLP scanning for messages sent to test.com domain.
- C. Modify mail policies so email recipients do not match multiple policies.
- D. Modify mail policies for cisco.com to ensure that emails are not dropped.

Correct Answer: B

QUESTION 3

When the Spam Quarantine is configured on the Cisco ESA, what validates end-users via LDAP during login to the End-User Quarantine?

- A. Enabling the End-User Safelist/Blocklist feature
- B. Spam Quarantine External Authentication Query
- C. Spam Quarantine End-User Authentication Query
- D. Spam Quarantine Alias Consolidation Query

Correct Answer: C

Reference: <https://www.cisco.com/c/en/us/support/docs/security/email-security-appliance/118692-configure-esa-00.html>

QUESTION 4

A network engineer is editing the default DMARC verification profile on a Cisco ESA and must ensure that the configured Message Action in the profile matches the policy in the DMARC record. What must be set to achieve this result?

- A. "Message Action when the Policy in DMARC Record is Reject" to Reject
- B. "Message Action when the Policy in DMARC Record is None" to Quarantine
- C. "Message Action when the Policy in DMARC Record is None" to No Action
- D. "Message Action when the Policy in DMARC Record is Reject" to Quarantine

Correct Answer: A

QUESTION 5

Users have been complaining of a higher volume of emails containing profanity. The network administrator will need to leverage dictionaries and create specific conditions to reduce the number of inappropriate emails.

Which two filters should be configured to address this? (Choose two.)

- A. message
- B. spam
- C. VOF
- D. sender group
- E. content

Correct Answer: BE

QUESTION 6

Which antispam feature is utilized to give end users control to allow emails that are spam to be delivered to their inbox, overriding any spam verdict and action on the Cisco ESA?

- A. end user allow list
- B. end user spam quarantine access
- C. end user passthrough list
- D. end user safelist

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/security/ces/user_guide/esa_user_guide_11-1/b_ESA_Admin_Guide_ces_11_1/b_ESA_Admin_Guide_chapter_011111.pdf

QUESTION 7

What are two phases of the Cisco ESA email pipeline? (Choose two.)

- A. reject
- B. workqueue
- C. action
- D. delivery
- E. quarantine

Correct Answer: BD

Reference: https://www.cisco.com/c/en/us/td/docs/security/esa/esa12-1/user_guide/b_ESA_Admin_Guide_12_1/b_ESA_Admin_Guide_12_1_chapter_011.pdf (p.1)

QUESTION 8

DRAG DROP

An Encryption Profile has been set up on the Cisco ESA.

Drag and drop the steps from the left for creating an outgoing content filter to encrypt emails that contains the subject "Secure:" into the correct order on the right.

Select and Place:

Add a new filter with condition Subject Header as subject == "Secure:" and action encrypt and deliver now (final action).	step 1
Submit and commit the changes.	step 2
Choose outgoing mail policies and enable the new filter in the default mail policy or appropriate mail policies.	step 3
Choose the outgoing content filters.	step 4

Correct Answer:

	Choose the outgoing content filters.
	Add a new filter with condition Subject Header as subject == "Secure:" and action encrypt and deliver now (final action).
	Choose outgoing mail policies and enable the new filter in the default mail policy or appropriate mail policies.
	Submit and commit the changes.

Reference: <https://community.cisco.com/t5/email-security/keyword-in-subject-line-to-encrypt-message/td-p/2441383>

QUESTION 9

An engineer is tasked with reviewing mail logs to confirm that messages sent from domain abc.com are passing SPF verification and being accepted by the Cisco ESA. The engineer notices that SPF verification is not being performed and that SPF is not being referenced in the logs for messages sent from domain abc.com.

Why is the verification not working properly?

- A. SPF verification is disabled in the Recipient Access Table.
- B. SPF verification is disabled on the Mail Flow Policy.
- C. The SPF conformance level is set to SIDF compatible on the Mail Flow Policy.
- D. An SPF verification Content Filter has not been created.

Correct Answer: D

QUESTION 10

Which two certificate authority lists are available in Cisco ESA? (Choose two.)

- A. default

B. system

C. user

D. custom

E. demo

Correct Answer: BD

Reference: https://www.cisco.com/c/en/us/td/docs/security/esa/esa11-1/user_guide/b_ESA_Admin_Guide_11_1/b_ESA_Admin_Guide_11_1_chapter_011000.html#task_1194859

QUESTION 11

When virtual gateways are configured, which two distinct attributes are allocated to each virtual gateway address?
(Choose two.)

A. domain

B. IP address

C. DNS server address

D. DHCP server address

E. external spam quarantine

Correct Answer: AB

Reference: <https://www.cisco.com/c/en/us/support/docs/security/email-security-appliance/118542-qa-esa-00.html>

QUESTION 12

An engineer is reviewing the SMTP routing table on a Cisco ESA using the `smtproutes` CLI command and discovers an IPv6 route for `2620:104:4360:9232::23`. What type of IPv6 route does this represent?

A. Network route

B. Subnet route

C. Device route

D. Prefix route

Correct Answer: C

QUESTION 13

Refer to the exhibit.

Global Settings	
Action for attachments with MIME types/fingerprints in table above:	Skip
Maximum depth of attachment recursion to scan:	5
Maximum attachment size to scan:	5M
Attachment Metadata scan:	Enabled
Attachment scanning timeout:	30 seconds
Assume attachment matches pattern if not scanned for any reason:	No
Assume zip file to be unscannable if files in the archive cannot be read?	No
Action when message cannot be deconstructed to remove specified attachments:	Deliver
Bypass all filters in case of a content or message filter error:	Yes
Encoding to use when none is specified:	US-ASCII
Convert opaque-signed messages to clear-signed (S/MIME unpacking):	Disabled
Actions for Unscannable Messages due to decoding errors found during URL Filtering Actions:	Disabled
Action when a message is unscannable due to extraction failures:	Deliver As Is
Action when a message is unscannable due to RFC violations:	Disabled

[Edit Global Settings...](#)

What is the correct order of commands to set filter 2 to active?

- A. filters-> edit-> 2-> Active
- B. filters-> modify-> All-> Active
- C. filters-> detail-> 2-> 1
- D. filters-> set-> 2-> 1

Correct Answer: D

QUESTION 14

A recent engine update was pulled down for graymail and has caused the service to start crashing. It is critical to fix this as quickly as possible. What must be done to address this issue?

- A. Roll back to a previous version of the engine from the Services Overview page.
- B. Roll back to a previous version of the engine from the System Health page.
- C. Download another update from the IMS and Graymail page.
- D. Download another update from the Service Updates page.

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/td/docs/security/esa/esa11-1/user_guide/b_ESA_Admin_Guide_11_1/b_ESA_Admin_Guide_11_1_chapter_0100010.html#task_9F07A032042F48C6AEDB69D325CD3C5F

QUESTION 15

A Cisco ESA administrator is creating a Mail Flow Policy to receive outbound email from Microsoft Exchange. Which Connection Behavior must be selected to properly process the messages?

- A. Delay
- B. Accept
- C. Relay
- D. Reject

Correct Answer: C

[300-720 PDF Dumps](#)

[300-720 VCE Dumps](#)

[300-720 Exam Questions](#)