

## 300-920<sup>Q&As</sup>

Developing Applications for Cisco Webex and Webex Devices  
(DEVWBX)

**Pass Cisco 300-920 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-920.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

DRAG DROP

Drag and drop the items to complete the jsxapi script. Not all options are used.

Select and Place:

```
const xapi = require ('');  
function printHttp(url) {  
xapi.('HTTPClient Get'. {Url: url })  
  .then((data) => {  
    console.log({  
      data:JSON.parse.body(data),  
    });  
  })  
  . (() => {  
    console.error({  
      error: 'HTTP Get failed'.  
    });  
  });  
}  
('http://example.com');
```

xCommand

command

jsxapi

devices\_read

printHttp

catch

Correct Answer:

```
const xapi = require ( '  ');
function printHttp(url) {
xapi.  ('HTTPClient Get'. {Url: url })
    .then((data) => {
        console.log({
            data:JSON.parse.body(data),
        });
    })
    .  (() => {
console.error({
    error: 'HTTP Get failed'.
});
});
}
 ('http://example.com');
```

**QUESTION 2**

```
xcommand UserInterface Extensions List
OK
*r ExtensionsListResult (status=OK):
*r ExtensionsListResult Extensions Version: "1.5"
*r ExtensionsListResult Extensions Panel 1 Icon: Lightbulb
*r ExtensionsListResult Extensions Panel 1 Type: Statusbar
*r ExtensionsListResult Extensions Panel 1 Name: Panel
*r ExtensionsListResult Extensions Panel 1 PanelId: "panel_1"
*r ExtensionsListResult Extensions Panel 1 Order: 1
*r ExtensionsListResult Extensions Panel 1 Page 1 Name: "Page"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Name: "Row"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 WidgetId: "widget_1"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Type: Slider
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Options: "size=3"
** end
--
```

Refer to the exhibit. With this in-room configuration, which command successfully sets the slider to 50?

- A. xcommand UserInterface Extensions Widget SetSlider Value: 50
- B. xcommand UserInterface Extensions Widget Slider: 50 Widget: "widget\_1"
- C. xconfiguration UserInterface Extensions widget\_1 50
- D. xcommand UserInterface Extensions Widget SetValue WidgetId: "widget\_1" Value: 50

Correct Answer: A

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf>

### QUESTION 3

DRAG DROP

## Create a Membership

Add someone to a room by Person ID or email address; optionally making them a moderator.

**POST** /v1/memberships

Body Parameters

**roomId**  
string **Required**

The room ID.

**personID**  
string

The person ID.

**personEmail**  
string

The email address of the person

**isModerator**  
boolean

Whether or not the participant is a room moderator

Refer to the exhibit. Drag and drop the code on the snippet to add the user with email "alice@example.com" as moderator of the space with the identifier "987654321".

Select and Place:

```
curl -s -X [ ] "https://api.ciscospark.com/v1/[ ]" \
-H "Authorization: Bearer MDMYzTM1YTA_Pf84_1eb65fdf-ad72cae0e10f" \
-H "Content-Type: application/json" \
-data-raw '{" [ ] "987654321": [ ] "alice@example.com": "isModerator": [ ] }'
```

Correct Answer:

```
curl -s -X POST "https://api.ciscospark.com/v1/memberships" \
-H "Authorization: Bearer MDMYzTM1YTA_Pf84_1eb65fdf-ad72cae0e10f" \
-H "Content-Type: application/json" \
--data-raw '{"roomId": "987654321", "personEmail": "alice@example.com", "isModerator": true}'
```

---

#### QUESTION 4

Which two statements about using the Compliance Office role to manage data in Webex Teams are true? (Choose two.)

- A. For group rooms with members from multiple organizations, only the compliance officer of the owning organization can manage all data.
- B. The compliance officer can manage data only for users who have granted the spark-compliance messages scope.
- C. For direct rooms between two organizations, each compliance officer can manage data only from their organization.
- D. For group rooms with members from multiple organizations, either compliance officer can manage all data.
- E. For direct rooms between two organizations, the compliance officer of either organization can manage all data.

Correct Answer: CE

Reference: <https://developer-portal-intb.ciscospark.com/docs/api/guides/compliance>

---

#### QUESTION 5

```
1 const webex = windows.webex = Webex.init();
2
3 webex.once('ready', () => {
4   const jwt = document.getElementById('context').value;
5
6   webex.authorization.requestAccessTokenFromJwt({ jwt })
7     .then(() => {
8       if (webex.canAuthorize) {
9         alert('Authenticated!');
10      }
11    })
12    .catch((err) => {
13      alert('Authentication.error:' + err);
14    });
15});
```

Refer to the exhibit. On line 4, the script retrieves a context from a DOM element that was generated from a server-side component. How does that server-side component obtain the value for the `context` element?

- A. by opening a dialog asking the end-user to paste his personal access token
- B. by completing an authorization code grant flow using the identifier and secret of an OAuth integration
- C. by embedding the access token of a Bot account
- D. by creating a guest token using the identifier and secret of a Guest Issuer application

Correct Answer: B

## QUESTION 6

```
<xsd:complexType name= "l1stRecordingResponse">
  <xsd:complexContent>
    <xsd:extension base= "serv:bodyContentType">
      <xsd:sequence>
        <xsd:element name= "matchingRecords" type=
"serv:matchingRecordsType" minOccurs="0"/>
        <xsd:element name= "recording" type= "ep:recordingType" minOccurs=
"0" maxOccurs= "unbounded"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
...
<xsd:complexType name= "recordingType">
  <xsd:sequence>
    <xsd:element name= "recordingID" type= "xsd:int"/>
    <xsd:element name= "hostWebExID" type= "xsd:string"/>
    <xsd:element name= "name" type= "xsd:string"/>
    <xsd:element name= "createTime" type= "xsd:string"/>
    <xsd:element name= "streamURL" type= "xsd:string"/>
    <xsd:element name= "fileURL" type= "xsd:string"/>
    <xsd:element name= "password" type= "xsd:string" minOccurs= "0" />
  </xsd:sequence>
</xsd:complexType>
```

Refer to the exhibit. A snippet from the XSD schema of the Webex Meeting XML API `LstRecordingResponse` element is listed in the exhibit. Assuming that a variable named `resp` exists that contains the XML response from a successful `LstRecording` request, which code snippet correctly generates a simple report that lists meeting names and recording file download links?

- A. 

```
list = (new window.DOMParser()).parseFromString(resp, 'application/json')
for (const item of lst.getElementsByTagNameNS('*', 'matchingRecords')){
document.writeln(
  <p> Meeting Name:${item.getElementsByTagNameNS('*', 'name') [0].textContent}<br>');
document.write(
  'Download:${item.getElementsByTagNameNS('*', 'fileURL') [0].textContent}<br>');
```
- B. 

```
list = (new window.DOMParser()).parseFromnString(resp, 'LstRecordingResponse')
for (const item of lst.getElementsByTagNameNS('*', 'matchingRecords')){
document.writeln(
  <p> Meeting Name:${item.getElementsByTagNameNS('*', 'name') [0].textContent}<br>');
document.write(
  'Download:${item.getElementsByTagNameNS('*', 'fileURL') [0].textContent}<br>');
```
- C. 

```
list = (new window.DOMParser()).parseFromString(resp, 'text/xml')
for (const item of lst.getElementsByTagNameNS('*', 'matchingRecords')){
document.writeln(
  <p> Meeting Name:${item.getElementsByTagNameNS('*', 'hostWebExID') [0] }<br>');
document.write(
  'Download:${item.getElementsByTagNameNS('*', 'streamURL') [0].textContent}<br>');
```
- D. 

```
list = (new window.DOMParser()).parseFromString(resp, 'text/xml')
for (const item of lst.getElementsByTagNameNS('*', 'recording')){
document.writeln(
  <p> Meeting Name:${item.getElementsByTagNameNS('*', 'name') [0].textContent}<br>');
document.write(
  'Download:${item.getElementsByTagNameNS('*', 'fileURL') [0].textContent}<br>');
```

A. Option A

B. Option B



C. Option C

D. Option D

Correct Answer: A

#### QUESTION 7

```
1  const jsxapi = require('jsxapi');
2  const speaker = require('./speaker')
3  const xapi = jsxapi.connect('ssh://10.131.202.230', {
4      username: 'admin',
5      password: ''
6  });
7  let state = 0
8  function toggle(state) {
9      if (state === 0) {return 1}
10     else {return 0}
11 }
12 xapi.on('ready', () => {
13     xapi.event
14     .on('...', (x) => {
15         if (x.PanelId === 'panel_1') {
16             state = toggle(state)
17             if (state === 1) {
18                 speaker.control({"on": true});
19             } else {
20                 speaker.control({"on": false})
21             }
22         }
23     })
24 });
```

Refer to the exhibit. An `Action Button` with identifier `panel\_1` is deployed to the Touch10 interface of a Room Series device. Which event must be inserted into line 14 to turn the music on/off in the conference room?

- A. UserInterface Extensions Event Pressed
- B. UserInterface Extensions Panel Clicked
- C. UserInterface Extensions Widget GetValue
- D. UserInterface Extensions Widget Action

Correct Answer: A

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce81/sx-mx-in-room-control-guide-ce81.pdf>

## QUESTION 8

### DRAG DROP

Drag and drop the definitions from the left onto the correct Webex Teams REST API HTTP response status codes on the right.

Select and Place:

Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.

401

The request to a resource used an unsupported HTTP request method.

403

Authentication credentials were missing or incorrect.

405

The request is understood but has been refused, or access is not allowed.

429

Correct Answer:

Authentication credentials were missing or incorrect.

The request is understood but has been refused, or access is not allowed.

The request to a resource used an unsupported HTTP request method.

Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.

Reference: <https://developer.webex.com/docs/api/basics>

## QUESTION 9

### DRAG DROP

The Express framework receives a Webex Teams webhook event when someone presses a button in an Adaptive Card. Drag and drop the property names onto the code snippet to access the form field named "preference". Not all options are used.

Select and Place:

```
app.use(express.json());
app. [ ] ('\cardcatcher', function(req, res){
  webex.attachmentActions. [ ] (req.body. [ ] .id)
  .then(cardSubmission => {
    lunchPreference = cardSubmission. [ ] .preference;
  })
});
```

- |                                     |                                     |                                   |
|-------------------------------------|-------------------------------------|-----------------------------------|
| <input type="text" value="action"/> | <input type="text" value="data"/>   | <input type="text" value="form"/> |
| <input type="text" value="get"/>    | <input type="text" value="inputs"/> | <input type="text" value="post"/> |

Correct Answer:

```
app.use(express.json());
app. [ post ] ('\cardcatcher', function(req, res){
  webex.attachmentActions. [ action ] (req.body. [ form ] .id)
  .then(cardSubmission => {
    lunchPreference = cardSubmission. [ data ] .preference;
  })
});
```

- |                                  |                                     |
|----------------------------------|-------------------------------------|
| <input type="text" value="get"/> | <input type="text" value="inputs"/> |
|----------------------------------|-------------------------------------|

Reference: <https://github.com/marchfederico/ciscospark-websocket-events>

## QUESTION 10

```
{
  "items":
  {
    "id": "Y21zY29zcGFyazovL3VzL1LWT4Y2UtMTEzZjZjZmMxNGJl",
    "title": "DevNet Dev Support Questions",
    "lastActivity" : "2019-12-13T21:32:11.424Z",
    "created": "2016-01-22T19:07:24.785Z",
    ...
  },
  {
    "id": "Y21zY29zcGFyazovL3VzWU1LWT0ZjQtZmJmMjI3Y2ZmYWYz",
    "title": "DevNet Program Questions",
    "lastActivity" : "2019-12-13T16:53:14.920Z",
    "created": "2016-02-24T18:52:35.013Z",
    ...
  }
]
}
```

Refer to the exhibit. Which Webex Teams REST API request has generated the response body in the exhibit?

- A. GET/v1/rooms?sortBy=lastactivity
- B. GET/v1/rooms?sortBy=created
- C. GET/v1/rooms?max=1
- D. GET/v1/spaces?orderBy=lastActivity

Correct Answer: C

Reference: <https://developer.webex.com/docs/api/v1/rooms/list-rooms>

[Latest 300-920 Dumps](#)

[300-920 PDF Dumps](#)

[300-920 Brindumps](#)