

## 303-200<sup>Q&As</sup>

LPIC-3 Exam 303: Security, version 2.0

### Pass Lpi 303-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/303-200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which of the following expressions are valid AIDE rules? (Choose TWO correct answers.)

- A. `!/var/run/*`
- B. `append: /var/log/*`
- C. `/usr=all`
- D. `#/bin/`
- E. `/etc p+i+u+g`

Correct Answer: AE

---

## QUESTION 2

Which of the following keywords are built-in chains for the iptables nat table? (Choose THREE correct answers)

- A. OUTPUT
- B. MASQUERADE
- C. PROCESSING
- D. POSTROUTING
- E. PREROUTING

Correct Answer: ADE

---

## QUESTION 3

Which of the following commands makes the contents of the eCryptfs encrypted directory `~/Private` available to the user?

- A. `eCryptfsclient`
- B. `eCryptfs.mount`
- C. `eCryptfs-mount-private`
- D. `deCryptfs`
- E. `eCryptfs-manage-directory`

Correct Answer: C

---

**QUESTION 4**

What happens when the command `getfattr` a file is run while the file `afile` has no extended attributes set?

- A. `getfattr` prints a warning and exits with a values of 0.
- B. `getfattr` prints a warning and exits with a value of 1.
- C. No output is produced and `getfattr` exits with a value of 0.
- D. No outputs is produced and `getfattr` exits with a value of 1

Correct Answer: C

---

**QUESTION 5**

Which of the following database names can be used within a Name Service Switch (NSS) configuration file? (Choose THREE correct answers).

- A. `host`
- B. `shadow`
- C. `service`
- D. `passwd`
- E. `group`

Correct Answer: CDE

---

**QUESTION 6**

Which of the following methods can be used to deactivate a rule in Snort? (Choose TWO correct answers.)

- A. By placing a `#` in front of the rule and restarting Snort.
- B. By placing a `pass` rule in `local.rules` and restarting Snort.
- C. By deleting the rule and waiting for Snort to reload its rules files automatically.
- D. By adding a `pass` rule to `/etc/snort/rules.deactivated` and waiting for Snort to reload its rules files automatically.

Correct Answer: BC

---

**QUESTION 7**

What effect does the following command have on TCP packets? `iptables- A INPUT -d 10.142.232.1 -p tcp -dport 20:21 -j ACCEPT`

- A. Forward all TCP traffic not on port 20 or 21 to the IP address 10.142.232.1

- B. Drop all TCP traffic coming from 10.142.232.1 destined for port 20 or 21.
- C. Accept only TCP traffic from 10.142.232.1 destined for port 20 or 21.
- D. Accept all TCP traffic on port 20 and 21 for the IP address 10.142.232.1

Correct Answer: D

---

## QUESTION 8

Which of the following configuration options makes Apache HTTPD require a client certificate for authentication?

- A. Limit valid-x509
- B. SSLRequestClientCert always
- C. Require valid-x509
- D. SSLVerifyClient require
- E. SSLPolicy valid-client-cert

Correct Answer: D

---

## QUESTION 9

Given a proper network and name resolution setup, which of the following commands establishes a trust between a FreeIPA domain and an Active Directory domain?

- A. ipa trust-add --type ad addom --admin Administrator --password
- B. ipa-ad -add-trust --account ADDOM\Administrator--query-password
- C. net ad ipajoin addom -U Administrator -p
- D. trustmanager add -\_domain ad: //addom --user Administrator -w
- E. ipa ad join addom -U Administrator -w

Correct Answer: A

---

## QUESTION 10

Which of the following commands changes the source IP address to 192.0.2.11 for all IPv4 packets which go through the network interface etho?

- A. iptables -t nat -A POSTROUTING -o etho -j SNAT -to-source 192.0.2.11
- B. iptables -t nat -A PREROUTING -i etho -j SNAT -to-source 192.0.2.11
- C. iptables -t nat -A POSTROUTING -o etho -j DNAT -to-source 192.0.2.11

D. iptables -t mangle -A POSTROUTING -i etho -j SNAT -to-source 192.0.2.11

E. iptables -t mangle -A POSTROUTING -o etho -j SNAT -to-source 192.0.2.11

Correct Answer: A

[303-200 VCE Dumps](#)

[303-200 Practice Test](#)

[303-200 Study Guide](#)