

3107^{Q&As}

Avaya Session Border Controller Enterprise Implementation and Maintenance Exam

Pass home 3107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leadspass.com/3107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When performing an upgrade on a High Availability system, in which order do you upgrade the servers?

- A. EMS, secondary SBC, primary SBC
- B. Primary SBC, secondary SBC, EMS
- C. Secondary SBC, primary SBC, EMS
- D. EMS, primary SBC, secondary SBC

Correct Answer: A

QUESTION 2

What is the recommended interface for the Ethernet Management System (EMS) in a standalone or co-resident configuration?

- A. A1
- B. B1
- C. B2
- D. M1

Correct Answer: D

QUESTION 3

What do Media Interfaces define?

- A. The IP addresses and ports for media
- B. The IP addresses and URIs
- C. The RTP and TCP ports for media
- D. The TLS and RTP ports for media

Correct Answer: A

QUESTION 4

You have successfully installed the Session Broker Controller Enterprise (SBCE) and want to log in to the CLI.

Which port and protocol must you use for CLI access?

- A. SCP, port 80
- B. SSH, port 222
- C. SSH, port 22
- D. TLS, port 5060

Correct Answer: B

QUESTION 5

Where do you implement the restriction that equipment can make calls only during a defined period of the day?

- A. Routing Profile
- B. Domain Polity Administration
- C. Topology Hiding Profile
- D. Signaling Interface

Correct Answer: B

QUESTION 6

Where can you look up SBC alarm descriptions?

- A. SBC CLI
- B. Avaya PLDS
- C. SBC Documentation: Appendices of Administration Guide
- D. EMS CLI

Correct Answer: C

QUESTION 7

In which two flows are Signaling Interfaces administered in SIP trunking?

- A. NTP server and DNS server
- B. Dell server and HP server
- C. Trunk server and call server
- D. Call server and TFTP server

Correct Answer: C

QUESTION 8

What kind and how many routing profiles are required for a SIP trunk?

- A. One: defines complete end-to-end routing map
- B. Two: from call server to trunk server; from trunk server to call server
- C. Three: from call server to trunk server; from FMS to both call server and trunk server
- D. Four: from call server to trunk server; from trunk server to call server, from EMS to both call and trunk server

Correct Answer: B

QUESTION 9

For which users is the Avaya SBC Remote Worker configuration typically implemented?

- A. Users administered with the same Communication Manager Network Region
- B. Remote users, travelling employees, remote offices
- C. Users administered with the same Server Flow
- D. Analog and DCP users only

Correct Answer: B

QUESTION 10

To alter how the enterprise network appears to the outside world, which type of SBC administration will change the SIP message parameters?

- A. Server Flow
- B. Server Profile
- C. Signaling Interfaces
- D. Topology Hiding

Correct Answer: D

QUESTION 11

Why can you not select an Installation type of "EMS + UC-Sec" for a high Availability (duplicated) configuration?

- A. The EMS has too few interfaces for High Availability.
- B. The SBC has too few Interfaces for High Availability.
- C. EMS and UC-Sec have- different interfaces and are incompatible with High Availability.
- D. High Availability configurations always require a separate (standalone) EMS.

Correct Answer: D

QUESTION 12

How do you view SBC Call Trace information?

- A. SBC GUI: Diagnostics, Protocol tab
- B. SBC CLI
- C. EMS GUI: Log Viewer, option = logs
- D. EMS GUI: Logs > System Logs, Class = Trace

Correct Answer: A

QUESTION 13

Which attributes will you find under Domain Policy administration?

- A. Rules, policies, and Endpoint Policy Groups
- B. Topology Hiding Profiles, call server profile, trunk server profile
- C. TLS, TCP, and UDP protocols
- D. SIP domain, server ID, SBC serial number

Correct Answer: A

QUESTION 14

You have been asked to create and apply a Time of Day (ToD) domain policy to secure a SIP trunk.

What is the correct order of the policy application sequence?

- A. Packet examined, destination evaluated, ToD evaluated, policy applied
- B. Packet examined, ToD evaluated, flow determined, policy applied
- C. Packet examined, ToD evaluated, policy applied, routing applied
- D. packet examined, flow determined, policy applied, ToD evaluated

Correct Answer: B

QUESTION 15

The site survey gathers what kind of information?

- A. Configuration, topology, IP addresses
- B. Network bandwidth test results
- C. Customer readiness data
- D. Server models

Correct Answer: C

[3107 Practice Test](#)

[3107 Exam Questions](#)

[3107 Braindumps](#)