

## 5V0-42.21<sup>Q&As</sup>

VMware SD-WAN Design and Deploy Skills

### Pass VMware 5V0-42.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/5v0-42-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

An enterprise has deployed a VMware SD-WAN solution with Edges in many different locations to different Partner Gateways.

Which design makes it possible to have dynamic branch to branch VPN tunnels between any two Edges?

- A. Dedicated at least one Gateway as a Controller, and few initial data plane packets will traverse the Controller before dynamic tunnel is established between the two branches.
- B. Add Controller role to each Partner Gateway.
- C. Configure each partner Gateway as a Controller.
- D. Dedicate at least one Gateway as a Controller, and no data plane packets will traverse the Controller before dynamic tunnel is established between the two branches.

Correct Answer: D

---

## QUESTION 2

Company A has recently acquired Company B, which has two remote offices. Company A is using VMware hosted Cloud Gateways, and Company B is using a VMware SD-WAN with a Hub-Spoke topology. Which VMware Cloud VPN solution an administrator configure to establish connectivity between the offices of Company A and Company B?

- A. Site-to-Site VPN
- B. Branch to CASH
- C. Branch to Branch VPN
- D. Branch to Non VMware SD-WAN Site

Correct Answer: B

---

## QUESTION 3

An Enterprise customer just acquired a new company, and the Network Enterprise administrator was tasked to integrate over 20 new branches into their existing SD-WAN network. However, these branches have overlapping IPs with the existing branches subnets.

- A. Configure a NAT hand off rule at the VMware SD WAN gateway assigned to these new branches, translating the new branch subnets into a new non-overlapping subnet
- B. Configure a LAN-side NAT rule at the branch device settings, translating its subnets into a new non-overlapping subnet
- C. Configure a NAT firewall rule in each branch, translating its subnets into a new non-overlapping subnet
- D. Configure a policy based NAT for each branch translating its subnets into a new non-overlapping subnet

Correct Answer: B

---

## QUESTION 4

Due to very strict security policies an enterprise customer is looking for an on-premises deployment of the VMware SD-WAN Orchestrator and Controllers. Customer data is not expected to flow through this Controller, however it is desirable that management plane traffic towards the Orchestrator coming from VMware SD-WAN Edges can take the overlay tunnels through this controls. What are some of the needed steps to achieve the requirements above?

- A. Under gateway configuration -> Configure the Gateway roles as Control Plane, disable Data Plane and enable management plane forward
- B. Under gateway configuration -> Configure the Gateway roles as Control Plane, disable Data Plane and add static host routes with NAT hand off settings porting to the Orchestrator IPs under Partner Gateway advanced hand off settings
- C. Under gateway configuration -> Configure the Gateway roles as Control-Plane, enable Data Plane and Partner Gateway role and add static host mules with NAT hand off settings pointing to the Orchestrator IPs under Partner Gateway advanced hand off settings
- D. Under gateway configuration -> Configure the Gateway roles as Control-Plane, enable Data Plant- and Partner Gateway role and add a static default route with NAT hand off settings under Partner Gateway advanced hand off settings

Correct Answer: C

---

## QUESTION 5

Which form factor can a customer use to deploy VMware SD WAN Edge?

- A. Oracle Virtual Box
- B. Open Virtualization Appliance
- C. Docker Container
- D. Hyper-V Virtual Machine

Correct Answer: B

---

## QUESTION 6

Which port is used for communication between VMware SD-WAN Edge and Orchestrator if there are no tunnels established to the Gateways?

- A. UDP 2426
- B. TCP 80
- C. TCP 443

D. UDP 500

Correct Answer: B

---

## QUESTION 7

A customer has a hybrid VMware SD-WAN deployment and wants to use the SD-WAN Service Reachable feature on the private WAN.

What is the main dependency that must be met for the feature to work?

- A. Internet reachability via the private WAN
- B. Gateway IPs must be routed in the overlay
- C. Default route learned via dynamic routing
- D. Static route for gateway IPs on the edge

Correct Answer: C

---

## QUESTION 8

Employees with an Apple iOS device have been causing congestion on the company's internet. What should an administrator configure to target these devices when creating a Business policy for this issue?

- A. Action Priority
- B. Action Network Service
- C. Match Source
- D. Match Destination

Correct Answer: A

---

## QUESTION 9

Which VMware SR-WAN component runs the Deep Application Recognition Engine?

- A. VMware SD-WAN Orchestrator
- B. VMware SD-WAN Controller
- C. VMware SD-WAN Gateway
- D. VMware SD-WAN Edge

Correct Answer: B

---

## QUESTION 10

A customer would like to use a VNF firewall on the VMware SU-WAN 600 series Edge. Where do the Edge firewall rules of the VNF apply?

- A. Underlay
- B. Overlay
- C. WAN side
- D. LAN side

Correct Answer: C

[Latest 5V0-42.21 Dumps](#)

[5V0-42.21 Study Guide](#)

[5V0-42.21 Exam Questions](#)