AAPC-CPC^{Q&As}

Certified Professional Coder (CPC)Exam

Pass AAPC AAPC-CPC Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/aapc-cpc.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by AAPC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



QUESTION 1

A patient presents with recurrent spontaneous episodes of dizziness of unclear etiology. Caloric vestibular testing is performed irrigating both ears with warm and cold water while evaluating the patient\\'s eye movements. There is a total of three irrigations.

What CPT?coding is reported?

A. 92537-52

B. 92537-50-52

C. 92538-50

D. 92537-50

Correct Answer: A

QUESTION 2

A comatose patient is seen in the ER. The patient has a history of depression. Drug testing confirm she overdosed on tricyclic antidepressant drugs doxepin, amoxapine, and clomipramine.

What CPT?code is reported?

A. 80366

B. 80335

C. 80332

D. 80338

Correct Answer: A

QUESTION 3

A woman at 36-weeks gestation goes into labor with twins. Fetus 1 is an oblique position, and the decision is made to perform a cesarean section to deliver the twins. The obstetrician who delivered the twins, provided the antepartum care, and will provide the postpartum care.

What CPT?coding is reported for the twin delivery?

A. 59510, 59515

B. 59510 x 2

C. 59510, 59514, 59515

D. 59510

Correct Answer: C

QUESTION 4

A surgeon performs midface LeFort I reconstruction on a patient\\'s facial bones to correct a congenital deformity. The reconstruction is performed in two pieces in moving the upper jawbone forward and repositioning the teeth of the maxilla of the mid face.

What CPT?code is reported?

A. 21146
B. 21141
C. 21142
D. 21145
Correct Answer: C

QUESTION 5

A patient suffering from idiopathic dystonia is seen today and receives the following Botulinum injections: three muscle injections in both upper extremities and seven injections in six paraspinal muscles.

How are these injections reported according to the CPT?guidelines?

A. 64644, 64647 x 7

B. 64642-50, 64643-50, 64647

C. 64642, 64643, 64647

D. 64642 x 3, 64642 x 3, 64647 x 7

Correct Answer: C

QUESTION 6

Which entity offers compliance program guidance to form the basis of a voluntary compliance program for a provider practice?

A. Centers for Medicare and Medicaid Services (CMS)

- B. American Medical Association (AMA)
- C. Office of Inspector General (OIG)
- D. Office for Civil Rights (OCR)

Correct Answer: C

QUESTION 7

A 4-year-old, critically ill child is admitted to the PICU from the ED with respiratory failure due to an exacerbation of asthma not manageable in the ER. The PICU provider takes over the care of the patient and starts continuous bronchodilator therapy and pharmacologic support with cardiovascular monitoring and possible mechanical ventilation support.

What is the E/M code for this encounter?

A. 99285

B. 99475

C. 99291

D. 99471

Correct Answer: B

QUESTION 8

A 49-year-old patient arrives with hearing loss in his left ear. Impedance testing via tympanometry is performed.

What CPT?code is reported?

- A. 92570
- B. 92567
- C. 92557
- D. 92550

Correct Answer: A

QUESTION 9

Patient has esotropia of the right eye and presents to operating suite for strabismus surgery. The physician resects the medial rectus horizontal and lateral rectus muscles of the eye and secures them with adjustable sutures. Extensive scar tissue is noted, due to a previous surgery involving an extraocular muscle. Extraocular muscle is isolated, and the muscle is freed from surrounding scar tissues.

What CPT?codes are reported for this surgery?

A. 67314, 67334

- B. 67316, 67335
- C. 67312, 67335
- D. 67311, 67334

Correct Answer: C

QUESTION 10

A 42-year-old with chronic left trochanteric bursitis is scheduled to receive an injection at the Pain Clinic. A 22-gauge spinal needle is introduced into the trochanteric bursa under ultrasonic guidance, and a total volume of 8 cc of normal saline and 40 mg of Kenalog was injected.

What CPT?code should be reported for the surgical procedure?

A. 20610-LT

B. 20611-LT, 76942

C. 20611-LT

D. 20610-LT, 76942

Correct Answer: C

QUESTION 11

A 42-year-old male is diagnosed with a left renal mass. Patient is placed under general anesthesia and in prone position. A periumbilical incision is made and a trocar inserted. A laparoscope is inserted and advanced to the operative site. The left kidney is removed, along with part of the left ureter. What CPT?code is reported for this procedure?

A. 50220

B. 50548

C. 50543

D. 50546

Correct Answer: D

QUESTION 12

A Medicare patient is scheduled for a screening colonoscopy. What code is reported for Medicare?

A. G0106

B. G0121

C. 45378

D. G0105

Correct Answer: D

QUESTION 13

A 35-year-old female has cancer in her left breast. The surgeon performs a mastectomy, removing the breast tissue, skin, pectoral muscles, and surrounding tissue, including the axillary and internal mammary lymph nodes.

Which mastectomy code is reported?

A. 19303	
B. 19305	
C. 19306	
D. 19307	
Correct Answer: C	

QUESTION 14

Dr. Burns sees newborn baby James at the birthing center on the same day after the cesarean delivery. Dr. Burns examined baby James, the maternal and newborn history, ordered appropriate blood test tests and hearing screening. He met with the family at the end of the exam.

How would Dr. Bums report his services?

A. 99463

B. 99460

C. 99461

D. 99462

Correct Answer: B

QUESTION 15

View MR 001394 MR 001394 Operative Report Procedure: Excision of 11 cm back lesion with rotation flap repair. Preoperative Diagnosis: Basal cell carcinoma Postoperative Diagnosis: Same Anesthesia: 1% Xylocaine solution with epinephrine warmed and buffered and injected slowly through a 30-gauge needle for the patient\\'s comfort. Location: Back Size of Excision: 11 cm Estimated Blood Loss: Minimal Complications: None Specimen: Sent to the lab in saline for frozen section margin control. Procedure: The patient was taken to our surgical suite, placed in a comfortable position, prepped and draped, and locally anesthetized in the usual sterile fashion. A #15 scalpel blade was used to excise the basal cell carcinoma plus a margin

of normal skin in a circular fashion in the natural relaxed skin tension lines as much as possible The lesion was removed full thickness including epidermis, dermis, and partial thickness subcutaneous tissues. The wound was then spot electro

desiccated for hemorrhage control. The specimen was sent to the lab on saline for frozen section.

Rotation flap repair of defect created by foil thickness frozen section excision of basal cell carcinoma of the back. We were able to devise a 12 sq cm flap and advance it using rotation flap closure technique. This will prevent infection,



dehiscence, and help reconstruct the area to approximate the situation as it was prior to surgical excision diminishing the risk of significant pain and distortion of the anatomy in the area. This was advanced medially to close the defect with 5 0

Vicryl and 6-0 Prolene stitches.

What CPT?coding is reported for this case?

A. 14001

B. 15271

C. 14001, 11606-51, 12034-51

D. 14001, 11606-51

Correct Answer: A

AAPC-CPC VCE Dumps

AAPC-CPC Practice Test

AAPC-CPC Braindumps