

ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ace-a1-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following are valid Event Manager triggers?

- A. on-boot
- B. on-schedule
- C. on-startup-config
- D. on-reload

Correct Answer: AC

Reference: https://eos.arista.com/introduction-to-managing-eos-devices-automation-and-extensibility/#521_Event_Manager

QUESTION 2

Which command will disable Adaptive Segmentation in VMTracer?

- A. Student-01(config-vmtracer-session)#autovlan disable
- B. Student-01(config-vmtracer-session)#no autovlan
- C. Student-01(config-vmtracer-session)#no autovlan enable
- D. Adaptive Segmentation cannot be disabled in VMTracer

Correct Answer: A

Reference: https://www.arista.com/assets/data/pdf/user-manual/um-eos-4172f/Chapters/um-eos4172f_VM%20Tracer.pdf (page 4)

QUESTION 3

When configuring MLAG, Arista recommends that the trunk group command be used on the VLAN used for MLAG peer communication.

What is the purpose of the trunk group command?

- A. It groups all the trunks together so that they can traverse the peer-link properly.
- B. It groups the MLAG interfaces together so that they can be reported on both peers.
- C. It prevents the configured VLAN from leaking out onto other trunks.
- D. It ensures that the configured VLAN will be included on all trunks.

Correct Answer: A

QUESTION 4

Which of the following EOS features might alleviate the need for screen-scraping in your scripts?

- A. The linux screen command
- B. LANZ
- C. eAPI
- D. Python

Correct Answer: C

QUESTION 5

What is the command to set the switch to use EOS 4.15.1F.swi the next time it reloads?

- A. boot system flash:EOS-4.15.1.swi
- B. boot system 4.15.1F.swi
- C. boot system flash:/EOS-4.15.1F.swi
- D. boot system flash EOS-4.15.1F.swi

Correct Answer: C

QUESTION 6

Which of the following are not valid boot-config file entries?

- A. NETGW=192.168.1.1
- B. IMAGE-flash:EOS-4.12.1.swi
- C. SWI=flash:EOS-4.12.1.swi
- D. SWIX=flash:EOS-4.12.1.swi

Correct Answer: B

Reference: [https://books.google.com.pk/books?id=SFMuNdeVXswCandpg=PA235andlpg=PA235anddq=Arista +EOS+ boot-config+file+entriesandsource=blandots=Wzz7--D5msandsig=4jrolmKwuPHiL1waXg6W2wIRogandhl=enandsa=Xa andredir_esc=y#v=onepageandq=Arista%20EOS%20boot-config%20file%20entriesandf=false](https://books.google.com.pk/books?id=SFMuNdeVXswCandpg=PA235andlpg=PA235anddq=Arista+EOS+boot-config+file+entriesandsource=blandots=Wzz7--D5msandsig=4jrolmKwuPHiL1waXg6W2wIRogandhl=enandsa=Xaandredir_esc=y#v=onepageandq=Arista%20EOS%20boot-config%20file%20entriesandf=false)

QUESTION 7

Which command would you use to change the SSH Idle timeout after entering the `management ssh` command?

- A. idle-timeout
- B. timed
- C. timeout
- D. ssh-idle

Correct Answer: A

Reference: <https://www.arista.com/en/um-eos-4172f/eos-section-2-5-session-managementcommands#ww1129658>

QUESTION 8

Many Arista switches support reversible air flow. When the fans installed on such a switch have red handles, which of the following statements would be correct?

- A. Cold air will be pulled in from the port side of the switch.
- B. Warm air will be pulled in from the starboard side of the switch.
- C. Hot air will be pulled in from the fan side of the switch.
- D. Hot air will be ejected from the fan side of the switch.

Correct Answer: D

Reference: https://www.arista.com/assets/data/docs/Manuals/QSG/QS_7000-Gen3_Color.pdf (page 5)

QUESTION 9

Why is FastCli faster than Cli?

- A. FastCli utilizes an always-running agent to process the submitted command and return the output.
- B. FastCli is not faster than Cli, though the name might suggest otherwise.
- C. FastCli is written in C++ while Cli is written in Perl.
- D. FastCli uses special engrams from the M5.

Correct Answer: A

QUESTION 10

How many line card slots are reserved for supervisors on the Arista 7300 series chassis switches?

- A. 1

B. 2

C. 4

D. none

Correct Answer: B

Reference: https://www.arista.com/assets/data/pdf/Datasheets/7300X_DS.pdf (page 4)

QUESTION 11

What is the name of the feature that allows you to retrieve the output of CLI commands in JSON format?

A. XMPP

B. DANZ

C. LANZ

D. eAPI

Correct Answer: D

Reference: <https://eos.arista.com/arista-eapi-101/>

QUESTION 12

Which of the following commands will show the mac-address to VTEP table on an Arista switch?

A. show vxlan address-table

B. show vxlan mac-address-table

C. show mac-address-table

D. show vxlan summary

Correct Answer: A

QUESTION 13

What is required in order for Multi-Switch CLI to be implemented?

A. One or more Arista products with management xmpp enabled.

B. an XMPP-based server such as EJabberd

C. an instant messaging client such as Admium or Trillian

D. an SSD drive to the extensive logging produced by this feature.

Correct Answer: B

QUESTION 14

What is the first command necessary when configuring SSH after entering global configuration mode?

- A. management
- B. line vty
- C. line ssh
- D. management ssh

Correct Answer: D

QUESTION 15

If an agent were to suffer a catastrophic failure and die, what process would restart it?

- A. SysDB
- B. ProcMgr
- C. Stp
- D. SysMgr

Correct Answer: B

Reference: <https://eos.arista.com/restarting-eos-agents/>

[Latest ACE-A1.2 Dumps](#)

[ACE-A1.2 VCE Dumps](#)

[ACE-A1.2 Practice Test](#)