

## AD0-E706<sup>Q&As</sup>

Adobe Certified Expert-Magento Commerce Cloud Developer

### Pass Adobe AD0-E706 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ad0-e706.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You need to increase the Admin Session Lifetime up to 86400 seconds for the branch named Integration and children branches but not for the Staging and Production branches.

How do you update this on the integration branch and its child branches?

- A. On your local environment, set the Admin Session Lifetime In the Magento admin backend under Stores> Configuration> Advanced > Admin >Security then dump this setting into the app /etc/ confi.php file and commit this file
- B. Add the following variable on the Integration branch and set Its value to 86400  
env:CONFIG\_STORES\_DEFAULT\_ADMIN\_SECURITY\_SESSION\_LIFETIME
- C. Run the following MagentoCLI command php bin/magento config:set admin/security/session\_lifetime 86400
- D. On the Integration environment set the Admin Session Lifetime in the Magento admin backend under Stores > Configuration > Advanced > Admin > Security

Correct Answer: B

---

**QUESTION 2**

You created a custom module that is not functioning as expected on your Integration environment. You would like to debug the code using Xdebug. XdeDug is missing from the output of the command php -m.

What are two ways to load the Xdebug module? Choose 2 answers

- A. Create a custom php.ini that includes the extension
- B. You log a support request as php modules canonly be installed by support
- C. Add xdebug into the . magento. app. yaml file under the extensions section
- D. In the phpserver folder. create a folder conf-d and add a file ext-xdebug.im that Includes the extension

Correct Answer: BC

---

**QUESTION 3**

You are migration an existing Magento 2 website to Magento Commerce Cloud. After setting up the project you would like to migrate the database to the integration branch. The database import fails with a disk space error.

How do you migrate the database data loss?

- A. Configuration the mysql disk size using a variable in the , magento,evn,yaml file
- B. Open a Magento Support ticket to increasethe Integration branch disk size
- C. Trim down the database to a smaller size
- D. Configure the mysql disk Size in the .magento/services.yaml file

Correct Answer: D

---

## QUESTION 4

You have created a new Integration branch and did not receive the administrator email with the password reset link. What is prohibiting the email from sending?

- A. You have not enabled the Magento Email module with bin/magento module: enable
- B. The Outgoing Emails setting is disabled under Environment Settings in the Project Web UI
- C. Email is always disabled on all integration branches
- D. You have not configured SendGrid for this environment

Correct Answer: C

---

## QUESTION 5

You added the env:ADMIN\_PASSWORD variable in the Project Web UI to change a Magento admin user's password. After deployment you are unable to login using the new password.

What causes this?

- A. When you add a variable, the build stage is being skipped because the codebase has not been changed. You must push a commit to trigger a full deploy.
- B. Deploy scripts read configuration from the environment variable called magento\_cloud\_variables, which contains an array of variables which were set without the env: prefix.
- C. Variables which are set using the Project Web UI are not available on the build phase. The admin password variable should be set in the .magento.env.yaml file.
- D. The sensitive option is required for env:ADMIN\_PASSWORD variable.

Correct Answer: D

---

## QUESTION 6

You added a grunt autoprefixer command, which adds CSS vendor prefix like ?ebkit- and ?oz- to CSS files generated by the setup:static-content:deploy command.

```
hooks:
  build: |
    npm install
    grunt autoprefixer
    php ./vendor/bin/ece-tools build:generate
    php ./vendor/bin/ece-tools build:transfer
  deploy: |
    php ./vendor/bin/ece-tools deploy
```

After deployment you still see CSS files without prefixes. The hooks section in the .magento. app. Yaml file is:

Considering static assets are being generated on the build phase why are CSS prefixes missing?

- A. Custom commands can be run only on the deploy phase
- B. CSS vendor prefixes must be added to CSS files locally and committed as part of a theme
- C. The static assets were not generated yet when the grunt command ran
- D. The custom command was run before static assets were transferred into the init directory

Correct Answer: C

---

### QUESTION 7

After contacting Magento Support you were advised to permanently enable the Redis `disable_locking` option.

How do you implement this on a Production environment?

- A. Add `disable_locking =true` into the `php.ini` file in the Magento project root.
- B. Modify the `.magento,app,yaml` file to add the `REDIS_SESSION_CONFIGURATION` environment variable.
- C. Add the `SESSION_CONFIGURATION` environment variable into `,magento,env,yaml` with the correct value.
- D. In `app/etc./env.php`, add `disable_locking: True` inside the Redis session configuration block.

Correct Answer: C

---

### QUESTION 8

In a Pro plan project, you notice there is email delivery problem in the Integration environment. How do you troubleshoot this?

- A. Change the log level in the `lcg:email` section of the `.magento.env.yaml` file
- B. Update the SPF record in the DNS
- C. Look In the `var/log` directory for the mail. log file

D. Move the test to the Staging environment

Correct Answer: D

---

## QUESTION 9

Your project is in a phase where the locales that will be used are still being determined. You need to configure your project in a manner that will allow them to be changed dynamically.

How can you accomplish this?

- A. Remove the system/default/general/locale configuration from the app/etc/config.php file
- B. Configure SCD\_ON\_DEMAND to true in the .magento.env.yaml file
- C. Run the command vendor/bin/ece-tools locales:unlock on the environment
- D. Configure DYNAMIC\_LOCALES in the SCD\_MATRIX to true in the .magento.env.yaml file

Correct Answer: B

---

## QUESTION 10

You want to move static content deploy to the build phase of deployments. Which two actions do you take? Choose 2 answers

- A. Download and commit app/etc/config.php from production
- B. Run ece-tools scd-deploy:set build on production
- C. Run ece-tools config:dump on production
- D. Use scp to copy app/etc/config.php from local to production

Correct Answer: BC

[AD0-E706 Practice Test](#)

[AD0-E706 Study Guide](#)

[AD0-E706 Braindumps](#)