AZ-801^{Q&As}

Configuring Windows Server Hybrid Advanced Services

Pass Microsoft AZ-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/az-801.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



QUESTION 1

You have an Azure subscription that has Microsoft Defender for Cloud enabled.

You have 50 Azure virtual machines that run Windows Server.

You need to ensure that any security exploits detected on the virtual machines are forwarded to Defender for Cloud.

Which extension should you enable on the virtual machines?

- A. Vulnerability assessment for machines
- B. Microsoft Dependency agent
- C. Log Analytics agent for Azure VMs
- D. Guest Configuration agent
- Correct Answer: A

Reference:

https://docs.microsoft.com/en-us/azure/defender-for-cloud/deploy-vulnerability- assessment-vm

QUESTION 2

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

| ap1 Proper | ires | | | |
|------------|---------|---|---|-----|
| ieneral Fa | lover | | | |
| | p1 | | | |
| Name: | | | | |
| Pop 1 | | | | Ĩ |
| Serve | | | 2 and | (bi |
| Priority: | Medum | • | | |
| Status | Running | | | |
| Node: | Server2 | | | |
| | | | | |

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

| | A MARKAGE AND | | | |
|--|---|---------------------------|----------|----------------------|
| Seneral Fai | lover | | | |
| Fallover | - | | | |
| | he number of times the O the clustered role in the s | | | ttempt to restart or |
| | tered role fails more than It in the failed state | the maxim | um in th | e specified period |
| Maximum | falues in the specified | þ | ٢ | |
| | | | | |
| Period (* | iours) | 6 | | |
| Period († Feilback | (euo) | 6 | 0 | |
| Failback Specify w most prefi | nours): Inether the clustered role erred owner (which is set revent failback | will automa | | |
| Faiback Specify w most prefi | hether the clustered role med owner (which is set | will automa | | |
| Faiback Specify w most prefi P @ A | hether the cluitered role erred owner (which is set revent falback | will automa | | |
| Falback Specify w most prefi P A () | hether the clustered role erred owner (which is set revent falback low falback | will automa | | |
| Falback Specify w most prefi P A () | hether the cluitered role and owner (which is set revent falback low falback) immediately | will automa on the Ger | | |

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: From the Failover settings, you select Prevent failback.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

The Prevent failback setting will prevent the cluster failing back to Server1.

QUESTION 3

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

| Name | Contents |
|-------------------------|--|
| Domain Controllers | All the domain controllers in the domain |
| Domain Servers | All the servers that run Windows Server in the domain |
| Domain Client Computers | All the client computers that run Windows 10 in the domain |
| Domain Users | All the users in the domain |

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

| Name | IPsec setting |
|------|--|
| GPO1 | Require authentication by using Kerberos V5 for inbound connections |
| GPO2 | Request authentication by using Kerberos V5 for inbound connections |
| GPO3 | Require authentication by using X.509 certificates for inbound connections |
| GPO4 | Request authentication by using X.509 certificates for inbound connections |


You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain. The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Domain Controllers: GPO1 GPO2 GPO3 GPO4 Domain Servers: GPO1 GPO2 GPO3 GPO4



QUESTION 4

You have an Azure virtual machine named VM1 that runs Windows Server.

When you attempt to install the Azure Performance Diagnostics extension on VM I, the installation fails.

You need to identify the cause of the installation failure.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Sign in to VM1 and verify the WaAppAgentlog file.
- B. From the Azure portal, view the alerts for VM1.
- C. From the Azure portal, view the activity log for VM1.
- D. Sign into VM1 and verify the MonitoringAgentlog file.

Correct Answer: AB

QUESTION 5

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a server named Server1 that runs Windows Server.

You run get-BitLockervolume -HountPoint C,p | f1 *, which generates the following output.

| : SERVER1 |
|------------------|
| 1 61 |
| 2 None |
| 2 |
| 1 |
| 1.0 |
| : FullyDecrypted |
| : Off |
| : Unlocked |
| |

Hot Area:



Correct Answer:



QUESTION 6

Leads4Pass https 2024

You have an Azure virtual machine named VM1.

You enable Microsoft Defender SmartScreen on VM1.

You need to ensure that the SmartScreen messages displayed to users are logged.

What should you do?

A. From a command prompt, run WinRM quickconfig.

B. From the local Group Policy, modify the Advanced Audit Policy Configuration settings.

C. From Event Viewer, enable the Debug log.

D. From the Windows Security app. configure the Virus and threat protection settings.

Correct Answer: C

Reference:

https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender- smartscreen/microsoft-defender- smarts

QUESTION 7

You need to use a comma-separated value (CSV) file to import server inventory to Azure Migrate. Which fields are mandatory for each entry in the CSV file?

A. Server name. Cores, OS Name, and Memory (in MB)

B. Server name, IP addresses. Disk 1 size (in GB), and CPU utilization percentage

C. Server name, IP addresses, OS version, and Number of disks

Correct Answer: B

QUESTION 8

HOTSPOT

With which servers can Server1 and Server3 communicate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

| Server1 can communicate with | | ~ |
|-------------------------------|-------------------------------|---|
| | Server2 only | |
| | Server3 only | |
| | Server2 and Server3 only | |
| | Server2, Server3, and Server4 | |
| | None of the servers | |
| Server3 can communicate with: | | ~ |
| | Server2 only | |
| | Server1 and Server2 only | |
| | Server1 and Server4 only | |
| | Server1, Server2, and Server4 | |
| | None of the servers | |

Correct Answer:

Answer Area

| Server1 can communicate wit | | ~ |
|-------------------------------|-------------------------------|---|
| | Server2 only | |
| | Server3 only | |
| | Server2 and Server3 only | |
| | Server2, Server3, and Server4 | |
| | None of the servers | |
| Server3 can communicate with: | | ~ |
| | Server2 only | |
| | Server1 and Server2 only | |
| | Server1 and Server4 only | |
| | Server1, Server2, and Server4 | |
| | None of the servers | |

QUESTION 9


HOTSPOT

What is the effective minimum password length for User1 and Admin1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Hot Area:







Answer Area



Explanation:

Box 1:9

When multiple PSOs apply to a user, the PSO with the highest precedence (lowest precedence number) applies which in this case is PSO1.

Box 2: 8


There are no PSOs applied to Admin1 so the password policy from the Default Domain GPO applies.

The Minimum password length setting in GPO1 would only apply to local user accounts on computers in OU1. It does not apply to domain user accounts.

QUESTION 10

HOTSPOT

The Default Domain Policy Group Policy Object (GPO) is shown in the GPO exhibit. (Click the GPO tab.)



The members of a group named Service Accounts are shown in the Group exhibit. (Click the Group tab.)

| | ccounts P | roperties | | ? | × |
|---------|------------|-------------|----------------------|--------------|---|
| ieneral | Members | Member Of | Managed By | | |
| Membe | rs: | | | | |
| Name | • | Active | Directory Domain Sen | vices Folder | |
| & Se | rviceAccou | unt1 Fabril | kam.com/ServiceAcc | ounts | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| < | | | | | > |
| < | | | 1 | | > |
| | ld | Remove | | | > |
| | ld | Remove | | | > |

An organizational unit (OU) named ServiceAccounts is shown in the OU exhibit. (Click the OU tab.) You create a Password Settings Object (PSO) as shown in the PSO exhibit. (Click the PSO tab.)



| ile Action Viev 🔿 👘 | / Help | 🛛 🖬 🗏 🔽 😭 🍸 | 2 2 | | |
|--|---|-----------------------------------|--|---|------------|
| Active Directory I Saved Queries Fabrikam.com Builtin ClusterRo Computer Domain C ForeignSe | Jsers and Compute Jsers and Compute es s ontrollers curityPrincipals Service Accounts | ers [Server1.Fabrikam.com] | Name ServiceAccount1 ServiceAccount2 | Type User User Security Group - Global | Descriptio |
| Service Acc | ounts Polic | v | | TASKS 🔻 | - |
| Password Settings | Password Se | | | | ? 🗴 |
| Directly Applies To Extensions | Name: Precedence: | * Service Accounts Policy * 10 | | options: e minimum password age | |

| Extensions | Precedence: 10 Image: Constraint of the system o | Inforce minimum password age User cannot change the password * 1 Enforce maximum password age User must change the password af * 30 Enforce account lockout policy: Number of failed logon attempts allo * 5 Reset failed logon attempts count aft * 30 Account will be locked out For a duration of (mins): * 60 Until an administrator manually unlocks the a |
|------------------|--|---|
| | Directly Applies To | ${}^{}{\otimes}{\otimes}$ |
| | Name Mail ServiceAccounts | Add |
| | ServiceAccounts | Remove |
| | Extentions | ⊗⊗ |
| More Information | | OK Cancel |

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Leads4Pass https://www.leads4pass.com/az-801.html 2024 Latest leads4pass AZ-801 PDF and VCE dumps Download

| Statements | Yes | No |
|--|-----|----|
| The password of ServiceAccount1 must be at least 16 characters long. | 0 | 0 |
| The password of ServiceAccount2 must be at least 16 characters long. | 0 | 0 |
| Accounts that have the Service Accounts Policy applied can change their password to P@\$\$w0rd1. | 0 | 0 |

Correct Answer:

| Statements | Yes | No |
|--|-----|----|
| The password of ServiceAccount1 must be at least 16 characters long. | 0 | 0 |
| The password of ServiceAccount2 must be at least 16 characters long. | 0 | 0 |
| Accounts that have the Service Accounts Policy applied can change their password to P@\$\$w0rd1. | 0 | 0 |

QUESTION 11

DRAG DROP

You are planning the implementation of Cluster2 to support the on-premises migration plan.

You need to ensure that the disks on Cluster2 meet the security requirements.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|---|-------------|
| Add a disk resource to the cluster. | |
| Enable BitLocker on the volume. | |
| Update the BitLockerProtectorInfo property of the volume. | |
| Create a Cluster Shared Volume (CSV). | |
| Put the disk in maintenance mode. | |

| Actions | Answer Area |
|---------|---|
| | Add a disk resource to the cluster. |
| | Create a Cluster Shared Volume (CSV). |
| | Put the disk in maintenance mode. |
| | Enable BitLocker on the volume. |
| | Update the BitLockerProtectorInfo property of the volume. |

Reference: https://docs.microsoft.com/en-us/windows-server/failover-clustering/bitlocker-on-csv-in-ws-2022

QUESTION 12

You have a server named Server1 that runs the Remote Desktop Session Host role service. Server1 has five custom applications installed.

Users who sign in to Server1 report that the server is slow. Task Manager shows that the average CPU usage on Server1 is above 90 percent. You suspect that a custom application on Server1 is consuming excessive processor capacity.

You plan to create a Data Collector Set in Performance Monitor to gather performance statistics from Server1.

You need to view the resources used by each of the five applications. Which object should you add to the Data Collector Set?

- A. Processor information
- B. Processor
- C. Process
- D. Processor performance

Correct Answer: C

QUESTION 13

You have an Azure virtual machine named VM1 that has the Web Server (IIS) server role installed. VM1 hosts a critical line-of-business (LOB) application.

After the security team at your company deploys a new security baseline to VM1, users begin reporting that the application is unresponsive.

You suspect that the security baseline has caused networking issues.

You need to perform a network trace on VM1.

What should you do?

A. From VM1, run necscac.

B. From Performance Monitor on VM1. create a Data Collector Set.

- C. From the Azure portal, configure the Diagnostics settings for VM1.
- D. From the Azure portal, configure the Performance diagnostics settings for VM1.

Correct Answer: D

Reference: https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/performance- diagnostics

QUESTION 14

DRAG DROP

You have a server that runs Windows Server.

You plan to back up the server to an Azure Recovery Services vault once per week starting on the next Saturday.

You need to schedule the weekly backup and perform the initial backup as soon as possible.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer are and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|---|-------------|
| Run the Register Server Wizard. | |
| From Microsoft Azure Backup, run the Schedule Backup Wizard. | |
| From Microsoft Azure Backup, run the Back Up Now Wizard. | |
| Download the Microsoft Azure Recovery Services (MARS) agent and the Vault Credentials file. | |
| Run the Microsoft Azure Recovery Services Agent Setup Wizard. | |

| Actions | Answer Area |
|---------|---|
| | Download the Microsoft Azure Recovery Services (MARS) agent and the Vault Credentials file. |
| | Run the Microsoft Azure Recovery Services Agent Setup Wizard. |
| | Run the Register Server Wizard. |
| | From Microsoft Azure Backup, run the Schedule Backup Wizard. |
| | From Microsoft Azure Backup, run the Back Up Now Wizard. |

QUESTION 15

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You upgrade the PDC emulator.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

AZ-801 PDF Dumps

AZ-801 Practice Test

AZ-801 Exam Questions