

BCCPP^{Q&As}

Blue Coat Certified Proxy Professional

Pass Blue Coat BCCPP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/bccpp.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Blue Coat
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What type of SGOS software worker can be invoked to perform pipelining of HTTP requests?

- A. Client worker.
- B. Server worker.
- C. Retrieval worker.
- D. SGOS software workers do not perform pipelining of HTTP requests.

Correct Answer: B

QUESTION 2

NTLM credentials or Kerberos credentials: Which credentials typically require more trips between the ProxySG and the domain controller?

- A. NTLM credentials
- B. Kerberos credentials

Correct Answer: A

QUESTION 3

What is the meaning of the metacharacter? (question mark) in regular expressions?

- A. escape character
- B. any character except newline
- C. zero or one character
- D. zero or more characters

Correct Answer: C

QUESTION 4

Log format variable rs(Content-Type) always refers to Content-type header value sent from the proxySG to the client.

- A. True
- B. False

Correct Answer: A

QUESTION 5

Which standard CA certificate list on the ProxySG is normally used in processing client-server SSL transactions?

- A. appliance-ccl
- B. image-validation
- C. appliance-key
- D. browser-trusted
- E. default

Correct Answer: D

QUESTION 6

What is the protocol used for Blue Coat Director to communicate with ProxySG?

- A. SSL
- B. Telnet
- C. SSH v2
- D. HTTPS

Correct Answer: C

QUESTION 7

Which one of these statements best describes how the ProxySG locates an object in its cache?

- A. The ProxySG performs a hash against the URL of the object and uses the hash as the basis for a lookup into the table of cached objects.
- B. The ProxySG uses the hostname in the object's URL to determine in which cache directory the object is located.
- C. The ProxySG uses the first 32 bytes of the object's URL to determine in which cache directory the object is located.

Correct Answer: A

QUESTION 8

Which of these proxy services must be enabled on the ProxySG to allow communication with an SNMP server?

- A. SNMP

- B. External HTTP
- C. FTP
- D. None of the above

Correct Answer: A

QUESTION 9

Which one of these statements is NOT true about the caching architecture of the ProxySG?

- A. Objects are first stored in the RAM object cache and are swapped into the disk-based object cache as needed.
- B. Information about a single object in the cache can be viewed from the Management Console or CLI.
- C. If the same object is cached as a result of being accessed by two different protocols (such as HTTP and FTP), two objects are stored in the cache.
- D. The object store uses a directory structure so that objects in the cache can be accessed quickly.

Correct Answer: A

QUESTION 10

After creating CPL in the local policy file, the policy is imported into the VPM CPL file so that it can be viewed through the Visual Policy Manager.

- A. True
- B. False

Correct Answer: A

QUESTION 11

Which statement is correct about Proxy-Authorization header?

- A. It is a response header used by a proxy to negotiate parameters of the credential exchange and to send challenge to the client
- B. It is a request header used to pass client's credentials to a proxy server
- C. It is a response header used by an upstream proxy to ask for credentials from a downstream proxy or user agent

Correct Answer: B

QUESTION 12

What is the meaning of the metacharacter * (asterisk) in regular expressions?

- A. escape character
- B. any character except newline
- C. zero or character
- D. zero or more characters

Correct Answer: D

QUESTION 13

To create policy that tests only for the authentication error of expired_credentials, can you use the VPM, CPL, or either?

- A. VPM
- B. CPL
- C. Either

Correct Answer: C

QUESTION 14

By default, what method does the ProxySG use to balance traffic load among members of a forwarding group?

- A. Least connections
- B. Round robin
- C. None of the above

Correct Answer: A

QUESTION 15

What is the pre-defined username that can be used to allow guest users to access content via the ProxySG?

- A. guest
- B. guest_\$ip, where \$ip is the client's IP address.
- C. user
- D. user_\$ip, where \$ip is the client's IP address.
- E. There is no pre-defined guest user.

Correct Answer: B

[Latest BCCPP Dumps](#)

[BCCPP VCE Dumps](#)

[BCCPP Exam Questions](#)