

# C1000-004<sup>Q&As</sup>

IBM Curam SPM V7.X Application Developer

## Pass IBM C1000-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-004.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

Consider the following assignable relationship:



Which statement about the modeling is true?

- A. You cannot assign an entity to a struct.
- B. You cannot assign an entity to a struct that aggregates other structs.
- C. You cannot assign an entity to a list struct.
- D. There is nothing wrong with the modeling.

Correct Answer: D

## QUESTION 2

Suppose that you created a new Process class in your model and performed a build generated command.

What do you need to do next?

- A. Implement the methods in the generated impl version of the class.
- B. Copy the generated impl class from the build/svr/gen/temp folder into the impl package.
- C. Implement the modeled methods in the base class.
- D. Create a new class in the impl package.

Correct Answer: D

## QUESTION 3

Examine this UIM code snippet:

```
<LIST>
  <FIELD LABEL="List.Title.Type" WIDTH="15">
    <CONNECT>
      <SOURCE NAME="SI_DISPLAY" PROPERTY="type"/>
    <CONNECT>
      <LINK PAGE_ID="Sample_viewCase">
        <CONNECT>
          <SOURCE NAME="SI_DISPLAY" PROPERTY="caseID"/>
          <TARGET NAME="PAGE" PROPERTY="caseID"/>
        </CONNECT>
      </LINK>
    </FIELD>
    ...
  </LIST>
```

Which two missing elements are required for this FIELD element to compile successfully? (Choose two.)

- A. A PAGE\_PARAMETER with NAME="caseID".
- B. A server interface with PHASE="DISPLAY".
- C. A server interface with PHASE="ACTION".
- D. A server interface call that returns an attribute called `type\`.
- E. An ACTION\_CONTROL of type ACTION.

Correct Answer: AE

---

#### QUESTION 4

Consider the definition of the code table item in the following extract from TrafficLights.ctx:

```
<codetables package="curam.codetable">
  <codetable java_identifier="TRAFFICLIGHTS" name="TrafficLights">
    <code default="true" java_identifier="GO" status="ENABLED" value="TL1">
      <locale language="en" sort_order="0">
        <description>Green</description>
      </locale>
    </code>
  </codetable>
</codetables>
```

Which Java statement checks the status of an attribute called trafficLight?

- A. if (trafficLight.equals(curam.codetable.TRAFFICLIGHTS.GO)) {
- B. if (trafficLight.equals(curam.codetable.TRAFFICLIGHTS.TL1)) {
- C. if (trafficLight.equals(curam.codetable.TRAFFICLIGHTS.GREEN)) {
- D. if (trafficLight.equals("Green")) {

Correct Answer: A

---

#### QUESTION 5

Examine the below message definition. What is the result when the runtime locale is set to fr\_CA?

```
<message name="MESSAGE_WHERE">
  <locale country="CA" language="en">Washroom</locale>
  <locale country="GB" language="en">Lavatory</locale>
  <locale language="en">Restroom</locale>
</message>
```

- A. Washroom.
- B. Lavatory.
- C. Restroom.
- D. An error is displayed.

Correct Answer: A

---

#### QUESTION 6

The code table file called MyCodetable.ctx is defined in the following components: core, custom, and mycomponent.

core\MyCodeTable.ctx

```
<codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Core value 1</description>
      </locale>
    </code>
    <code default="true" java_identifier="CODE2" status="ENABLED" value="CV2">
      <locale language="en" sort_order="0">
        <description>Core value 2</description>
      </locale>
    </code>
  </codetable>
</codetables>
```

custom\MyCodeTable.ctx

```
</codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Custom value 1</description>
      </locale>
    </codetable>
</codetables>
```

mycomponent\MyCodeTable.ctx

```
</codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Mycomponent value 1</description>
      </locale>
    </codetable>
</codetables>
```

The SERVER\_COMPONENT\_ORDER variable is set as SERVER\_COMPONENT\_ORDER=custom,mycomponent.

Which will be the set of code\value pairs for MyCodetable?



A. CV1 - Mycomponent Value 1 CV2 - Core Value 2

B. CV1 - Custom value 1 CV2 - Core value 2

C. CV1 - Mycomponent Value 1

D. CV1 - Custom value 1

Correct Answer: C

---

#### QUESTION 7

Which documentation resource contains a list of allowed and discouraged overrides for domain definitions?

A. Modeling Reference Guide.

B. Server Developer\\'s Guide.

C. Web Client Reference Guide.

D. Development Compliancy Guide.

Correct Answer: A

Reference: [https://www.google.com/url?](https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEwiT8LiF6oTnAhUpYIUKHUKfD_IQFjAAegQIARA&andurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramServerModellingGuide.pdf&andusg=AOvVaw3zCdfyWq3-9sTeq24TBILM)

[sa=t&andrc=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEwiT8LiF6oTnAhUpYIUKHUKfD\\_IQFjAAegQIARA&andurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramServerModellingGuide.pdf&andusg=AOvVaw3zCdfyWq3-9sTeq24TBILM](https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEwiT8LiF6oTnAhUpYIUKHUKfD_IQFjAAegQIARA&andurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramServerModellingGuide.pdf&andusg=AOvVaw3zCdfyWq3-9sTeq24TBILM)

---

#### QUESTION 8

You get the following error message while adding custom functionality:

##### Error!



The page you have requested is not available. One possible cause is that you are not licensed for the necessary Cúram module. If that is the case, you can use the User Interface administration screens to remove these links.

What is the most likely cause of the error?

A. An artifact links to a page that does not exist.

B. The security for the UIM page is not defined.

C. A Page parameter is incorrectly specified.

D. A Server Interface has the wrong PHASE.

Correct Answer: C

Reference: <https://www-01.ibm.com/support/docview.wss?uid=swg1PO01739>

---

## QUESTION 9

Which statement about developing pods IBM Cúram SPM is true?

- A. UIM pages that display pods must include PodContainer.vim.
- B. PodLoader classes call renders to generate HTML for each pod.
- C. UIM pages source HTML from the PodContainerInterface to display the pods.
- D. The PodContainerManager reads properties files to determine the pods to display for the page.


Correct Answer: A

Reference: <https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEWjb2qSFslfnAhURLBoKHbmmBdEQFjAAegQIAh>

ABandurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcúram%2F6.0.4.0%2Fen%2FDevelopers%2FcúramPodDevelopersGuide.pdfandusg=AOVaw0w-gSsRuZoBUGDxZPZaoS (14)

## QUESTION 10

In the screenshot below, what type of application navigation element can be expected to correspond with the element highlighted in red?



A. Section.

B. Menu.

C. Tab.

D. Navigation Tab.

Correct Answer: B

---

## QUESTION 11

You want to add a custom operation to an out-of-the-box entity.

Which action should you perform in RSA?

A. Add a generalization between the two entity classes.

B. Add an aggregation between the two entity classes.

C. Add an assignable between the two entity classes.

D. Create a new entity class with the same name as the base entity class.

Correct Answer: B

---

## QUESTION 12

Which two exceptions are checked exceptions in IBM Cúram SPM? (Choose two.)

A. `curam.util.exception.AppException`.

B. `curam.util.exception.AppRuntimeException`.

C. `curam.util.exception.DatabaseException`.

D. `curam.util.exception.RecordNotFoundException`.

E. `curam.util.exception.InformationException`.

Correct Answer: AE


Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r\\_SERDEV\\_Exceptions1UsingExceptions1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r_SERDEV_Exceptions1UsingExceptions1.html)

---

## QUESTION 13

Consider the entity and struct shown in the model:





- A. Type=SampleEntity1, Shadow Type=Key
- B. Type=SampleStruct1, Shadow Type=unspecified
- C. Type=SampleStruct1, Shadow Type=Key
- D. Type=SampleEntity1, Shadow Type=unspecified

Correct Answer: A

## QUESTION 14

Which two of the following are valid targets for the server-side build command? (Choose two.)

- A. generated
- B. beandoc
- C. codetables
- D. messages
- E. database

Correct Answer: AE

Reference: [https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9ce6819061a832/resource/HandyGuideToCuramBuildTargets\\_v1.0.pdf?lang=en](https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9ce6819061a832/resource/HandyGuideToCuramBuildTargets_v1.0.pdf?lang=en)

## QUESTION 15

You can localize custom validations that are written in Java by using an external locale-specific properties file.

Which two of the following are correct locale-specific properties files for such validations? (Choose two.)

- A. ErrorMessage\_fr.properties
- B. ErrorMessage\_US\_en.properties

C. ErrorMessage.properties\_fr

D. ErrorMessage\_en\_US.properties

E. en\_ErrorMessage.propereties

Correct Answer: AD

Reference: [https://www.google.com/url?sa=t&drct=j&dq=andesc=sandsource=webandcd=10andved=2ahUKEwiqqqebllbnAhUFUhoKHdnbBnQQFjAJegQIAR](https://www.google.com/url?sa=t&drct=j&dq=andesc=sandsource=webandcd=10andved=2ahUKEwiqqqebllbnAhUFUhoKHdnbBnQQFjAJegQIARACandurl=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.4%2Fen%2Fpdf%2FCuramWebClientReferenceManual.pdf&usg=AOvVaw3fE5ixnkYGZfQVHWmATNNA)

[ACandurl=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.4%2Fen%2Fpdf%2FCuramWebClientReferenceManual.pdf&usg=AOvVaw3fE5ixnkYGZfQVHWmATNNA](ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.4%2Fen%2Fpdf%2FCuramWebClientReferenceManual.pdf&usg=AOvVaw3fE5ixnkYGZfQVHWmATNNA)

[Latest C1000-004 Dumps](#)

[C1000-004 VCE Dumps](#)

[C1000-004 Practice Test](#)