

C1000-007^{Q&As}

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What are the default phases of the IBM Continuous Delivery Toolchain?

- A. Think, Code, Build, Run
- B. Think. Code, Deliver, Run
- C. Think, Code, Build, Deliver
- D. Think, Code, Build. Deliver, Run

Correct Answer: C

QUESTION 2

Which external social identity provider can be used with the App ID service?

- A. Yahoo userIDs
- B. Twitter userIDs
- C. Facebook userIDs
- D. Social Fixer userIDs

Correct Answer: D

QUESTION 3

To analyze historical data from the Watson IoT Platform, the data must be downloaded from the Cloudbant Database into which format before uploading to Watson Analytics?

- A. CSV
- B. XML
- C. TXT
- D. JSON

Correct Answer: D

QUESTION 4

What is the minimum Cloud Foundry role needed in order for a user to invite a developer to work within a Cloud Foundry space?

- A. Account Owner

- B. Space Level Auditor
- C. Organization Level Manager
- D. Organization Level Developer

Correct Answer: C

QUESTION 5

What is used to allow granular access control at the bucket level in IBM Cloud Object Storage within an application in IBM Cloud?

- A. App ID
- B. Federated SSO
- C. Platform API Keys
- D. Identity and Access Management

Correct Answer: C

QUESTION 6

A Node.js application needs to be deployed first on a staging environment to be tested before it is deployed to production environment . Using the Delivery Pipeline, two Deploy stages were created, one called "DeployToStag" targeting staging environment and the other called "DeployToProd" targeting production environment.

On running the DeployToStag stage it ran successfully while on running the DeployToProd stage it failed

with the following error:

"The route myapp.mybluemix.net is already in use"

Which command in the Deploy script for the DeployToProd stage can fix the error?

A. Option

```
cf push "${CF_APP}"
```

B. Option

```
cf push "${CF_APP}" --no-manifest
```

C. Option

```
cf push "${CF_APP}" -h my-prod-app
```

D. Option

```
cf push "${CF_APP}" --random-route
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 7

What are two advantages of creating views in IBM Cloudant?

- A. It deletes a bulk of documents
- B. It uses `_id` to index documents
- C. It speeds up searching for content
- D. It uses full-text search through the data
- E. It pre-processes the results before returning them to the client

Correct Answer: BD

QUESTION 8

Which statement describes the immutability of data on blockchain?

- A. Data can only be modified by an administrator

- B. It is not possible to modify business data through transactions
- C. No participant can tamper with a transaction after it has been recorded to the ledger.
- D. All data is encrypted using a one-way hashing algorithm. Therefore, changing stored data is impossible.

Correct Answer: B

QUESTION 9

In an Auto-Scaling policy definition, which field defines the interval of time to ignore other scaling requests after a scale out has occurred?

- A. Breach duration
- B. Statistics Window
- C. Cooldown period for scaling in
- D. Cooldown period for scaling out

Correct Answer: D

QUESTION 10

At the completion of creating a new custom Watson Visual Recognition model, which value is received that will be used to run new images against the model?

- A. api_id
- B. api_key
- C. classifier_id
- D. classifier_key

Correct Answer: C

QUESTION 11

What is one of the supported methods for deploying an application on IBM Cloud Private (ICP)?

- A. As a Docker swarm image on ICP
- B. Through the Kubernetes platform
- C. Using Mesos Marathon Framework
- D. As a stand-alone without runtime components through the command line interface

Correct Answer: A

QUESTION 12

Which two resources can IBM Cloud Availability Monitoring service monitor?

- A. REST API
- B. Website URL
- C. Memory usages
- D. CPU utilization
- E. Disk utilization

Correct Answer: AB

QUESTION 13

What are two features of Compose for Redis?

- A. Slow logs
- B. SSL binding
- C. TLS encryption
- D. NoSQL deployment
- E. Continuous integration

Correct Answer: BC

QUESTION 14

What is a benefit of using the IBM Cloud App ID?

- A. Adds authentication to mobile and web applications
- B. Fixes broken userIDs that are used to access mobile applications
- C. Generates passwords for userIDs that are used to authenticate mobile and web applications
- D. Provides a password vault to store userIDs and passwords that are used to access mobile and web applications

Correct Answer: A

QUESTION 15

Studying analytics data in order to improve team outcomes occurs during which phase of the IBM Cloud Garage

Method?

A. Code

B. Learn

C. Think

D. Improve

Correct Answer: B

[Latest C1000-007 Dumps](#)

[C1000-007 VCE Dumps](#)

[C1000-007 Exam Questions](#)