

C2040-415^{Q&As}

Developing OpenSocial Applications

Pass IBM C2040-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2040-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which event is defined in the OpenSocial Gadget lifecycle events?

- A. HELO
- B. Listen
- C. Opened
- D. Connected

Correct Answer: C

QUESTION 2

How would this markup be corrected?

Hello `${viewer.Name}!`

- A. There is no flaw with the markup as shown.
- B. The expression should be referenced `{viewer.Name}`.
- C. The script type must be `.`
- D. The variable `viewer. Name` must be tested for null prior to use in an expression.

Correct Answer: C

QUESTION 3

Why would a developer choose to use the `gadgets.io.makeRequest` over `osapi.http.get`?

- A. The endpoint is non-trusted.
- B. The endpoint requires HTTPS.
- C. The endpoint requires OAuth support.
- D. The endpoint is hosted in a different domain.

Correct Answer: C

QUESTION 4

Which reserved variable is available anywhere within the gadget?

- A. Prefs
- B. Owner
- C. Module
- D. ViewParams

Correct Answer: C

QUESTION 5

What is the context property used for when embedding an OpenSocial gadget?

- A. The "context" field is used to pass data from the gadget to the container.
- B. The "context" field is used to pass data to the gadget so that it knows exactly which content to render.
- C. There is no context property in an embedded experience when it is embedding an OpenSocial gadget.
- D. The context properties are referenced by index for the individual user of each gadget and contain a unique hash for individual embedded experiences.

Correct Answer: B

QUESTION 6

Why would a developer use DataPipelining for accessing IBM Connections social APIs?

- A. minifies the returned JSON object
- B. provides XML to JSON serialization
- C. reduces the number of client server requests
- D. enables easier debugging, pipelining logs to the console

Correct Answer: C

QUESTION 7

IBM Connections portlets use the REST Service Call Builder for HTTP requests to the Connections REST API.

When might a user see the error message "HTTP Status 403"?

- A. when there is a timeout
- B. when the Connections server is unavailable

- C. when the proxy is not allowing access to the URL
- D. when the REST Service call builder is unavailable

Correct Answer: C

QUESTION 8

What are the functions used to read and write OpenSocial data collectively known as?

- A. AppData
- B. Data API
- C. JavaScript API
- D. OpenSocial Persistence API

Correct Answer: D

QUESTION 9

What feature must an OpenSocial API Server support to be compliant?

- A. the REST protocol
- B. Java 1.6 and above
- C. the File Transfer Protocol (FTP)
- D. internationalization via properties files

Correct Answer: A

QUESTION 10

One part of a widget is its configuration on the IBM Connections server. What makes up the second part?

- A. The actual widget written to the iWidget specification.
- B. The widget companion file on the Connections server.
- C. The Java XML information file on the Connections server.
- D. The actual XML configuration file on the Connections server.

Correct Answer: D
