

C2090-013^{Q&As}

IBM SPSS Modeler Data Mining for Business Partners v2

Pass IBM C2090-013 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-013.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

True or false: given the information in the Data Audit Quality table below,

The screenshot shows a software interface with a 'Data Audit Quality' table and a 'Generate Filter from Quality' dialog box. The table has columns for Field, Measurement, Outliers, Extre..., Action, Impute Missing, Method, % Complete, and Valid Record. The dialog box is open, showing 'Mode: Include Exclude' and 'Fields with quality percentage higher than %' set to 70.0.

Field	Measurement	Outliers	Extre...	Action	Impute Missing	Method	% Complete	Valid Record
logwire	Continuous	1	0	None	Never	Fixed	29.6	
logequi	Continuous	1	0	None	Never	Fixed	38.6	
logtoll	Continuous	2	0	None	Never	Fixed	47.5	
logcard	Continuous	2	0	None	Never	Fixed	67.8	
region	Nominal	--	--		Never	Fixed	100	1
tenure	Continuous						100	1
age	Continuous						100	1
marital	Flag						100	1
address	Continuous						100	1
income	Continuous						100	1
ed	Ordinal						100	1

the generated Filter node will exclude only the fields logwire, logequi, logtoll, and logcard.

- A. True
- B. False

Correct Answer: A

QUESTION 2

What will occur if the deployment data has a very different range than the data that was used in modeling?

- A. The model will underpredict.
- B. The model will overpredict.
- C. The model may overpredict or underpredict.
- D. The model nugget will automatically nullify those cases that are out of range .075.

Correct Answer: C

QUESTION 3

Which node can be used to easily generate a field that divides the data into subsamples for the Training and Testing stages of modeling?

- A. Sample
- B. Filler
- C. Balance
- D. Partition

Correct Answer: D

QUESTION 4


True or false: the Auto Classifier node estimates and compares predictive models for continuous target fields.

- A. True
- B. False

Correct Answer: B

QUESTION 5

Given the Type node shown below,



what specifications are necessary to change all values outside the range 1 to 15 in field dropped_calls to the undefined (\$null\$) value?

- A. Pass Values and Check action Nullify
- B. Specify Values Lower 1 and Upper 15 and Check action Nullify
- C. Specify Values Lower 1 and Upper 15 and Check action Discard
- D. Read Values and Check action Warn

Correct Answer: B

[C2090-013 PDF Dumps](#)

[C2090-013 Practice Test](#)

[C2090-013 Braindumps](#)