

C2090-611^{Q&As}

DB2 10.1 DBA for Linux UNIX and Windows

Pass IBM C2090-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

If the following statements are executed in the order shown: Which statement is true?

```
CREATE TABLE tab1  
(col1 INT NOT NULL PRIMARY KEY,  
 col2 NUMERIC(5,2));
```

```
CREATE TABLE tab2  
AS (SELECT * FROM tab1)  
DATA INITIALLY DEFERRED  
REFRESH IMMEDIATE  
MAINTAINED BY SYSTEM;
```

```
REFRESH TABLE tab2;
```

- A. Insert, update, and delete operations can be performed against table TAB2.
- B. Data stored in table TAB1 is automatically copied to table TAB2 immediately after table TAB2 is created.
- C. Insert, update, and delete operations performed against table TAB1 are automatically cascaded to table TAB2.
- D. The REFRESH TABLE statement must be executed before insert, update, and delete operations performed against table TAB1 will be seen in table TAB2.

Correct Answer: C

QUESTION 2

Which command is used to export connectivity configuration information from a file known as a configuration profile?

- A. db2ca
- B. db2cfexp
- C. db2cfimp
- D. db2cfgexp

Correct Answer: B

QUESTION 3

Which action can a DBA take to retrieve bufferpool metrics information?

- A. Ensure the MON_OBJ_METRICS configuration parameter is enabled and query the BP_HITRATIO table function.
- B. Ensure the MON_ACT_METRICS configuration parameter is enabled and query the BP_HITRATIO administrative view.

C. Ensure the MON_OBJ_METRICS configuration parameter is enabled and query the MON_GET_BUFFERPOOL table function.

D. Ensure the MON_ACT_METRICS configuration parameter is enabled and query the MON_GET_BUFFERPOOL administrative view.

Correct Answer: C

QUESTION 4

Which statement about Binary XML is FALSE?

A. Binary XML format is only used for data transmission.

B. Binary XML data refers to data that is in the XDBX format.

C. Only textual XML data format is supported by Binary XML.

D. The binary format provides a faster way to transmit and receive XML data.

Correct Answer: C

QUESTION 5

Given the following statement:

```
CREATE TABLE department
  (deptno   CHAR(3) NOT NULL PRIMARY KEY,
   deptname VARCHAR(29) NOT NULL,
   mgrno    CHAR(6),
   admrdept CHAR(3) NOT NULL,
   location CHAR(16))
```

How many constraints are present in the DEPARTMENT table?

A. 1

B. 2

C. 3

D. 4

Correct Answer: D

QUESTION 6

Which statements will enable automatic storage in storage group SG_HOT for a given database managed table space MY_TS and remove all existing non-automatic storage containers from the table space?

- A. ALTER TABLESPACE my_ts MANAGED BY AUTOMATIC STORAGE;ALTER TABLESPACE my_ts REBALANCE;
- B. ALTER TABLESPACE my_ts MANAGED BY DATABASE;ALTER TABLESPACE my_ts MANAGED BY AUTOMATIC STORAGE;ALTER TABLESPACE my_ts REBALANCE;
- C. ALTER TABLESPACE my_ts MANAGED BY AUTOMATIC STORAGE USE STOGROUP sg_hot;ALTER STOGROUP sg_hot DROP \\\db2/filesystem1\\, \\\db2/filesystem2\\;ALTER TABLESPACE my_ts REBALANCE;
- D. ALTER TABLESPACE my_ts MANAGED BY DATABASE USE STOGROUP sg_hot;ALTER STOGROUP sg_hot DROP \\\db2/filesystem1\\, \\\db2/filesystem2\\;ALTER TABLESPACE my_ts REBALANCE;

Correct Answer: A

QUESTION 7

If the following statement is executed:

```
CREATE TABLE tab1
(c1 DATE,
 c2 INT,
 c3 INT,
 c4 DOUBLE,
 c5 DOUBLE GENERATED ALWAYS AS (c3 + c4),
 c6 INT GENERATED ALWAYS AS (MONTH(C1)))
ORGANIZE BY DIMENSIONS (c2, c5, c6)
```

What indexes will be created for table TAB1?

- A. 1 dimension-block index and 1 composite-block index
- B. 1 dimension-block index and 3 composite-block indexes
- C. 3 dimension-block indexes and 1 composite-block index
- D. 3 dimension-block indexes and 3 composite-block indexes

Correct Answer: C

QUESTION 8

Which registry variable is used to enable transparent Lightweight Directory Access Protocol (LDAP)?

- A. DB2LDAP
- B. DB2AUTH
- C. CLNT_PW_PLUGIN
- D. SRVCON_PW_PLUGIN

Correct Answer: B

QUESTION 9

What authority must be held to create a trusted context?

- A. DBADM
- B. SQLADM
- C. SECADM
- D. CONNECT

Correct Answer: C

QUESTION 10

You have an High Availability and Disaster Recovery (HADR) environment set up and you want to read from the standby database. What must you do?

- A. Assign the value ON to the DB2_HADR_ROS registry variable.
- B. Assign the value ON to the DB2_HADR_SNAP registry variable.
- C. Execute the STOP HADR command to temporarily break the HADR connection to the standby.
- D. Execute the TAKEOVER HADR command to instruct the standby database to takeover as the new primary database.

Correct Answer: A

QUESTION 11

You are tasked with using the Export, Import, and Load utilities to move data from a UNIX platform database to a Windows platform database. What file format is recommended for moving data across platforms?

- A. IXF
- B. DEL
- C. ASC
- D. WSF

Correct Answer: A

QUESTION 12

If a single node database is actively being used by applications when a power failure occurs, what method is used to bring the database back to a consistent state once power has been restored?

- A. Crash recovery
- B. Version recovery
- C. Disaster recovery
- D. Roll-forward recovery

Correct Answer: A

QUESTION 13

A table named CUSTOMER and an index named CUST_IDX were created as follows:

```
CREATE TABLE customer  
(id SMALLINT,  
 name VARCHAR(40),  
 phone VARCHAR(15)  
 address VARCHAR (100));
```

```
CREATE INDEX cust_idx ON customer (id, name);
```

If the following query is analyzed using Visual Explain:

```
SELECT id, name FROM customer;
```

Which operation would you expect to see in the access plan diagram produced?

- A. NLJOIN
- B. HSJOIN
- C. IXSCAN
- D. TBSCAN

Correct Answer: C

QUESTION 14

Which is a valid statement about the Row and Column Access Control (RCAC) feature?

- A. Users with SECADM authority are exempt from RCAC rules.
- B. The RCAC feature uses a subset of Label Based Access Control (LBAC) functionality.
- C. RCAC is a more powerful security mechanism than Label Based Access Control (LBAC).
- D. When a result set is restricted due to the RCAC rules defined on a table, no warnings or errors are returned.

Correct Answer: D

QUESTION 15

If the current value for self-tuning memory is: Self Tuning Memory (SELF_TUNING_MEM) = ON (Inactive) Which statement is true?

- A. Self-tuning is occurring only on the instance memory area.
- B. The memory tuner is actively tuning the memory on the system.
- C. Self-tuning is not occurring because it is waiting for the database to be recycled.
- D. Self-tuning is not occurring because there are less than two memory consumers enabled.

Correct Answer: D

[Latest C2090-611 Dumps](#)

[C2090-611 Practice Test](#)

[C2090-611 Braindumps](#)