

# C2090-635<sup>Q&As</sup>

IBM Cognos 10 BI OLAP Developer

## Pass IBM C2090-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-635.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

What does a unique move ensure when applied to a level in a dimension map?

- A. The measure values are not rolled up to the new path of the moved categories.
- B. The category can be moved to another level.
- C. The developer must manually restructure the categories in the dimension.
- D. The category moved within the level has its data history moved with it.

Correct Answer: D

---

**QUESTION 2**

Which of the following can be done to improve performance when dealing with large volumes of data?

- A. Include multiple data sources.
- B. Use a single large data source.
- C. Include transactional and structural data sources of the same type.
- D. Use Cognos 10 reports as transactional and structural data sources.

Correct Answer: A

---

**QUESTION 3**

A group called Authors is used in a custom view. How is information updated if the Author group members change in the authentication provider?

- A. The PowerCube must be rebuilt.
- B. The services must be restarted in Cognos Configuration.
- C. The changes are automatically updated at run time.
- D. The package must be republished.

Correct Answer: C

---

**QUESTION 4**

A developer added a manual level in the time dimension. During category generation, the developer gets a warning that Transformer is not able to relate the categories to the parent levels. What must be done to ensure Transformer relates the categories correctly?

- A. Specify a date function for each level.
- B. Specify date input format.
- C. Specify an Invalid Dates category.
- D. Specify a time-state rollup.

Correct Answer: A

---

## QUESTION 5

How can a developer rebuild an incrementally updated cube?

- A. Enable time-based partitioning and rebuild the cube.
- B. Clean house and rebuild the cube.
- C. Save the model, and revert to the backup .mdl file.
- D. Delete the old .mdc file and recreate the entire cube.

Correct Answer: D

---

## QUESTION 6

What must be unique to create an alternate hierarchy?

- A. The top level
- B. The highest level in a dimension
- C. The lowest level in a dimension
- D. The level of convergence

Correct Answer: D

---

## QUESTION 7

What can the developer specify for the cube build to use multiple directories to generate temporary work files?

- A. Log files
- B. Model temporary files
- C. Operating system page file
- D. Data temporary files

Correct Answer: D

---

## QUESTION 8

Where should fact queries against OLAP sources come from?

- A. A flat file
- B. An .iqd file
- C. A Cognos 10 report
- D. A Cognos 10 package

Correct Answer: A

---

## QUESTION 9

The developer notices a decrease in run-time performance in a model that has calculated measures (before rollup). Because auto-partitioning is not used, how can the developer increase performance?

- A. Use a duplicates rollup instead of a before rollup setting.
- B. Use an external rollup instead of a before rollup setting.
- C. Use calculated columns instead of before rollup measures.
- D. Use atime state rollup instead of before rollup setting.

Correct Answer: C

---

## QUESTION 10

Where are the log files accessed to troubleshoot issues?

- A. In the Content store.
- B. In the Binfolder in the installation directory.
- C. In the path set in Transformer preferences.
- D. In the Temp directory.

Correct Answer: C

---

## QUESTION 11

How can a developer best address values that are being rounded excessively?

- A. Adjust the number of decimal places.

- B. Create a calculated measure.
- C. Modify the rollup operations.
- D. Assign scale and precision settings.

Correct Answer: D

---

## QUESTION 12

How can the parent-child relationship for each category be established?

- A. Verify the model.
- B. Insert manual levels.
- C. Show category counts.
- D. Generate the categories.

Correct Answer: D

---

## QUESTION 13

What improves performance in the reporting application by combining records with identical non-measure values?

- A. Consolidation
- B. Partitioning
- C. PC Optimizer
- D. Crosstab caching

Correct Answer: A

---

## QUESTION 14

Senior Managers need to see total and regional sales figures, but Regional Managers should see relevant figures for only their regions. Where can the developer specify the degree of detail to be included?

- A. In a manual level
- B. In a cube group
- C. In the PowerCube
- D. In a scenario dimension

Correct Answer: B

---

## QUESTION 15

What can be done to apply member-based security if the model contains cube groups?

- A. Define the security for each member cube.
- B. Inherit the security that was used in the control cube.
- C. Create a hierarchical custom view.
- D. Create a descendant custom view.

Correct Answer: A

[C2090-635 Study Guide](#)

[C2090-635 Exam Questions](#)

[C2090-635 Braindumps](#)