

# C7010-010<sup>Q&As</sup>

IBM Cúram V6.0.4 Application Development

## Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c7010-010.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

An application's Server Components folder contains the following components: Appeals, core, custom, ISScreening, and ServicePlanning. The SERVER\_COMPONENT\_ORDER variable is set as follows:

SERVER\_COMPONENT\_ORDER=custom, ServicePlanning.

Which of the following statements BEST reflects the order of priority (decreasing priority left to right) in which the generators will process the components?

- A. custom, ServicePlanning, core
- B. custom, ServicePlanning
- C. custom, ServicePlanning, Appeals, core, ISScreening
- D. custom, ServicePlanning, Appeals, ISScreening, core
- E. Appeals, custom, ISScreening, ServicePlanning, core

Correct Answer: D

---

## QUESTION 2

If a change is made to a UIM page, what are the minimum steps required to make the new page visible to the client browser?

- A. Restart the server and Tomcat and refresh the page.
- B. Stop the server and Tomcat, build a clean client, refresh in Eclipse, and restart the server and Tomcat.
- C. Stop Tomcat, do a build client, refresh in Eclipse, and restart Tomcat.
- D. Build a clean client and refresh in Eclipse.
- E. Build the client.

Correct Answer: C

---

## QUESTION 3

Examine the following UIM code:

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_modifyPerson"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.Title"/>
    </CONNECT>
  </PAGE_TITLE>

  <PAGE_PARAMETER NAME="concernRoleIDParam"/>

  <CONNECT>
    <SOURCE PROPERTY="concernRoleIDParam" NAME="PAGE"/>
    <TARGET PROPERTY="key$concernRoleID" NAME="ReadPersonBean"/>
  </CONNECT>

  <SERVER_INTERFACE OPERATION="readPerson" CLASS="MaintainPerson"
    NAME="ReadPersonBean" PHASE="DISPLAY"/>
  <SERVER_INTERFACE OPERATION="modifyPerson" CLASS="MaintainPerson"
    NAME="ModifyPersonBean" PHASE="ACTION"/>

  <CLUSTER TITLE="Cluster.Title.PersonDetails">

  </CLUSTER>
```

Which of the following statements are true?

- A. The Page Title is read from a properties file.
- B. The modifyPersonBean is invoked when the page loads.
- C. A CONNECT element at the page level is used to pass a page parameter into a display phase SERVER\_INTERFACE.
- D. The UIM page is called PersonDemo\_modifyPersonPage.uim.
- E. The cluster value Cluster.Title.PersonDetails is read from a SERVER\_INTERFACE.

Correct Answer: AC

---

#### QUESTION 4

The Curam page shown here is configured to allow the developer to identify which action control was selected when the user clicks either button.



Which of the following pieces of UIM could be used to do this?

C A.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file:///Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="selection"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="selection"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="selection"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="selection"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```



C B.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="selection"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

C C.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" />

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

C D.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file:///Curam/UILMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="Yes"/>
  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="No"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

A. Exhibit A

B. Exhibit B

C. Exhibit C

D. Exhibit D

Correct Answer: B

---

## QUESTION 5

When customizing a Codetable (CTX) file in Cúram, which of the following statements are true?

A. To add a new entry to a code table, create a new CTX file in the custom directory with the same name as the existing CTX and add the new entry

B. To change an entry in a code table, copy the existing file to the appropriate custom directory, append custom\_ to the code name, and insert the new code value

C. To remove an entry from a code table, copy the existing file to the appropriate custom directory and remove the entry

in question

D. To change an entry in a code table, create a new CTX file in the custom directory with the same name as the existing CTX, copy the code table item from the existing CTX, and make any required changes to the copy

E. Custom codes are appended to the end of the corresponding, existing code table

Correct Answer: AD

---

### QUESTION 6

Which of the following are valid targets for the server-side build command?

A. generated

B. beandoc

C. database

D. messages

E. codetables

Correct Answer: AC

---

### QUESTION 7

ADDRESS\_DATA in Cúram client pages can be presented in a localized format.

ADDRESS\_DATA in Cúram client pages can be presented in a localized format. Where is the format data stored?

A. curam-config.xml and CDEJResources.properties

B. curam-config.xml, CDEJResources.properties and Application.prx

C. curam-config.xml and curam.css

D. curam-config.xml only

E. CDEJResources.properties only

Correct Answer: A

---

### QUESTION 8

In which of the following files would a developer define the database name for his/her Cúram application?

A. datamanager\_config.xml



- B. Application.prx
- C. Bootstrap.properties
- D. ApplicationConfiguration.properties

Correct Answer: C

---

## QUESTION 9

Which of the following are valid subdirectories of a server component directory?

- A. model
- B. codetable
- C. database
- D. EJBserver
- E. message

Correct Answer: ABE

---

## QUESTION 10

Which of the following is a complete description of the process involved in creating a valid

- A. Create a new Index class containing the index attributes and add a named association between this class and the target Entity class
- B. Create a new Struct class containing the index attributes and add a named association with stereotype index between it and the target entity class
- C. Create a new Entity class with an attribute of stereotype index and add an association with stereotype index between it and the target Entity class
- D. Create a new Association class with an attribute of stereotype index and add an association between it and the target Entity class

Correct Answer: B

[C7010-010 PDF Dumps](#)

[C7010-010 VCE Dumps](#)

[C7010-010 Braindumps](#)