

C7010-010^{Q&As}

IBM Cúram V6.0.4 Application Development

Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/c7010-010.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

ADDRESS_DATA in Cúram client pages can be presented in a localized format.

ADDRESS_DATA in Cúram client pages can be presented in a localized format. Where is the format data

stored?

- A. curam-config.xml and CDEJResources.properties
- B. curam-config.xml, CDEJResources.properties and Application.prx
- C. curam-config.xml and curam.css
- D. curam-config.xml only
- E. CDEJResources.properties only

Correct Answer: A

QUESTION 2

Which of the following are valid subdirectories of a server component directory?

- A. model
- B. codetable
- C. database
- D. EJBserver
- E. message

Correct Answer: ABE

QUESTION 3

Which of the following are valid targets for the server-side build command?

- A. generated
- B. beandoc
- C. database
- D. messages
- E. codetables

Correct Answer: AC



QUESTION 4

Examine the following UIM code:

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo modifyPerson"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PRCPERTY="PageTitle.Title"/>
        </CONNECT>
    </PAGE TITLE>
    <PAGE PARAMETER NAME="concernRcleIDParam"/>
    <CONNECT>
        <SOURCE PROPERTY="concernRcleIDParam" NAME="PAGE"/>
        <TARGET PROPERTY="key$concernRoleID" NAME="ReadPersonBean"/>
    </connect>
    <SERVER INTERFACE OPERATION="readPerson" CLASS="MaintainPerson"</p>
    NAME="ReadPersonBean" PHASE="DISPLAY"/>
    <SERVER INTERFACE OPERATION="mcdifyPerson" CLASS="MaintainPerson"</p>
    NAME="ModifyPersonBean" PHASE="ACTION"/>
    <CLUSTER TITLE="Cluster.Title.FersonDetails">
    </CLUSTER>
```

Which of the following statements are true?

- A. The Page Title is read from a properties file.
- B. The modifyPersonBean is invoked when the page loads.
- C. A CONNECT element at the page level is used to pass a page parameter into a display phase SERVER_INTERFACE.
- D. The UIM page is called PersonDemo_modifyPersonPage.uim.
- E. The cluster value Cluster. Title. Person Details is read from a SERVER_INTERFACE.

Correct Answer: AC

QUESTION 5

The Curam page shown here is configured to allow the developer to identify which action control was selected when the

https://www.leads4pass.com/c7010-010.html 2024 Latest leads4pass C7010-010 PDF and VCE dumps Download

user clicks either button.



Which of the following pieces of UIM could be used to do this?



CA.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="selection"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <action CONTROL LABEL="ActionControl.Label.Yes"
            TYPE="SUBMIT" ACTION ID="selection"/>
            <action control Label="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="selection"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="selection"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

CB.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.ksd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </connect>
    </PAGE TITLE>
    <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="selection"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"</pre>
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

CC.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" />
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"</pre>
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"</pre>
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

CD.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </connect>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</p>
   NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="Yes"/>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</p>
   NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="No"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"</p>
            TYPE="SUBMIT" ACTION ID="agree"/>
            <action control Label="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: B

QUESTION 6

If stereotyped methods were included in an entity class MyEntity, the implementation of these methods displays in which Java class?

- A. curam.impl.MyEntity
- B. curam.base.MyEntity
- C. curam.fact.MyEntity




D. curam.intf.MyEntity

Correct Answer: B

QUESTION 7

Review the following diagram:



After a build generated, which of the following assign methods is generated on StructA?

A. public StructA assign(StructB structB){ structA.attribute1 = structB.attribute1; structA.attribute2 = structB.attribute2; structA.attribute3 = structB.attribute3; structA.attribute4 = structB.attribute4; }

B. public StructA assign(StructB structB){ structA.attribute4 = structB.attribute5; }

C. public StructA assign(StructB structB){ structA.attribute1 = structB.attribute1;

structA.attribute2 = structB.attribute2;

structA.attribute3 = structB.attribute3;

D. public StructA assign(StructB structB){ structA.attribute1 = structB.attribute1; structA.attribute2 = structB.attribute2; structA.attribute3 = structB.attribute3; structA.attribute4 = structB.attribute5; }

Correct Answer: D

}



QUESTION 8


this be replaced with a set of radio buttons?

- A. Ensure that the underlying Domain Definition on the model resolves to SHORT_CODETABLE_CODE.
- B. Set the SHORT attribute on the FIELD to true.
- C. Set the Radio Button option on the Domain Definition to true.
- D. Set the Radio Button option on the corresponding struct to true.

Correct Answer: A

QUESTION 9

Review the following model:



Based on the model shown above, which table(s) will exist following a build generated database?

- A. EntityOne and EntityOneExtension
- B. EntityOne only
- C. EntityOneExtension only
- D. The build will fail because extending an entity is not allowed

Correct Answer: B



https://www.leads4pass.com/c7010-010.html 2024 Latest leads4pass C7010-010 PDF and VCE dumps Download

QUESTION 10

Which three of the following entity stereotypes require the user to specify input parameters when modeling? [Select 3]

- A. nkread
- B. nkmodify
- C. nkreadmulti
- D. nsinsert
- E. nsremove
- F. readmulti

Correct Answer: DEF

C7010-010 Practice Test C7010-010 VCE Dumps C7010-010 Braindumps