

C_HANASUP_1^{Q&As}

SAP Certified Support Associate - SAP HANA 1.0

Pass SAP C_HANASUP_1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_hanasup_1.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In the SAP HANA studio, which of the following enables you to identify the memory consumption of loaded tables?

- A. System Information tab of the Administration editor
- B. SYS.M_TABLES
- C. Load subtab of the Performance tab of the Administration editor
- D. SYS.M_CS_TABLES

Correct Answer: C

QUESTION 2

Your client tells you that the SAP HANA database backup is not working.

In the SAP HANA studio, where could you start to investigate the issue? (Choose three)

- A. _SYS_BI schema
- B. SYS schema
- C. Administration editor - System Information
- D. Administration editor - Performance overview
- E. Administration editor ?Alerts

Correct Answer: BCE

QUESTION 3

Which user do you need to start SAP HANA?

- A. Any user with the SESSION ADMIN system privilege.
- B. Linux user root
- C. Linux user adm user
- D. Any user with the SERVICE ADMIN system privilege

Correct Answer: C

QUESTION 4

Which of the following are performance trace options? (Choose three)

- A. Trace execution plans
- B. Optimizer performance
- C. Activate function profiler
- D. Performance trace duration
- E. Start kernel profiler tracing

Correct Answer: ACD

QUESTION 5

You want to configure an SQL trace with trace level set to ALL_WITH_RESULTS. How can you limit the size of the trace file? (Choose two).

- A. Delete the trace file if it grows too large.
- B. Increase the flush limit.
- C. Specify the database user to trace.
- D. Specify the tables and views to trace.

Correct Answer: CD

QUESTION 6

On which of the following operating systems is installation of the SAP HANA client supported? Note: There are 3 correct answers

- A. Solaris
- B. Microsoft Windows
- C. z/OS
- D. AIX
- E. OSX

Correct Answer: ABD

QUESTION 7

In the SAP HANA studio, which of the following SQL thread details can you monitor by using the Threads subtab of the Performance tab of the Administration editor? (Choose three)

- A. The SQL statement

- B. The generated data
- C. The service name
- D. The blocking status
- E. The visual execution plan

Correct Answer: BCD

QUESTION 8

Which SAP Solution Manager 7.1 capabilities enhance transport management in CTS/CTS+? (Choose three)

- A. Diagnostics in SAP Solution Manager
- B. Change analysis and reporting
- C. Configuration validation checks
- D. SAP NetWeaver Landscape Virtualization Management
- E. Quality gate management

Correct Answer: ABE

QUESTION 9

An ABAP program in SAP ECC is being optimized for the SAP HANA database. You have been asked to identify expensive SQL statements of this program that run for longer than one second.

What do you have to do to identify these expensive SQL statements? (Choose two)

- A. Filter expensive SQL statements by DB user.
- B. Enable expensive SQL statements tracing.
- C. Set the trace level.
- D. Set the threshold duration.

Correct Answer: BC

QUESTION 10

Which of the following are held in SAP HANA used memory? (Choose two)

- A. Free memory pool
- B. Temporary computations

- C. Heap memory
- D. Column and row tables

Correct Answer: BD

QUESTION 11

How do you determine the list of open transactions on an SAP HANA database? (Choose two)

- A. In the SAP HANA studio, double-click on Open Transactions in the System Information tab of the Administration editor.
- B. Run an SQL query against the view SYS.M JTRSACTIONS.
- C. In the SAP HANA studio, double-click on Transactions double-click on Open Transactions.
- D. Run an SQL query against the view SYS.TRSACTIONS_HISTORY.

Correct Answer: AD

QUESTION 12

Which of the following can you use to delete an index in SAP HANA? (Choose two)

- A. 1. Open the SAP HANA studio
- 2. Expand the Content tree and select the package
- 3. Expand the Package tree
- 4. Select a package and delete it
- B. Execute a CE_CONVERSION statement from a stored procedure
- C. Execute a DROP INDEX SQL statement from the SQL console
- D. 1. Open the SAP HANA studio
- 2. Expand the Catalog tree and select the schema
- 3. Expand the Table tree

4.

Select Open Definition and delete the index

Correct Answer: CD

QUESTION 13

You receive an alert: "XYZ TABLE has a record count of 508000408.

How can you prevent the alert from being generated again? (Choose two).

- A. Scale out the SAP HANA system
- B. Partition the table
- C. Apply constraint filters in analytic views
- D. Modify the alert thresholds

Correct Answer: CD

QUESTION 14

In an expensive statement trace configuration, you want to identify queries that run longer than two minutes.

Which value do you enter?

- A. 12 000
- B. 120
- C. 120000000
- D. 20000

Correct Answer: C

QUESTION 15

Which of the following descriptions on the left match the terms in the dropdown list on the right?

Two or more transactions mutually prevent each other from proceeding

Multiple transactions need access to the same data concurrently and need to wait for a lock to be released

Transactions cannot update data in a table until the lock is released

Transactions cannot update parts of a table until the lock is released

Mutexlock

Row Level Lock

DEAD LOCK

Synchrolock

Select and Place:

Two or more transactions mutually prevent each other from proceeding

Multiple transactions need access to the same data concurrently and need to wait for a lock to be released

Transactions cannot update data in a table until the lock is released

Transactions cannot update parts of a table until the lock is released

Mutexlock

Row Level Lock

DEAD LOCK

Synchrolock


Correct Answer:

Transactions cannot update data in a table until the lock is released

Transactions cannot update parts of a table until the lock is released

Two or more transactions mutually prevent each other from proceeding

Multiple transactions need access to the same data concurrently and need to wait for a lock to be released



[C_HANASUP_1 PDF
Dumps](#)

[C_HANASUP_1 Practice
Test](#)

[C_HANASUP_1 Exam
Questions](#)