

# C\_TPLM30\_67<sup>Q&As</sup>

SAP Certified Application Associate - Enterprise Asset Management  
(Maintenance & Repair) with SAP ERP 6.07

**Pass SAP C\_TPLM30\_67 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/c\\_tplm30\\_67.html](https://www.leads4pass.com/c_tplm30_67.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What does the scheduling period determine in the maintenance plan scheduling parameters? Please choose the correct answer.

Response:

- A. The duration for which the system generates maintenance orders immediately
- B. The duration for which the system generates planned or call dates during scheduling
- C. The duration for which the system generates maintenance notifications immediately
- D. The validity period of the maintenance plan

Correct Answer: B

---

**QUESTION 2**

A user has planned an operation with labor costs and material costs; however, the material cost element is not assigned to a value category.

Where do the material costs appear in the value categories for the order?

- A. In the overhead value category
- B. In a new, automatically created value category
- C. In the unassigned value category
- D. In the internal activity value category

Correct Answer: C

---

**QUESTION 3**

Your customer uses the dynamic availability check for stock material. Where does the system check material availability for an operation?

- A. In all plants where material inventory exists
- B. Only in the plant where the material has been reserved
- C. Only in the plant where the material is flagged with the special stock indicator for maintenance stock
- D. In all plants where the material is managed with serial numbers

Correct Answer: B

---

**QUESTION 4**

To create a BOM for a functional location/ equipment BOM. You can use Please choose the correct answer.

Response:

- A. Material BOMs
- B. Planning
- C. Accounting
- D. Objects

Correct Answer: A

---

**QUESTION 5**

Which of the following components is included in SAP Solution Manager? Please choose the correct answer.

Response:

- A. SAP NetWeaver Business Warehouse
- B. Master data management
- C. Service Desk
- D. SAP NetWeaver Enterprise Search

Correct Answer: C

---

**QUESTION 6**

Which account assignment category can you specify in a settlement profile?

- A. Maintenance planning plant
- B. Functional location
- C. Equipment
- D. Material

Correct Answer: D

---

**QUESTION 7**

A customer wants to define an order type that includes a notification when the order is created. Which Customizing step(s) must you perform?

- A. Assign the notification type to the order type according to plant assignment in Customizing.
- B. Set the indicator for notification data or order header and assign the notification type to the order type in Customizing.
- C. Set the Notification indicator for the order type according to plant assignment in Customizing.
- D. Assign the notification type to the order type in Customizing.

Correct Answer: B

---

**QUESTION 8**

How do you define operations for preventive maintenance tasks? Please choose the correct answer. Response:

- A. By assigning the operations directly to the maintenance plan
- B. By assigning the operations directly to the maintenance item
- C. By assigning the task list to the maintenance plan
- D. By assigning the task list to the maintenance item

Correct Answer: D

---

**QUESTION 9**

Which task list can have both external and internal number assignment for the task list group number?

- A. Bill of material task list
- B. Equipment task list
- C. General task list
- D. Functional location task list

Correct Answer: C

---

**QUESTION 10**

Which of the following combinations must you use to create a single-cycle maintenance plan for an external service?

- A. A maintenance order for settlement and an outline agreement
- B. A framework order and a maintenance order for settlement

- C. A framework order and a subcontract purchase order
- D. A subcontract purchase order and an outline agreement

Correct Answer: B

---

## QUESTION 11

Which of the following item categories can you use in a Plant Maintenance bill of material (BOM)? There are 2 correct answers to this question.

Response:

- A. Equipment
- B. Stock material
- C. Non-stock material
- D. Assembly
- E. Functional location

Correct Answer: BC

---

## QUESTION 12

When you create a refurbishment order, which reference objects can you use? There are 3 correct answers to this question.

Response:

- A. Functional location
- B. Equipment without serial number
- C. Material with serial number
- D. Material without serial number
- E. Equipment with serial number

Correct Answer: CDE

---

## QUESTION 13

Which is not the phase of corrective Maintenance

Please choose the correct answer.

Response:

- A. Notification
- B. Planning
- C. Control
- D. Base

Correct Answer: D

---

## QUESTION 14

What are the prerequisites for installing equipment at a functional location? (Choose two)

- A. A cost center is assigned to the equipment.
- B. A fixed asset is assigned to the equipment.
- C. The equipment category of the equipment allows the installation.
- D. The functional location master record allows the installation.

Correct Answer: CD

---

## QUESTION 15

What are the prerequisites for order settlement? (Choose three)

- A. The order must be technically completed.
- B. The order has not been settled previously.
- C. A settlement rule must be created for the order.
- D. The order must be released.
- E. The settlement profile used in the order type must allow settlement.

Correct Answer: CDE

[C\\_TPLM30\\_67 Practice Test](#)

[C\\_TPLM30\\_67 Study Guide](#)

[C\\_TPLM30\\_67 Braindumps](#)