

CSET-F^{Q&As}

A4Q - Selenium Tester Foundation [Webdriver] (CSeT-F)

Pass ISQI CSET-F Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/cset-f.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISQI Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Consider the following XML document

```
<?xml version="1.0" encoding="UTF-8"?>
<weather>
  <temperature UoM="F" city="New York">80</temperature>
  <temperature UoM="F" city="Chicago">53</temperature>
  <temperature UoM="C" city="Warsaw">30</temperature>
  <temperature UoM="C" city="Berlin">24</temperature>
</weather>
```

- A. //temperature[Berlin]/text()
- B. //temperature[city="Berlin"]/text ()
- C. //*[@city=\\'Berlin\\' 3/text ()
- D. //* f@city="Berlin"]/CDATA

Correct Answer: D

QUESTION 2

Given a frame with an ID of "frameID". which of the following is/are the best line(s) of code for changing the context of the test script to theframe?

- ☐ A.
element = driver.find_element_by_id('frameID')
element.frame
- ☐ B.
get('frameID').frame
- ☐ C.
fr = driver.find_element_by_id('frameID')
driver.switch_to.frame(fr)
- ☐ D.
switch_to.frame('frameID')

- A. Option A
- B. Option B
- C. Option C

D. Option D

Correct Answer: A

QUESTION 3

Which would be the best set of methods called by a Page Object that corresponds to the following dialog box?

The dialog box contains the following elements:

- A label "Login" followed by a text input field.
- A label "Password" followed by a text input field.
- Two buttons: "Log in" and "Cancel".
- A link at the bottom: "If you forgot your password, click *here*."

- A. log_in, cancel_log_in, remind_password
- B. log_in, cancel_log_in, clear_user, clear_password
- C. enter_login, enter_password, log_in, cancel
- D. push_button(button), enter__text(text), clickjink(link)

Correct Answer: B

QUESTION 4

Consider the following HTML document

```
<html>
  <head/>
  <body>
    <form class="odd first">
      User: <input type="text" class="user" name="user" />
      <br/>
      Password: <input type="text" class="password" name="password" />
      <br/>
      <button type="submit" name="login" class="big button">Log
in</button>&nbsp;
      <button type="submit" name="cancel" class="big
button">Cancel</button>
    </form>
  </body>
</html>
```

Which of the following CSS selectors will find the Cancel button?

- A. `.big.button[name="cancel"]`
- B. `."big button" [name="cancel\\\\"]`
- C. `. .big_button[name="cancel"]`
- D. `.big.button[@name="cancel"]`

Correct Answer: C

QUESTION 5

Which of the following is a good definition for DOM?

- A. An API interface which treats an HTML document as a tree structure where each node represents an object
- B. A mock object, emulator or simulator which allows the automation to consistently test some capability, even when the physical object is not available
- C. A test automation pattern which forces the technical and business layers to be considered separately
- D. A layer which provides an environment for automated test scripts to execute

Correct Answer: C

QUESTION 6

Which of the following Selenium tools is primarily used for capture/playback?

- A. SeleniumIDE
- B. Selenium WebDriver
- C. Selenium Grid
- D. Selenium Standalone Server

Correct Answer: D

QUESTION 7

In the web application you are testing, a button on a page can be enabled or disabled Given the following code

```
from selenium.webdriver.support import expected_conditions as EC
from selenium.webdriver.common.by import By
from selenium.common.exceptions import TimeoutException
def click_by_xpath(driver, path):
    try:
        element = wait(driver, 5).until\
            EC. [convenience method] ((By.XPATH, path))
        element.click()
    except TimeoutException:
        element = None
    return element
```

Which of the following wait convenience methods is the MOST appropriate to replace [convenience method] above to click on an enabled button?

- A. visibility_of_element_located
- B. element_to_be_clickable
- C. invisibility_of_element_located
- D. presence_of_element_located

Correct Answer: D

QUESTION 8

Which of the following is a limitation of a test automation project that is likely to cause an organization to get less return on their investment than they expected?

- A. Approach stating that all manual tests should be automated
- B. The pesticide paradox is decreased with automation
- C. Short-term thinking and inadequate planning for the automation
- D. Executing tests outside of normal business hours

Correct Answer: D

QUESTION 9

What is XPath?

- A. An error in XML document, where beginnings and endings of two tags cross (eg, <tag> </tag>), cross-path
- B. A test design method in which a test case traverses all crossing paths of an algorithm or activity diagram of use case
- C. A query language for selecting nodes from an XML document

D. An element of Test Execution Layer that allows one to cross-reference different SUTs

Correct Answer: C

QUESTION 10

Given the following piece of code:

```
driver = webdriver.Chrome()  
driver.get('https://python.org')  
driver.get('https://perl.org')  
driver.forward()  
driver.back()
```

Which page will be displayed in the web browser after its execution?

- A. httpsV/perl.org
- B. httpsZZpython.org
- C. Browser\\'s home page
- D. The page cannot be determined

Correct Answer: C

[Latest CSET-F Dumps](#)

[CSET-F Practice Test](#)

[CSET-F Exam Questions](#)