

DES-1221^{Q&As}

Specialist - Implementation Engineer, PowerStore Solutions

Pass EMC DES-1221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-1221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A SQL Cluster with attached PowerStore storage has Volumes SQL1, SQL2, SQL4, SQL5 which all require write order preservation. The SQL administrator no longer requires SQL4 and has removed it from the database. The Storage Administrator goes to delete volume SQL4 and finds that the option is grayed out.

Why is the option to delete the volume unavailable?

- A. SQL4 was renamed from SQL3
- B. SQL4 still has replications
- C. SQL4 is part of a volume group
- D. SQL4 still has snapshots

Correct Answer: B

QUESTION 2

A PowerStore X system is being implemented using Dell EMC S5248F-ON Ethernet switching as data switches.

What is required when configuring the VLT interconnects on the data switches?

- A. Assign the switch default route for the VLT traffic
- B. Set the VLT connection to the switch default VLAN
- C. On each switch, select the switch management port MAC as the VLT MAC
- D. Configure the VLT MACs with a matching unique made-up address

Correct Answer: C

QUESTION 3

Which IP addresses are required when adding an appliance to the cluster?

- A. DNS and NTP
- B. Storage and NTP
- C. Management and Storage
- D. Management and DNS

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2dandlang=en-us>

QUESTION 4

1.a.1 What is the maximum number of appliances that can be connected to form a cluster?

- A. 1 in a PowerStore T cluster, 4 in a PowerStore X cluster
- B. 1 in a PowerStore T cluster, 1 in a PowerStore X cluster
- C. 4 in a PowerStore T cluster, 4 in a PowerStore X cluster
- D. 4 in a PowerStore T cluster, 1 in a PowerStore X cluster

Correct Answer: C

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18149-dell-emc-powerstore-platform-introduction.pdf>

QUESTION 5

What is the maximum number of snapshot rules per cluster?

- A. 8
- B. 16
- C. 32
- D. 64

Correct Answer: A

Reference: <https://www.delltechnologies.com/da-dk/collaterals/unauth/data-sheets/products/storage/h18143-dell-emc-powerstore-family-spec-sheet.pdf>

QUESTION 6

A protection policy with snapshot and replication rules is applied to a file system. What is the result?

- A. Applying the protection policy to the file system fails
- B. Replication rules get ignored and only snapshot rules get applied
- C. Both replication and snapshot rules get applied
- D. Snapshot rules get ignored and only replication rules get applied

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-protect-data/data-protection-in-powerstore?guid=guid-19c6d0e1-fa20-4fb5-9983-61c17abaf21bandlang=en-us>

QUESTION 7

What does the remote replication Failover operation do?

- A. Fully synchronizes the source and destination data states and reverses the replication direction
- B. Fully synchronizes the source and destination data states and stops the current replication session
- C. Promotes the destination system to production with its replica data consistent to the last successful RPO synchronization state
- D. Promotes the destination system to production and resets the RPO synchronization cycle in the protection policy

Correct Answer: D

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-25-dae/pwrstr-protect-data/replication?guid=guid-7641aeec-982e-4e4e-85fb-c50f525635db&lang=en-us>

QUESTION 8

An administrator received the following alert from PowerStore regarding a previously created NAS server?

Description:

The SMB server of the NAS server PowerStore_NAS_01 is configured to be joined to the domain test.mid, but is currently not joined.

Which setting should the administrator change?

- A. UDS
- B. SMB
- C. LDAP
- D. NTP

Correct Answer: B

Reference: <https://www.dell.com/support/article/en-pk/sln317202/powerstore-alerts-smb-server-alerts?lang=en>

QUESTION 9

What are the IP requirements for ICW on PowerStore X and PowerStore T models?

- A. PowerStore T requires three storage IP addresses and PowerStore X requires five storage IP addresses
- B. PowerStore T requires four management IP addresses and PowerStore X requires six management IP addresses
- C. PowerStore T requires five management IP addresses and PowerStore X requires six management IP addresses

D. PowerStore T requires seven storage IP addresses and PowerStore X requires three storage IP addresses

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2d&lang=en-us>

QUESTION 10

A Storage Administrator removed an appliance from the cluster. What is the status of the removed appliance's licenses?

- A. Licenses are erased
- B. No licensing impact
- C. Licenses becomes void
- D. New licenses are created

Correct Answer: C

[Latest DES-1221 Dumps](#)

[DES-1221 PDF Dumps](#)

[DES-1221 Study Guide](#)