

DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-6321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

View the Exhibit.



Based on the exhibit, which interfaces should be used to reset the node through the Mobile Build Server?

- A. 1 and 3
- B. 1 and 2
- C. 2 and 3
- D. 1, 2 and 3

Correct Answer: A

QUESTION 2

Which vSAN features are specific to an all-flash model VxRail?

- A. Erasure Coding and Stretch Clustering
- B. Thin Swap Objects and Stretch Clustering
- C. Deduplication/Compression and Thin Swap Objects
- D. Deduplication/Compression and Erasure Coding

Correct Answer: D

<https://blogs.vmware.com/virtualblocks/2016/10/19/dell-emc-vxrail-4-0-announcement-new-models-use-cases/>

QUESTION 3

You are configuring SmartFabric Services on a VxRail running version 4.7X. What is the maximum number of separate vCenter instances that an OMNI plug-in can be registered with in a single fabric?

- A. 1
- B. 2

C. 5

D. 10

Correct Answer: D

QUESTION 4

What is the remote management option for G Series VxRail nodes?

A. RMM

B. iLO

C. iDRAC

D. IPMI/BMC

Correct Answer: D

QUESTION 5

DRAG DROP

Match the management tool that is used to perform the associated operation in a VxRail environment.

Select and Place:

Answer area

Operation:

Serviceability

RASR

Analytics

Deploy templates

Tool:

iDRAC

vCenter

VxRail Manager

Log Insight

Correct Answer:

Answer area

Operation:

Tool:

RASR
Deploy templates
Serviceability
Analytics

QUESTION 6

What is the maximum number of nodes in a VxRail Cluster with 25 GbE?

- A. 32
- B. 64
- C. 96
- D. 128

Correct Answer: B

QUESTION 7

After a successful installation, where in VxRail Manager should you collect logs?

- A. CONFIG > General > Log Collection > Generate New Log Bundle
- B. CONFIG > General > System Diagnostics > Generate New Log Bundle
- C. CONFIG > System > Log Collection > Diagnose
- D. CONFIG > System > System Diagnostics > Diagnose

Correct Answer: C

Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 8

A system administrator attempts to use the VxRail REST API to obtain system health status for their VxRail environment. The system returns the following error code: 401. What should the administrator do to address this issue?

- A. Provide vCenter credentials with sufficient rights.
- B. Connect to vCenter GUI and try the command again
- C. Wait five minutes and try the command again
- D. Ensure that the VxRail Manager IP is correct

Correct Answer: A

QUESTION 9

The vSAN health check is reporting errors about the stats.db object. What could be a possible cause of this problem?

- A. vSAN performance service is not enabled on one of the ESX nodes
- B. vSAN health service is disabled
- C. There are inaccessible/unhealthy vSANObjects
- D. vSAN performance service is not enabled

Correct Answer: D

QUESTION 10

After initial installation the vSAN health check is reporting issues. Which action needs to be taken to correct the vSAN health check error?

- A. Upgrade to the latest version of VxRail.
- B. Upgrade to the latest driver version.
- C. Reset error message to green.
- D. Update HCL database and run health check.

Correct Answer: B

QUESTION 11

What statement accurately describes the tail types used in racking VxRail nodes?

- A. Static rails only support the option to use a cable management arm (CMA)

- B. Sliding rails are available on all models of Dell 14G VxRail nodes except for the S570
- C. Static rails enable the VxRail nodes to be fully extended out of the rack for service
- D. Sliding rails are available on all models of Dell 14G VxRail nodes except for the G560

Correct Answer: D

QUESTION 12

A Secure Remote Services deployment on a VxRail system with external vCenter fails with "Invalid target datastore specified". What is required to resolve this problem?

- A. Ensure DNS is able to resolve the SRS/VE VM hostname
- B. Retry the deployment through the retry button
- C. Manually deploy Secure Remote Services
- D. Restart vCenter services and retry the deployment

Correct Answer: A

Reference: <https://docplayer.net/51201325-Welcome-to-vxrail-appliance-remote-support-and-troubleshooting-course.html> (55)

QUESTION 13

You are expanding the capacity of a Hybrid VxRail by creating an additional disk group. The new disk group will be composed of five drives on all participating cluster nodes. When you attempt to add the new disks to the vSAN datastore you receive an error message about there being no cache tier available.

What is the likely cause?

- A. vSAN supports disk groups with four drives or fewer
- B. Cluster requires vSAN Advanced or Enterprise license upgrade
- C. You attempted to add the disks to the existing disk group
- D. All the drives are labeled as HDDs

Correct Answer: D

QUESTION 14

How many nodes can be added simultaneously to an existing VxRail cluster running at code version 4.5?

- A. 1

B. 3

C. 6

D. 8

Correct Answer: C

Reference: <https://www.dellemc.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

QUESTION 15

A VxRail Cluster setup with P570F nodes is used for product evaluation purposes at customer sites. Before moving the Cluster to another customer site, it needs to be reset.

Where is the image located to complete this task?

A. SATADOM

B. IDSDM

C. BOSS

D. MB Server

Correct Answer: B

[Latest DES-6321 Dumps](#)

[DES-6321 PDF Dumps](#)

[DES-6321 Braindumps](#)