

DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-6321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A customer has three VxRail E560 nodes that have just been installed. How many RP4VM licenses is the customer entitled to?

- A. 5
- B. 10
- C. 15
- D. 20

Correct Answer: C

QUESTION 2

Which VxRail node type supports only hybrid storage?

- A. S Series
- B. E Series
- C. G Series
- D. V Series

Correct Answer: A

<https://www.emc.com/en-us/converged-infrastructure/vxrail/index.htm#collapse=>

QUESTION 3

A VxRail deployment has just been completed, and the performance service is enabled, but the vSAN performance statistics are not available for the cluster or virtual machines. What is the reason for this situation?

- A. vSAN performance hot-fix has not been applied
- B. Monitoring policy has not been created
- C. Performance service has not been manually enabled
- D. Data has not been populated

Correct Answer: B

QUESTION 4

A failure occurs during the deployment of a VxRail cluster. You need to look through the marvin.log file to see what could be causing the error. Where is this file located?

- A. var/log/vmware/marvin
- B. var/log/vmware
- C. var/log/vmware/marvin/tomcat/logs
- D. var/log/mystic

Correct Answer: C

Reference: <https://www.javaydekoning.com/vxrail-monitoring-managing/>

QUESTION 5

What command is used to restart the Loudmouth process on a VxRail node?

- A. /etc/init d/loudmouth restart
- B. /usr/lib/vmware/loudmouth/bin/loudmouthd restart
- C. systemctl restart loudmouth
- D. systemctl restart vmware-loudmouth

Correct Answer: A

QUESTION 6

A VxRail Stretched Cluster deployment will have E560F node. The Cluster must allow local protection with both erasure coding options at either site. What is the minimum node configuration?

- A. 3+3 nodes
- B. 4+4 nodes
- C. 6+6 nodes
- D. 8+8 nodes

Correct Answer: B

QUESTION 7

In addition to the VxRail YouTube video, links to what resources should the SE send to the customer, according to the

VxRail PEQ Engagement Details worksheet?

- A. VxRail vCenter Server Planning Guide VxRail Network Guide
- B. VxRail QuickStart Guide VxRail Network Guide
- C. VxRail vCenter Server Planning Guide Network Validation Tool
- D. VxRail QuickStart Guide Network Validation Tool

Correct Answer: D

QUESTION 8

A company intends to deploy VxRail with support for GPU cards. Which type of VxRail nodes should be recommended?

- A. E Series
- B. V Series
- C. G Series
- D. P Series

Correct Answer: B

QUESTION 9

When adding a VxRail node the validation fails. What could be the cause of this problem?

- A. IPv6 multicasting is not enabled
- B. Only one network interface online
- C. Time on the node was not set correctly
- D. DNS record was not created

Correct Answer: B

<https://community.emc.com/thread/236186?start=0andtstart=0>

QUESTION 10

| | | |
|----------------------|---|---------------|
| ESXi hostname prefix | host | MyVxRail |
| Seperator | None or - | - |
| Iterator | Num 0X (for 01,02,03,04...) or Num X (for 1,2,3,4...) or Alpha (for a,b,c,d...) | Alpha |
| Domain | localdomain.local | mycompany.com |

A 4 node VxRail solution will be deployed. Based on the exhibit, what will be the host name assigned to the last node in the cluster?

- A. MyVxRaild.mycompany.com
- B. MyVxRail-4.mycompany.com
- C. MyVxRail-d.mycompany.com
- D. MyVxRail04.mycompany.com

Correct Answer: C

QUESTION 11

A VxRail Model E560 Cluster will be deployed in a 1 GbE network The system is delivered in its largest supported configuration How much space needs to be available to rack all the VxRail nodes?

- A. 4U
- B. 8U
- C. 16U
- D. 64U

Correct Answer: B

QUESTION 12

During the deployment of VxRail, you import a JSON file and attempt a validation. An error indicates that node 1 cannot access the other nodes. When you look at the Nexus switchport configuration, you see the following on all VxRail ports: interface TenGigabitEthernet 1/x

switchport

switchport trunk switchport trunk allow vlan all What is a possible reason for this situation?

- A. "switchport trunk native vlan x" is notconfigured

- B. "switchport access vlan x" is not configured
- C. "switchport trunk vlan x" is not configured
- D. "switchport vlan x" is not configured

Correct Answer: B

QUESTION 13

What is the size of the drives on the BOSS card in a VxRail P570 node?

- A. 64 GB
- B. 120 GB
- C. 240 GB
- D. 256 GB

Correct Answer: C

Reference: https://www.dellemc.com/content/dam/uwaem/production-design-assets/pl-pl/events/forum/2017/presentations/modern_infrastructure_CS3.pdf

QUESTION 14

In which VxRail models is the iDRAC NIC Selection Setting set to Dedicated?

- A. E560, P570, V570, and S570
- B. E560 and G560 only
- C. P570, V570, and S570 only
- D. P570, V570, S570 and G560

Correct Answer: A

QUESTION 15

What accurately describes VxRail scale-out rules?

- A. Only the first 3 cluster nodes must be identical
- B. Mixing hybrid and all-flash nodes is permitted when scaling greater than 32 nodes with an RPQ
- C. All G series models in a cluster must be identical

D. Only the first 4 cluster nodes must be identical

Correct Answer: C

http://www.snsLtd.co.uk/Presentations/Dell_EMV_VxRail_Overview.pptx

[DES-6321 Study Guide](#)

[DES-6321 Exam Questions](#)

[DES-6321 Braindumps](#)