

## DES-6322<sup>Q&As</sup>

Specialist - Implementation Engineer-VxRail Exam

**Pass EMC DES-6322 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/des-6322.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A VxRail 7.0.100 environment is managed by the internal vCenter Server. The customer asks the implementation engineer to deploy a new VxRail cluster using the existing vCenter Server.

What should the response of the engineer?

- A. Not supported for internal vCenter Server
- B. Not supported on VxRail software 7.0.100
- C. Supported by neither the internal vCenter Server nor external vCenter Server
- D. Only supported on VxRail software 4.7.xxx

Correct Answer: D

---

**QUESTION 2**

A company has recently implemented a popular data center monitoring and reporting software solution. They plan to use the solution to consolidate reporting into a single platform. What is an expected benefit of programmatically gathering VxRail information?

- A. Perform node shutdowns and specific operations
- B. Perform pre-checks for vSAN health
- C. Automate iDRAC firmware management and status
- D. Obtain status of all running operations on a cluster

Correct Answer: B

Reference: <https://www.delltechnologies.com/asset/en-us/products/converged-infrastructure/technical-support/h15104-vxrail-appliance-techbook.pdf>

---

**QUESTION 3**

A VxRail D560 cluster was delivered six months ago and now needs to be prepared for installation with the target code. What is the correct method to complete the task?

- A. Boot into RASR ISO and perform a RASR Reset
- B. Boot into RASR USB and perform a RASR Reset
- C. Boot into SD card and perform a Factory Reset
- D. Boot into RASR ISO and perform a Factory Reset

Correct Answer: A

---

**QUESTION 4**

Which series of VxRail nodes supports either Intel or AMD processors and either hybrid or All-Flash storage?

- A. G Series
- B. D Series
- C. E Series
- D. V Series

Correct Answer: A

---

**QUESTION 5**

A planned VxRail Stretched Cluster will have four hybrid nodes at each site. What is the recommended storage policy to ensure cross-site and local protection, using storage as efficiently as possible?

- A. Site disaster tolerance ?None keep data on Preferred (stretched cluster) Failures to tolerate ?1 failure ?RAID-1 (Mirroring)
- B. Site disaster tolerance ?Dual site mirroring (stretched cluster) Failures to tolerate ?1 failure ?RAID-5 (Erasure Coding)
- C. Site disaster tolerance ?Dual site mirroring (stretched cluster) Failures to tolerate ?No data redundancy
- D. Site disaster tolerance ?Dual site mirroring (stretched cluster) Failures to tolerate ?1 failure ?RAID-1 (Mirroring)

Correct Answer: B

---

**QUESTION 6**

What is a consideration when performing a VxRail software upgrade from version 4.7.xxx to version 7.0.xxx?

- A. External vCenter server must be upgraded after the VxRail is upgraded
- B. vCenter Server requires a temporary IP address on a different subnet before the upgrade
- C. Secure boot must be enabled on the ESXi hosts for a successful upgrade
- D. VxRail Manager VM must be changed to the default name to avoid an upgrade failure

Correct Answer: A

---

**QUESTION 7**

A VxRail cluster 4.7.xxx environment is managed by the internal vCenter Server. An implementation engineer plans to deploy a new VxRail cluster using the existing vCenter Server instance, then use the customer-supplied VDS to manage

both VxRail clusters.

What must be done?

- A. Migrate the internal vCenter Server to an external vCenter Server, then merge the PSC
- B. Upgrade the VxRail version from 4.7.xxx to 7.0.000
- C. Migrate the internal vCenter Server to an external vCenter Server, then upgrade the VxRail 4.7.xxx to 7.0.100
- D. Upgrade the internal vCenter Server to version 7.0

Correct Answer: B

---

## QUESTION 8

The VxRail Deployment Wizard is being used on a VxRail cluster with a customer-supplied VDS. Which settings must be used to ensure successful installation?

- A. Use the VxRail vCenter Server Upload a configuration file (JSON)
- B. Join an external vCenter Server Use the step-by-step method
- C. Use the VxRail vCenter Server Use the step-by-step method
- D. Join an external vCenter Server Upload a configuration file (JSON)

Correct Answer: C

---

## QUESTION 9

What is the recommended format for host names when using the VxRail Deployment Wizard for an External vCenter solution?

- A. FQDN for vCenter Server Host name for VxRail Manager
- B. Host name for both vCenter Server and for VxRail Manager
- C. FQDN for both vCenter Server and for VxRail Manager
- D. Host name for vCenter Server FQDN for VxRail Manager

Correct Answer: A

Reference: <https://www.delltechnologies.com/asset/en-us/products/converged-infrastructure/technical-support/h15300-vxrail-network-guide.pdf>

---

## QUESTION 10

What is the basis used for VMware vSAN licensing?

- A. Per CPU socket
- B. TB capacity per cluster
- C. TB capacity per node
- D. Per disk group

Correct Answer: A

Reference: <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vsan/vmware-vsan-licensing-guide.pdf>

[DES-6322 Practice Test](#)

[DES-6322 Study Guide](#)

[DES-6322 Exam Questions](#)