

DES-6332^{Q&As}

Specialist - Systems Administrator - VxRail Appliance Exam

Pass EMC DES-6332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-6332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An application consisting of two VMs must be keep on two separate hosts.

Which VMware feature would enable this?

- A. Fault Tolerance
- B. High Availability
- C. Storage vMotion
- D. Distributed Resource Scheduler

Correct Answer: B

QUESTION 2

A company has bought VxRail V Series appliances with PCIe network cards. How can the PCIe NIC ports be configured in VxRail for data traffic?

- A. Create new Standard or DV switch and add these NICs as uplinks to carry both vMotion and VM network traffic
- B. During initial VxRail setup the NIC ports would be configured automatically to carry VM network traffic
- C. Create new Standard or DV switch and add these NICs as uplinks to carry VM network traffic
- D. During initial VxRail setup the NIC ports would be configured automatically to carry both vMotion and VM network traffic

Correct Answer: C

QUESTION 3

In a VxRail stretched cluster deployment, what happens when network connectivity is lost between the data sites?

- A. The stretched cluster will power down all virtual machines.
- B. The witness will choose the preferred site to remain active.
- C. The primary site will choose to be the preferred site and remain active.
- D. The secondary site will choose to be the preferred site and remain active.

Correct Answer: D

QUESTION 4

An administrator wants to get information about a specific host and runs this code:

GET /v1/hosts/{sn}

An API code 404 is returned.

What is the reason for the error code?

- A. The provided {sn} was not valid
- B. There was a server error
- C. The administrator was not authenticated
- D. The API is designed to return all hosts in a cluster

Correct Answer: A

QUESTION 5

Dell EMC VxRail All-Flash nodes have been deployed in a Stretched Cluster configuration. A storage policy has been configured with:

PFTT = 1 SFTT = 0 FTM = Default

What protection will a VMDK have with this storage policy?

- A. RAID 1 cross-site RAID 5 locally
- B. No cross-site protection RAID 1 locally
- C. RAID 1 cross-site RAID 1 locally
- D. RAID 1 cross-site No local protection

Correct Answer: A

QUESTION 6

What is a network consideration for VxRail version 4.5.x?

- A. IPv6 Multicast is not required
- B. IPv4 Multicast is required
- C. IPv4 Multicast and IPv6 Multicast are required
- D. IPv4 Multicast is not required

Correct Answer: B

QUESTION 7

An administrator attempts to add an S Series node to a Gen 2 VxRail cluster and the build fails. What is a possible reason for this failure?

- A. IP address pool has no more free addresses
- B. Hybrid and Flash nodes cannot be mixed in the same cluster
- C. Quanta and Dell nodes cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Correct Answer: B

QUESTION 8

What are the vSAN storage policy settings applied to the VxRail Manager VM during initial setup?

- A. Primary level of failures to tolerate = 1 Failure tolerance method = Erasure coding Object space reservation (%) = 100
- B. Primary level of failures to tolerate = 1 Object space reservation (%) = 100
- C. Primary level of failures to tolerate = 1 Failure tolerance method = Mirroring Object space reservation (%) = 50
- D. Primary level of failures to tolerate = 2 Failure tolerance method = Mirroring

Correct Answer: C

QUESTION 9

What is a consideration when scaling a VxRail cluster?

- A. A maximum of 10 nodes is supported if 1 GbE networking is used
- B. The first two nodes in a standard cluster must be identical
- C. Mixing of all-flash and NVMe nodes is not allowed
- D. Mixing VxRail nodes with different base network speeds is not permitted

Correct Answer: C

QUESTION 10

Which feature captures I/O traces from ESXi and generates metrics that represent the storage I/O behavior at VMDK level?

- A. Storage I/O Control

- B. IOmeter
- C. IOinsight
- D. vSAN iSCSI Target Service

Correct Answer: C

QUESTION 11

What is a consideration when planning for expansion of an existing 4 node all-flash VxRail Cluster?

- A. New nodes can contain hybrid, all-flash, or NVMe disks
- B. Multiple new nodes can be added at the same time
- C. New nodes must be identical to the existing nodes
- D. New nodes can be any processor family

Correct Answer: A

QUESTION 12

A customer wants to manage multiple VxRail clusters from one vSphere client instance. They would like to avoid purchasing additional licensing.

Which option meets the customer needs?

- A. multiple VxRail clusters using Enhanced Linked Mode
- B. multiple VxRail clusters using CloudIQ.
- C. multiple VxRail clusters using a single external vCenter
- D. multiple VxRail clusters using SaaS multi-cluster management

Correct Answer: B

QUESTION 13

Which VxRail model is a 1U form factor per node?

- A. E Series
- B. P Series
- C. S Series
- D. G Series

Correct Answer: A

QUESTION 14

What is a requirement for enabling vSAN Data at Rest Encryption (DARE) on a VxRail cluster?

- A. Internal Key Management System
- B. External Key Management System
- C. External vCenter Server
- D. All-flash configuration

Correct Answer: B

QUESTION 15

A VxRail is experiencing issues. The administrator decides to contact Dell EMC Support. Where in VxRail Manager can the administrator generate information needed for the support call?

- A. Config > Generate Support Bundle
- B. Health > General > Generate Support Bundle
- C. Support > Generate New Log Bundle
- D. Config > General > Generate New Log Bundle

Correct Answer: D

[DES-6332 PDF Dumps](#)

[DES-6332 Practice Test](#)

[DES-6332 Study Guide](#)