

E20-375^{Q&As}

RecoverPoint Specialist Exam for Implementation Engineers

Pass EMC E20-375 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-375.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

What is a named point-in-time copy of data marked by the system for recovery purposes within RecoverPoint?

- A. Bookmark
- B. Snapshot
- C. Image Access Point
- D. Journal

Correct Answer: A

QUESTION 2

What is a possible trigger to initiate RecoverPoint Snap-based Replication?

- A. High Load condition detected
- B. RecoverPoint snapshot takes place
- C. INIT snapshot takes place
- D. Incoming data marked on Delta Marker stream

Correct Answer: A

QUESTION 3

Which FA ports must the production LUN be mapped to in order to perform write splitting using the VMAX splitter?

- A. The ports zoned to both the Host and the RPAs only
- B. Every available port; the RPAs access the VMAX through the gatekeepers
- C. The ports zoned to the Production Host only
- D. The ports zoned to the RPAs only

Correct Answer: A

QUESTION 4

You are a storage administrator tasked with creating a Consistency Group in a RecoverPoint/EX system. You launch the Protect Volumes wizard in Unisphere and notice that the desired production volume is not available.

What would be a possible cause?

- A. The volumes are not masked to the RPAs.
- B. The volumes are masked to a host.
- C. The journal volumes are on a non-licensed array.
- D. Consistency Groups can only be created by boxmgmt.

Correct Answer: A

QUESTION 5

During Consistency Group initialization, the host application experiences a performance impact. What can be used to reduce the negative impact on performance?

- A. I/O throttling
- B. Detect bottlenecks
- C. FC diagnostics
- D. IP diagnostics

Correct Answer: A

QUESTION 6

You need to define the volumes required in a RecoverPoint solution. Your environment includes VMAX arrays. Four RPAs per cluster will be deployed.

How many gatekeeper volumes are required per cluster?

- B. 8
- C. 16
- D. 32

Correct Answer: C

QUESTION 7

Which GUI do you use when choosing a point-in-time image for VMware SRM to use during a failover or failover test?

- A. VSphere Client
- B. Unisphere for RecoverPoint
- C. VSphere Web Client
- D. Replication Manager

Correct Answer: A

QUESTION 8

A company has a DR site connected using a 4 Gbps FC link and two RPAs on the primary site, and two RPAs at the DR site. They are experiencing high load events although the FC link is not fully utilized.

What would be the best solution to get the FC link utilization up as high as possible?

- A. Add two RPAs to the primary site and add two RPAs to the DR site
- B. Add two RPAs to the primary site only
- C. Use distributed consistency groups with one primary RPA and two secondary RPAs on the primary site
- D. Add two RPAs to the DR site only

Correct Answer: A

QUESTION 9

Which RecoverPoint family is licensed per array and array capacity?

- A. RecoverPoint/EX only
- B. RecoverPoint/SE
- C. RecoverPoint/CL only
- D. RecoverPoint/EX and RecoverPoint/CL

Correct Answer: A

QUESTION 10

RecoverPoint support has asked you to collect logs from your RecoverPoint system. After the log collection process is complete, which user account is used to access the log file for download?

- A. admin
- B. webdownload
- C. boxmgmt
- D. security-admin

Correct Answer: A

QUESTION 11

A customer is interested in implementing a RecoverPoint solution using a four-node cluster with physical RPAs. How many total IP addresses are required for the cluster?

- A. 4
- B. 5
- C. 8
- D. 9

Correct Answer: D

QUESTION 12

A Consistency Group consists of one production copy, one local copy, and two remote copies. How many journals are required for this configuration?

- A. Four in total
- B. Two in total
- C. One for each remote copy and one for the local copy
- D. One for the production and one for each remote copy

Correct Answer: A

QUESTION 13

What is the maximum number of copies of production data supported with RecoverPoint?

- A. Four remote copies
- B. One local copy and four remote copies
- C. Two remote copies
- D. Two local copies and two remote copies

Correct Answer: A

QUESTION 14

What information is required to connect a new RecoverPoint cluster to an existing one?

- A. WAN IP address and internal cluster name
- B. RPA serial ID
- C. Site ID and Management IP address

D. Internal cluster name only

Correct Answer: A

QUESTION 15

Which IP diagnostic command is used to test the IP connectivity performance between RPAs when the '\\Test Throughput\\' option is chosen in the RPA interface?

A. iperf

B. top

C. ethtool

D. netstat

Correct Answer: A

[Latest E20-375 Dumps](#)

[E20-375 Study Guide](#)

[E20-375 Braindumps](#)