

## E20-385<sup>Q&As</sup>

Data Domain Specialist Exam for Implementation Engineers

**Pass EMC E20-385 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-385.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In an EMC Data Domain environment, when are cage nuts used?

- A. Square hole rack fastening
- B. Rack-to-rack fastening
- C. Round hole rack fastening
- D. Tapped hole rack fastening

Correct Answer: A

---

**QUESTION 2**

How can Retention Lock Compliance be removed from an EMC Data Domain system?

- A. Reinstall the operating system from a USB key
- B. Run the file system destroy command
- C. Disable Retention Lock Compliance using security officer credentials
- D. Expire all locked data and then disable Retention Lock

Correct Answer: A

---

**QUESTION 3**

A company does not allow systems to send email to external accounts.

What effect would this have on EMC Data Domain support?

- A. Autosupports and hardware failures cannot be tracked
- B. System can be configured to use Connect EMC
- C. System can send alerts, but autosupports will need to be disabled
- D. Third-party email support can be configured

Correct Answer: A

---

**QUESTION 4**

A customer is currently using an EMC Data Domain system with NFS configured over 10 Gb Ethernet. They have a

requirement to archive to tape.

Which process is used to transport data to tape?

- A. Use the VTL interface to eject tapes to physical tapes
- B. Use the tape export function on the Data Domain system
- C. Use the backup software to move backup data to tape
- D. Use the Enterprise Manager on the Data Domain system

Correct Answer: C

---

#### **QUESTION 5**

What is a characteristic of EMC Data Domain variable segment size deduplication?

- A. Segmentation is based on bytes not files
- B. Entire data stream moves to make room for the new segment
- C. A file is stored and duplicate versions are pointed to the original
- D. Variable segment size is not supported on a Data Domain system

Correct Answer: A

---

#### **QUESTION 6**

A customer wants to integrate an EMC Data Domain appliance into their current backup environment using CIFS, NFS, DD Boost, and VTL. Which backup application supports the four protocols?

- A. Symantec NetBackup and EMC NetWorker
- B. Symantec NetBackup and Dell vRanger
- C. EMC Avamar and NetWorker
- D. Oracle RMAN and Symantec Backup Exec

Correct Answer: A

---

#### **QUESTION 7**

An organization currently writes backups to an EMC Data Domain system and then creates encrypted copies of their backups on tapes. These tapes are then shipped to a third-party offsite vault. They are now planning to deploy a second

Data Domain system to a secure data center at their corporate headquarters as a replication target to replace the use of the offsite tapes. The two sites are connected through the Internet.

Where should encryption be applied on the Data Domain systems to ensure a similar level of data security as achieved by their current process?

- A. Encrypt the replication context
- B. Encrypt the data at rest
- C. Encrypt the data at rest and the replication context
- D. Encryption is not required

Correct Answer: A

---

#### QUESTION 8

What is the name of the dedicated IPMI management Ethernet port on an EMC Data Domain system?

- A. bmc0a
- B. bmc-eth01
- C. bmc-eth02
- D. bmc-eth0a

Correct Answer: A

---

#### QUESTION 9

An organization currently writes backups to an EMC Data Domain system and then creates encrypted copies of their backups on tapes. These tapes are then shipped to a third-party offsite vault. They are now planning to deploy a second Data Domain system in a hosted disaster recovery site as a replication target to replace the use of the offsite tapes. The two sites are connected through an encrypted WAN link.

Where should encryption be applied on the Data Domain systems to ensure a similar level of data security as achieved by their current process?


- A. Encrypt the replication context
- B. Encrypt the data at rest
- C. Encrypt both the data at rest and the replication context
- D. None. The WAN link between the sites is already encrypted.

Correct Answer: B

---

**QUESTION 10**

As illustrated in the exhibit,



which cable connects one EMC Data Domain ES20 expansion shelf to another ES20 expansion shelf?

- A. A
- B. B
- C. C
- D. D

Correct Answer: B

**QUESTION 11**

What is the maximum number of snapshots supported on an EMC Data Domain system per MTree?

- A. 100
- B. 255
- C. 750
- D. 1024

Correct Answer: C

---

**QUESTION 12**

What is indicated by a flashing green SAS state LED on an EMC Data Domain ES20 SAS controller?

- A. Connection problem
- B. Connection established
- C. RAID reconstruction in progress
- D. Connection in process

Correct Answer: D

---

**QUESTION 13**

Which TCP port is used to send SNMP traps from an EMC Data Domain system?

- A. 25
- B. 143
- C. 162
- D. 993

Correct Answer: C

---

**QUESTION 14**

Which user role is limited to monitoring and performing fastcopy operations on an EMC Data Domain system?

- A. User
- B. Data-access
- C. Admin
- D. Backup-operator

Correct Answer: A

---

**QUESTION 15**

When using link aggregation across Ethernet ports on an EMC Data Domain system, which OSI layer provides load balancing by use of the MAC address?

A. 2

B. 3

C. 4

D. 1

Correct Answer: D

[E20-385 PDF Dumps](#)

[E20-385 Practice Test](#)

[E20-385 Exam Questions](#)