

E20-495^{Q&As}

Content Management xCelerated Composition Platform Application
Development Exam

Pass EMC E20-495 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-495.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which column must be included in a folder content template to support collaboration features?

- A. Collaboration
- B. Discussion
- C. Thread
- D. Topic Status

Correct Answer: D

QUESTION 2

Users access documents by searching for them using a fulltext query. The query could potentially return hundreds of thousands of documents; however users are only allowed to access those that were generated within the user's own department, which is a small number of documents. Access is controlled using an ACL that grants appropriate access by department.

Which data modeling approach will significantly improve the response time for the query without changing the query semantics?

- A. Modify the query to run at the database rather than the fulltext server.
- B. Ensure that the ACL assigned to documents does not contain a large number of accessors.
- C. Modify the ACL to restrict, rather than grant, access using the access restrictions feature of Trusted Content Services.
- D. Add an attribute value to documents that indicates the originating department and modify the query to filter on this attribute.

Correct Answer: D

QUESTION 3

Consider the following information:

According to EMC best practices, how can these business requirements be implemented?

- A. Implement a custom Item Validator and a custom Document Validator.
- B. Implement a custom Document Validator and a custom Document Processor.
- C. Use a StartWorkflowProcessor Document Processor to start a workflow to perform the logic.
- D. Implement a custom Document Processor to validate and modify the document.

Correct Answer: D

QUESTION 4

When configuring a multi-drill-down report in PRS, what is a valid Dashboard event that can be passed from the parent report to the target reports?

- A. Performer ID
- B. Work queue
- C. Activity Instance
- D. Start date and time

Correct Answer: C

QUESTION 5

How does a business process that uses asynchronous communication relate back to the original message?

- A. correlation sets
- B. triggered events
- C. unique r_object_id of the data package
- D. JSESSIONID set by initial message of the Java Method Server

Correct Answer: A

QUESTION 6

TaskSpace is configured with PDF Annotation Services (PAS).

How are annotations stored when a user annotates a PDF document?

- A. as dm_relation objects in the repository
- B. as dm_note objects in the repository
- C. as dm_document objects in the repository
- D. as dmc_markup objects in the repository

Correct Answer: B

QUESTION 7

A task in a work queue has been viewed by a user in the advance_queue_processor role and the user has closed the browser without closing the task properly. As a consequence, other users are prevented from acquiring the task. Which

attribute of the dmi_workitem object needs to be cleared to release the lock?

- A. a_held_by
- B. r_performer_name
- C. r_ext_performer
- D. r_runtime_state

Correct Answer: A

QUESTION 8

An application developer needs to re-use an activity in which input parameters differ across processes. How should the application developer accomplish this?

- A. by using an existing activity, then adding process parameters in the process properties Data tab
- B. by creating a new structured data type, then adding the input parameters to any activities in the process
- C. by creating a custom activity template, then defining the input parameters under the Properties tab
- D. by creating a custom activity template, then defining the input parameters under the Definition tab

Correct Answer: D

QUESTION 9

An application developer imports a TaskSpace application into a Composer project and deploys it to a target repository. After deployment, drill-down reports are not displayed when the user opens the Dashboards tab.

How could the developer have avoided this error?

- A. Include the drill-down reports in the Composer projects and manually import them.
- B. Set the permissions on the drill-down reports in the project properties and manually import them.
- C. Restart the TaskSpace application server after deployment to the target repository.
- D. Restart the BAM server after deploying it to the target repository.

Correct Answer: A

QUESTION 10

An application developer needs to create a business process template that allows a user to modify individual task instructions for new process instances without having to uninstall the process template.

How should the task instructions be stored?

- A. in text documents stored in the repository
- B. in a structured data type
- C. in process variables
- D. in process parameters

Correct Answer: D

QUESTION 11

In an xCP application, every queue processor is given one of two skills. A document review process has a package that has an attribute `required_skill` that is always set to one of those skills.

What is the EMC best practice to ensure queue processors only receive tasks that match their skill?

- A. Create an ACL for each skill and add the appropriate users to each, then use a Process Data Mapper activity to map `required_skill` to the `acl_name` of the workitem.
- B. Create the skills on the queue's work queue policy, and then use an activity template to map `required_skill` to the queue assigned as the next activity's performer.
- C. Assign the queue as the performer of the manual activity, then use the data mapper tool to associate `required_skill` to the skill on the activity.
- D. Assign the queue as the performer of the manual activity and create an alias set for each skill, then store `required_skill` as the workflow alias and use the data mapper tool to assign the skill to the activity.

Correct Answer: C

QUESTION 12

After a Task Form is associated with a manual activity within a process template, where else can that Task Form be used?

- A. for any activity that has the same activity name
- B. for any activity only within the original process
- C. for any activity within any process
- D. for only the original activity and process

Correct Answer: B

QUESTION 13

Which steps are recommended by EMC for multi-user testing of an xCP application?

- A. 1. Populate the repository to simulate the expected production repository.

2.

Install a known stable build of the application.

3.

Disable logging and tracing.

B. 1. Populate the repository to simulate the expected production repository.

2.

Install a developer build of the application.

3.

Enable logging and tracing.

C. 1. Configure the connection broker in `dfc.properties` to connect to the production repository.

2.

Install a stable build of the application.

3.

Enable logging and tracing.

D. 1. Populate the repository to simulate the expected production repository.

2.

Install a developer build of the application.

3.

Disable logging and tracing.

Correct Answer: A

QUESTION 14

When an automatic activity with a custom workflow method fails, which action does the system perform?

A. invokes the previous activity

B. sends a notification to the performer of the next manual activity

C. sends a notification to the performer of the previous manual activity

D. sends the task to the inbox of the method performer

Correct Answer: D

QUESTION 15

TaskSpace is deployed with Document Image Services (DIS) and a supported document viewer.

What else must be done in order to enable page serving of supported content files?

- A. Install and configure PDF Annotation Services (PAS).
- B. Install and configure Branch Office Caching Services (BOCS).
- C. Enable Accelerated Content Services (ACS).
- D. Enable Unified Client Facilities (UCF).

Correct Answer: C

[E20-495 VCE Dumps](#)

[E20-495 Exam Questions](#)

[E20-495 Braindumps](#)