

# E\_BW4HANA207<sup>Q&As</sup>

SAP Certified Application Specialist - SAP BW/4HANA 2.0 Delta

## Pass SAP E\_BW4HANA207 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/e\\_bw4hana207.html](https://www.leads4pass.com/e_bw4hana207.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

How does column-based storage enable data to be read faster in SAP HANA?

- A. Individual columns contain all of the information for the record
- B. Individual columns are read-optimized by writing into a main store and a delta store
- C. Individual columns can be transferred to an SAP HANA optimized row-based format for faster access
- D. Individual columns can be processed at the same time by different CPU cores

Correct Answer: B

---

**QUESTION 2**

What are valid reasons to generate external SAP HANA Views for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- A. To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- B. To apply SAP HANA transformational logic instead of SAP ABAP logic
- C. To leverage the SAP HANA-optimized Analytic Manager to process BW queries
- D. To create an additional persistent layer of data in SAP HANA

Correct Answer: AC

---

**QUESTION 3**

You enable a DataStore object (advanced) for reporting by switching on the "External SAP HANA view" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The generated analytic privileges in SAP HANA
- B. The authorizations for the HDI container access in SAP HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The analysis authorizations in SAP BW/4HANA

Correct Answer: C

---

**QUESTION 4**

You use a customer master data table as a left table and a transactional sales data table as a right table within a graphical SAP HANA Calculation View.

You want to focus in your report on transactional data showing both: customers with sales volume and without.

Which join type should be used?

- A. Full Outer Join
- B. Referential Join
- C. Left Outer Join
- D. Right Outer Join

Correct Answer: C

---

#### QUESTION 5

Why do you use the `\\ "Enhanced Master Data Update"` setting in the definition of an InfoObject? Note: there are 2 correct answers to this question.

- A. To enable parallel loading
- B. To enable transitive attributes
- C. To enable delta capability
- D. To enable XXL attributes

Correct Answer: AC

---

#### QUESTION 6

Which objects can be used as components in a CompositeProvider in SAP BW/4HANA?

Note: There are 3 correct answers to this question.

- A. CompositeProvider
- B. Open ODS View
- C. SAP HANA Calculation View.
- D. BW Query
- E. SAP ABAP CDS View

Correct Answer: ACE

---

#### QUESTION 7

Which transformation rules do support SAP HANA Runtime? Note: There are 3 correct answers to this question.

- A. ABAP end routine
- B. SQL procedure in an SAP HANA FlowGraph
- C. ABAP Field routine
- D. SQL script field routine
- E. Lookup from DataStore object (advanced)

Correct Answer: ADE

---

## QUESTION 8

You create a DataStore object (advanced) with only the setting "Sricing DataStore Object" and "Reporting-Enabled" selected.

Which table or combination of tables is used when data is extracted from this DataStore object (advanced) in a data flow?

- A. The union of the Inbound table and the Changelog table
- B. The union of the Inbound table and the Active Data table
- C. Inbound table only
- D. Active Data table only

Correct Answer: D

---

## QUESTION 9

You use an Open Hub Destination to distribute SAP BW/4HANA data to a table managed by an SAP database.

Which technologies can be used?

Note: There are 2 correct answers to this question.

- A. Operational Data Provisioning (ODP)
- B. Database Connection (DBCON)
- C. Smart Data Access (SDA)
- D. Remote Function Call (RFC)

Correct Answer: CD

---

## QUESTION 10

For which SAP Cloud system does SAP recommend using the SAP HANA SDI and its Odata adapter to load data into SAP BW/4HANA?

- A. SAP C/4HANA
- B. SAP SuccessFactors
- C. SAP S/4HANA Cloud
- D. SAP Ariba

Correct Answer: D

[E\\_BW4HANA207 PDF Dumps](#)

[E\\_BW4HANA207 Practice Test](#)

[E\\_BW4HANA207 Exam Questions](#)