

E_HANAAW_18^{Q&As}

SAP Certified Development Specialist - ABAP for SAP HANA 2.0

Pass SAP E_HANAAW_18 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/e_hanaaw_18.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What are the two different kinds of Identifiers used to represent names used in SQL statement? There are 2 correct answers to this question

- A. Delimited identifiers
- B. Limited identifiers
- C. Undelimited Identifiers
- D. Numeric identifiers

Correct Answer: AC

QUESTION 2

Which of the following ABAP transactions can you use to detect SQL performance optimization potential in your ABAP code? 2 answers

- A. SQLM
- B. SE09
- C. SWLT
- D. ST22
- E. SE3S

Correct Answer: AC

QUESTION 3

Why is not a key factor of ALV for HAN A? Please choose the correct answer.

- A. The data display is restricted to a maximum of 2 billion cell
- B. To supply suitable values for any input parameters
- C. To activate and execute the program in the application
- D. Derived column headings from the data element

Correct Answer: C

QUESTION 4

You use ABAP database connectivity (ADBC) to issue native SQL calls to the database, the native SQL call.

Which of the following methods of class CL_SQL_RESULT_SET retrieves the tabular result of the native SQL call?
Please choose the correct answer.

- A. SET_PARAM_TABLE
- B. SET_PARAM
- C. EXECUTE_QUERY
- D. NEXT_PACKAGE

Correct Answer: D

QUESTION 5

Which is not a Golden Rule for Open SQL? Please choose the correct answer.

- A. Minimize the Number of Database Accesses
- B. Reduce the Database Load
- C. Minimize the Amount of Data Transferred
- D. Keep the result set large

Correct Answer: D

QUESTION 6

You have created a CDS view as follows: define view zha400 as select from spfli association (*) to sflight as _flights On spfli.carrid = _flights.carrid and spfli.connid=_flights.connid

```
{  
...  
}
```

Given that table sflight also contains the field planetype, how must you address the fields carrid and planetype from table SFLIGHT?

- A. carrid and _flights.planetype
- B. _ flights.carrid and planetype
- C. carrid and planetype
- D. flights.carrid and _flight.s .planetype

Correct Answer: A

QUESTION 7

What are the different types of Variables in HANA? (3 answers)

- A. Range
- B. Double
- C. Single Value
- D. Interval

Correct Answer: ACD

QUESTION 8

Which of the following information is mandatory in the definition of an association in a Core Data Services (CDS) view?

- A. The filter condition for the association
- B. The cardinality of the association
- C. The alias for the association
- D. The target entity of the association

Correct Answer: D

QUESTION 9

What are functions of the ABAP Managed Database Procedure (AMDP) framework? (2 answers)

- A. It deletes obsolete versions of the database procedure synchronously
- B. It deletes obsolete versions of the database procedure asynchronously
- C. It creates the database procedure when the AMDP is first called.
- D. It creates the database procedure when the AMDP is first activated.

Correct Answer: BC

QUESTION 10

According to the performance analysis recommendations; which steps are recommended after doing a database migration to SAP HANA?

- A. Perform regular performance scans on your ABAP custom coding as part of the development process.
- B. Perform regular performance scans on the ABAP coding delivered by SAP as part of your development process.
- C. Activate your ABAP custom coding, which was deactivated before the database migration, using U transaction SFW5.
- D. Switch the storage type of you custom database tables to column store and use the database utility (SE14) to perform the database table conversion.

Correct Answer: A

QUESTION 11

You want to define an ABAP Core Data Services (CDS) view that totals the NET_AMOUNT column for each sales order (column SOJD). Which SELECT statement would you use in the definition? Please choose the correct answer.

- A. `select from snwd_so {so_id(sum(net_amount) as sum_amount) order by sojd}`
- B. `select from snwd_so {so_id(sum(net_amount) as sum_amount) group by sojd}`
- C. `select from snwd_so {sojd, sum(net_amount) as sum_amount}`
- D. `select from snwd_so {so_id(sum(net_amount) as sum_amount) group by net_amount}`

Correct Answer: B

QUESTION 12

For which purpose can you use literal values in an Open SQL statement?

- A. To perform a generic existence check
- B. To provide a default value for a database table column
- C. To alias the result of an arithmetic expression
- D. To comment your development directly in the coding

Correct Answer: A

QUESTION 13

When are referential joins executed in analytical views? Choose the correct answer

- A. When all the tables are optimized
- B. When fields are selected

- C. When fields are optimized
- D. When fields from both the tables are requested

Correct Answer: D

QUESTION 14

What are the Perspectives and Views of SAP HANA Studio? There are 2 correct answers to this question.

- A. Open system properties
- B. Administration console
- C. Development properties
- D. System Properties

Correct Answer: AB

QUESTION 15

Which components can be a part of a calculation view? (2 answers)

- A. BAPIs
- B. Analytic View
- C. Tables
- D. Attribute View

Correct Answer: CD

[Latest E_HANAAW_18 Dumps](#)

[E_HANAAW_18 VCE Dumps](#)

[E_HANAAW_18 Practice Test](#)