

EW0-100^{Q&As}

Extreme Networks Associate (ENA)

Pass Extreme Networks EW0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leadspass.com/ew0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

When the command disable stpd port 4:1-4:8 is entered what is the result?

- A. Ports 4:1-4:8 are placed into the blocking state.
- B. Ports 4:1-4:8 are placed into the listening state.
- C. Ports 4:1-4:8 are placed into the learning state.
- D. Ports 4:1-4:8 are placed into the forwarding state.

Correct Answer: D

QUESTION 2

Which of these are valid load sharing algorithms?

- A. MAC-based
- B. Ratio-based
- C. Round robin-based
- D. All of these.

Correct Answer: C

QUESTION 3

The OSPF area ID of the backbone area is _____.

Correct Answer: 0.0.0.0

QUESTION 4

Select the network types supported by Extreme Networks switches running OSPF.

- A. Non-broadcast multi-access (NBMA)
- B. Point-to-multipoint
- C. Point-to-point
- D. Broadcast

Correct Answer: CD

QUESTION 5

How many bits are in an OSPF area ID?

- A. 32 bits
- B. 48 bits
- C. 64 bits
- D. 128 bits

Correct Answer: A

QUESTION 6

How many autonomous systems are supported by Extreme Networks switches running OSPF?

- A. 1
- B. 2
- C. 4
- D. 8

Correct Answer: A

QUESTION 7

_____ is a QoS feature that detects if switch traffic is filling up a hardware-forwarding queue and performs random packet discards to resolve the situation.

Correct Answer: RED

QUESTION 8

You need to change the name of a VLAN from corporate to corp. What steps would you take to do this?

- A. config name corporate corp
- B. config corporate name corp
- C. config name corp corporate
- D. config corp name corporate

Correct Answer: B

QUESTION 9

OSPF LSDB synchronization is maintained through a process called:

- A. reliable flooding.
- B. the Dijkstra algorithm.
- C. virtual links.
- D. ECMP.

Correct Answer: A

QUESTION 10

_____ allow(s) multiple VLANs to be controlled by a single ESRP instance.

- A. ESRP domains
- B. ESRP groups
- C. ESRP host-attach
- D. None of these.

Correct Answer: A

QUESTION 11

OSPF area 10.10.10.10 connects to OSPF area 1.1.1.1. The network has been running for a week without issues. While examining the LSDB of an internal router in area 1.1.1.1, the network administrator sees that there are no Type-1 LSAs for area 10.10.10.10 listed. The network administrator is puzzled. Why does this situation exist?

- A. Type-1 LSAs are disabled for area 10.10.10.10.
- B. Type-3 LSAs are enabled for area 10.10.10.10.
- C. Type-1 LSAs stay within their own area.
- D. Type-2 LSAs include the necessary Type-1 LSA information.

Correct Answer: C

QUESTION 12

snmp 0x8137

Which predefined protocol filter does the following information relate to?

Correct Answer: ipx snap

QUESTION 13

The default OSPF router dead interval for Extreme Networks switches is:

- A. 10 seconds.
- B. 40 seconds.
- C. 120 seconds.
- D. 180 seconds.

Correct Answer: B

QUESTION 14

The bridging table of learned and static MAC addresses is called the _____.

Correct Answer: fdb

QUESTION 15

A QoS profile determines into which hardware queue a frame is assigned.

- A. True
- B. False

Correct Answer: A

[EW0-100 PDF Dumps](#)

[EW0-100 Exam Questions](#)

[EW0-100 Braindumps](#)