



Extreme Networks Specialist....

Pass Extreme Networks EW0-300 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/ew0-300.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers



Leads4Pass

QUESTION 1

Which CLI command would you use to determine the IP routes that are tracked by ESRP?

- A. show iproute
- B. show esrp detail
- C. show esrp config
- D. Non of these

Correct Answer: B

QUESTION 2

Select all terms that relate to IP multicast routing.

- A. Reverse Path Forwarding
- B. Shared Trees
- C. Source Trees
- D. All of the above
- Correct Answer: D

QUESTION 3

The Address Resolution Protocol enables a device to learn a destinations MAC address by using the destinations known IP addresses in the ARP request.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 4

In general IS-IS allows routing of both IP and OSI packets. What type of Implementation does ExtremeWare support?

A. IP only

- B. OSI only
- C. Dual

Leads4Pass

D. None of the above

Correct Answer: A

QUESTION 5

The Skew time in VRRP is used to ensure that two back-up routers do not switch to master state at the same time an case of a fall-over situation.

A. True

B. False

Correct Answer: A

QUESTION 6

Select one of the known limitations of DVMRP?

- A. DVMRP is not designed as an IP Multicast routing protocol.
- B. DVMRP needs another Unicast routing protocol like RIP or OSPF
- C. DVMRP is not scable (Max 32 Hops).
- D. DVMRP does not support Poison Reverse.

Correct Answer: C

QUESTION 7

Which CLI command configures DVMRP on all IP multicast interfaces.

- A. config dvmrp add vlan all
- B. config dvmrp add all
- C. enable dvmrp
- D. enable dvmrp vlan all

Correct Answer: A

QUESTION 8

What is the meaning of the IEEE 802.3 SNAP field in an Ethernet frame?

A. The SNAP field allows you to support Ethernet II frame, it contains the ether typevalue.



- B. The SNAP field allows you to encapsulate token-ring traffic
- C. The SNAP field allows you to encapsulate FDDI traffic
- D. None of the above

Correct Answer: A

QUESTION 9

ESRP-enabled switches can utilize either an IP address or an IPX net ID for their protected VLANs.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 10

How are multicast packets forwarded in a Layer 2 environment with IGMP snooping enabled?

- A. The packets flood to all switch ports.
- B. The switch forwards the packets to member ports only.
- C. IGMP snooping does not affect the forwarding of multicast packets.
- D. None of the above.

Correct Answer: B

QUESTION 11

When configuring a Summit 5i for OSPF routing, it is recommended to manually configure the OSPF router-id rather than setting the router-id set to automatic.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 12

When limit-learning is configured on a port and the limit is reached the following traffic still flows to the port.

A. Packets destined for the active Mac addresses

Leads4Pass

- B. Broadcast traffic
- C. EDP traffic
- D. All of the above
- Correct Answer: D

QUESTION 13

A QoS building block that defines a class of service by specifying traffic behavior attributes like bandwidth is called

- A. QoS mode
- B. QoS Class of Service
- C. QoS Profile
- D. QoS Priority
- Correct Answer: C

QUESTION 14

- In OSPF, when you configure an Extreme switch with router priority of 0, what happens?
- A. The router becomes a Backup Designated Router
- B. The router becomes a Designated Router
- C. The router will not participate in the DR election algorithm
- D. Nothing because router priority 0 is the default setting for router priority

Correct Answer: C

QUESTION 15

Virtual links are always configured to be a necessary part of all OSPF networks using Extreme\\'s Summit 48i switches.

A. True

B. False

Correct Answer: A

EW0-300 PDF Dumps

EW0-300 VCE Dumps

EW0-300 Practice Test