GE0-807^{Q&As}

Genesys Certified Professional 8 - System Consultant, Outbound Voice

Pass Genesys GE0-807 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/ge0-807.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Genesys Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



QUESTION 1

Noting the subtle differences, which of the following is the correct format for the SIP INVITE as per RFC 4240?

- A. sip:annc@;play=[:]
- B. slp:annc@:play=[;]
- C. sip:annc@:play=[:]
- D. sip:annc@ play=[;]
- Correct Answer: D

QUESTION 2

What Type of DN has to be created for SIP Server or Media Server integration using MSML?

- A. Trunk Group
- B. Voice over IP Service
- C. Routing Point
- D. Communication DN
- E. Voice over IP Port
- F. No DN is necessary. Just the SIP Server option "msml-support=true" needs to be set

Correct Answer: B

QUESTION 3

Which statement is correct?

A. When using SIP Server with Framework 8, Genesys recommends that you Install SIP Server and Media Server on the same server to improve performance.

B. The configuration wizards for all of the Genesys products can be installed from the Framework 8 Installation Media.

C. Customers who have a legacy PBX deployed and now want to deploy GenesysFramework 8 with Genesys SIP Server will need to dismantle their legacy infrastructure prior to deploying SIP.

D. Genesys Administrator is used to provision applications in Framework 8.

Correct Answer: B

QUESTION 4

What does 3PCC mean?

A. All call handling actions (answer, hold, initiate transfer, etc.) are performed on the SIP endpoint

B. All call handling actions (answer, hold, initiate transfer, etc.) are performed on the multiple PCs (In this case 3 PCs)

C. T-lib signaling takes over SIP signaling, so third party application such as Agent Desktop can transfer VoIP packets to SIP Server and back using T-lib

D. A T-lib client such as Agent Desktop can control a call which is actually between other parties such as SIP endpoints

Correct Answer: D

QUESTION 5

Which of the statements about gcti DNs is correct? (Choose 2 answers)

A. GctiDN must have a name in the following format: \\'gcti: :XXX\\' where XXX is the type of functionality presented by this DN

B. Gctl DN must have in a Annex tab \\'TServer\\' Section an option service-type with following value: gcti::XXX\\' where XXX is the type of functionality presented by this DN

- C. Gctl DN must be a VoIP Service DN type only
- D. Gcti DN can be a VoIP Service DN type
- E. Gcti DN can be a Trunk

Correct Answer: BD

QUESTION 6

Which of these components has the functionality of a redirect server? Choose 2 answers

- A. T Server
- B. SIP Server
- C. Network SIP Server
- D. Media Server

Correct Answer: BD

QUESTION 7

For remote supervision what DN must be configured?

A. gcti::supervisor

- B. gcti::park
- C. gctl::record
- D. No Additional DNs need to be configured

Correct Answer: A

QUESTION 8

What is the response to REFER when the REFER method is used?

A. 200 OK

- B. 202 Accepted
- C. 183 session in Progress
- D. C ACK
- E. C NOTIFY

Correct Answer: A

QUESTION 9

What does 1PCC mean?

A. All call handling actions (answer, hold. Initiate transfer, etc.) are performed on the SIP endpoint

B. All call handling actions (answer, hold, initiate transfer, etc.) are performed on the same PC (no Hardwareendpoint can be used)

C. A T-lib client such as Agent Desktop can control a call which is actually between other parties such as sipendpoints

D. Both, SIP endpoint and T-lib client such as Agent Desktop has to be integrated in one application

Correct Answer: A

QUESTION 10

Which statement is true?

A. Recording is not possible from a routing strategy.

B. If busy treatments are played from a routing strategy while Customer is waiting for an available Agent, as soon as a target is available, the busy treatment is stopped.

Correct Answer: B

QUESTION 11

Which Genesys component is used to load balance between multiple SIP Servers?

- A. Load Distribution Server
- **B. SIP Server**
- C. Network SIP server
- D. Media Server

Correct Answer: C

QUESTION 12

You have 3 separate remote sites using SIP technology without P8X. One location has one MOH and one MCU server, second location has a one MOH and one treatment server and third site has one MOH and one recording Media Server installed. The whole contact center has a rate of 30calls/sec. What is the minimal number of Network SIP servers needed for this installation?

- B. 1
- C. 2
- D. 3

Correct Answer: C

QUESTION 13

Which is the valid value from the SDP portion of the re-INVITE message if a call is requested to be put on hold?

A. m=audio 0 RTP/AVP hold

- B. a=rtpmap:0 hold
- C. a=sendrecv
- D. c=IN IP 0.0.0.0
- E. C=INIP 192.168.1.199

Correct Answer: D

QUESTION 14

When using Genesys Media Server, which of the following are the two types of supported media interfaces? (Choose 2 answers)

A. ADSL

B. NETANN

C. MSML

D. KVM / USB

Correct Answer: BC

QUESTION 15

Which of the following is SIP Server deployment modes used with a Framework 8 solution? Choose 3 answers

- A. Stand Alone Mode
- B. Application Server Mode
- C. Multimedia Mode
- D. Customer Side Proxy Mode
- E. CTI Mode

Correct Answer: ABD

GE0-807 Study Guide

GE0-807 Exam Questions

GE0-807 Braindumps