

H12-821^{Q&As}

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h12-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

OSPF supports area authentication and interface authentication. If both authentication modes are configured, Interface authentication takes preference over area authentication.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

BFD control packets are encapsulated in UDP packets for transmission. What is the destination port number of multi-hop BFD control packets?

- A. 4784
- B. 3784
- C. 5784
- D. 2784

Correct Answer: A

QUESTION 3

In BGP, the origin attribute of the routes imported using the import-route command is incomplete.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 4

CORRECT TEXT A Huawei firewall by default creates security zones named untrust, dmz, _____ and local. (Use Lowercase letters.)

Correct Answer: security policy

QUESTION 5

When a routing policy is used to filter routes, which of the following route prefixes will be denied by the IP prefix below?

```
[HUAWEI]ip ip-prefix aa index 10 permit 1.1.1.1 24 greater-equal 26 less-equal 32
```

- A. 1.1.1.1/26
- B. 1.1.1.2/16
- C. 1.1.1.1/32
- D. 1.1.1.1/24

Correct Answer: D

QUESTION 6

Which of the following statements regarding the summary automatic command and BGP route summarization is false?

- A. After this command is configured, BGP sends only the summarized routes to peers
- B. This command is used to implement automatic summarization. Automatic summarization takes precedence over manual summarization
- C. This command enables automatic summarization for the locally imported routes
- D. After this command is configured, BGP summarizes routes based on natural network segments

Correct Answer: D

QUESTION 7

Which of the following statements about the forwarding plane of a switch is false?

- A. Provides high-speed and non-blocking data channels.
- B. Can encapsulate and decapsulate packets.
- C. Can collect packet statistics.
- D. Consists of main control boards and interface boards.

Correct Answer: C

QUESTION 8

DRAG DROP

What is the correct procedure for a VLAN pool to assign terminals to VLANs.

Select and Place:

The STA accesses the network through the assigned VLAN.	1
The VLAN pool bound to the VAP is determined, and the VLAN assignment algorithm is specified.	2
The STA accesses a VAP.	3
The STA is assigned to a VLAN based on the specified algorithm.	4

Correct Answer:

	The STA accesses the network through the assigned VLAN.
	The VLAN pool bound to the VAP is determined, and the VLAN assignment algorithm is specified.
	The STA accesses a VAP.
	The STA is assigned to a VLAN based on the specified algorithm.

QUESTION 9

An engineer sets the CAPWAP heartbeat detection interval to 20 of the active link before an active/standby switchover occurs?

- A. 75s
- B. 20s
- C. 60s
- D. 90s

Correct Answer: B

QUESTION 10

A monitoring plane usually comprises the monitoring units of main control boards and interface boards. This plane can monitor the system environment independently. Which of the following environment monitoring functions can be provided by the monitoring plane?

- A. Voltage monitoring
- B. Temperature monitoring
- C. Fan control
- D. System power-on and power-off control

Correct Answer: B

[Latest H12-821 Dumps](#)

[H12-821 VCE Dumps](#)

[H12-821 Study Guide](#)