HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/haad-rn.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HAAD Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



QUESTION 1

The nurse knows that the greatest risk for a patient with a ruptured ectopic pregnancy is:

- A. Hemorrhage leading to hypovolemic shock
- B. Strictures and scarring of the fallopian tube
- C. Adhesions and scarring from blood in the abdomen
- D. Infertility resulting from treatment with a salpingectomy

Correct Answer: A

QUESTION 2

The nurse notes that there are no physician\\'s orders regarding Fatima\\'s post operative daily insulin dose. The most appropriate action by the nurse is to:

A. Withhold any insulin dose since none is ordered and the patient is NPO

- B. Call the physician to clarify whether insulin should be given and at what dose
- C. Give half the usual daily insulin dose since she will not be eating in the morning
- D. Give the patient her usual daily insulin dose since the stress of surgery will increase her blood glucose

Correct Answer: B

QUESTION 3

The coronary care nurse draws an Arterial Blood Gas (ABG) sample to assess a patient for acidosis. A normal pH for arterial blood is:

- A. 7.0 7.24
- B. 7.25 7.34
- C. 7.35 7.45
- D. 7.5 7.6

Correct Answer: C

QUESTION 4

The patient with liver cirrhosis receives 100 ml of 25% serum albumin intravenously. Which of the following findings would best indicate that the albumin is having its desired effect?

- A. Decreased blood pressure
- B. Increased serum albumin level
- C. Increased urine output
- D. Improved breathing pattern

Correct Answer: C

QUESTION 5

The nurse plans the care for a patient with increased intracranial pressure, she knows that the best way to position the patient is to:

- A. Keep patient in a supine position until stable
- B. Elevate the head of the bed to 30 degrees
- C. Maintain patient on right side with head supported on a pillow
- D. Keep patient in a semi-sitting position

```
Correct Answer: B
```

QUESTION 6

An early sign of acute respiratory failure is:

- A. Diaphoresis
- B. Cyanosis
- C. Restlessness
- D. Orthopnea

Correct Answer: C

QUESTION 7

An 85-year-old man is admitted with dementia. He continuously attempts to remove his nasogastric tube. The nurse applies cloth wrist restraints as ordered. Which of the following actions by the nurse is most appropriate?

A. Evaluate the need to restrain by observing patient\\'s behavior once every 24 hrs

- B. Perform circulation checks to the extremities every two hours
- C. Remove the restraints when the patient is sleeping
- D. Instruct family to limit physical contact with the patient

Correct Answer: B

QUESTION 8

A nurse can ensure she maintains her competency to practice through:

- A. Being involved in continuing education programs
- B. Making sure that what was learnt at nursing school is strictly followed
- C. Closely carrying out instructions given by the Charge Nurse
- D. Working on the same ward for at least 2 years

Correct Answer: A

QUESTION 9

While assessing a patient, the nurse learns that he has a history of allergic rhinitis, asthma, and multiple food allergies. The nurse must:

- A. Be alert to hypersensitivity response to the prescribed medications
- B. Encourages the patient to carry an epinephrine kit in case of an allergic reaction
- C. Advise the patient to use aspirin in case of febrile illnesses
- D. Admit the patient to a single room with limited exposure to health care personnel

Correct Answer: A

QUESTION 10

An elderly patient is admitted to the hospital with swollen ankles. The best way to limit edema of the feet is for the nurse to:

- A. Restrict fluids
- B. Apply bandages
- C. Elevate the legs
- D. Do passive range of motion exercises (ROM)

Correct Answer: C

QUESTION 11

To promote accuracy of self-monitoring blood glucose by patients the nurse should:

- A. Retrain patients periodically
- B. Direct patients to rotate testing sites
- C. Advise patients to buy new strips routinely
- D. Compare results from patient\\'s meter against lab results

Correct Answer: A

QUESTION 12

The urinary catheter is kept securely in the bladder by:

- A. Taping the urinary catheter to the leg
- B. Securing catheter and collection bag connections
- C. Inflating the balloon of the catheter
- D. Anchoring the catheter bag to the bed

Correct Answer: C

QUESTION 13

You are the nurse providing post-operative care for a 9 year old boy who is 6 hours post- tonsillectomy. He is sleeping, but on routine observation you notice that his pulse has increased, he seems to be restless and trying to swallow frequently. Your immediate action would be:

- A. Apply an ice collar to reduce discomfort
- B. Allow child to keep sleeping and record observations
- C. Wake him and offer some ice chips to suck
- D. Check inside his mouth for any signs of bleeding and notify the physician

Correct Answer: D

QUESTION 14

To maintain the airway and promote respiratory function, the best position for the nurse to place the unconscious patient in the Post Anesthesia Care Unit (PACU) is:

A. Supine

- B. Lateral
- C. Trendelenberg

D. Fowler\\'s

Correct Answer: B

QUESTION 15

A male patient with a right pleural effusion noted on a chest X-ray is being prepared for thoracentesis. The patient experiences severe dizziness when sitting upright. To provide a safe environment, the nurse assists the patient to which position for the procedure?

- A. Prone with head turned toward the side supported by a pillow
- B. Sims\\' position with the head of the bed flat
- C. Right side-lying with the head of the bed elevated 45 degrees
- D. Left side-lying with the head of the bed elevated 45 degrees

Correct Answer: D

HAAD-RN Practice Test

HAAD-RN Study Guide

HAAD-RN Braindumps