

## HAT-680<sup>Q&As</sup>

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE  
ADMINISTRATION

**Pass Hitachi HAT-680 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hat-680.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Hitachi Dynamic Link Manager is being used with a VSP system in a multi-path environment with intense sequential I/Os. What are two Hitachi recommended load- balancing algorithms for this environment? (Choose two.)

- A. Least I/O
- B. Least Block
- C. Extended Least I/O
- D. Extended Round Robin

Correct Answer: CD

---

**QUESTION 2**

When you perform an "Add Subsystem" operation within Hitachi Device Manager (HDvM), you receive an error message. Which troubleshooting step would you perform first?

- A. Restart HDvM.
- B. Check license status.
- C. Open a case with HDS Support.
- D. Check the storage system for any inconsistent condition.

Correct Answer: D

---

**QUESTION 3**

You are a system administrator responsible for an installation of Hitachi Dynamic Provisioning (HDP) and want to receive threshold messages indicating that a user requires more space. Which Hitachi Device Manager CLI command do you use?

- A. ListPool
- B. ShowPool
- C. GetAlerts
- D. DPGetVols

Correct Answer: C

---

**QUESTION 4**

In which file format is Hitachi Device Manager data exported?

- A. .pdf
- B. .csv
- C. .doc
- D. .html

Correct Answer: B

---

## QUESTION 5

A customer is planning to purchase Hitachi modular systems to be virtualized behind their VSPs in an environment with Linux, Windows and VMWare servers. Which two benefits will the Hitachi Command Suite offer to this customer? (Choose two.)

- A. a specific set of management programs for each Hitachi storage system type
- B. a unified management framework across all Hitachi storage platforms
- C. interoperability software modules converting unstructured data to structured data
- D. management of file, block and content data under a common set of tools

Correct Answer: BD

---

## QUESTION 6

You have a LUSE volume on a USP V storage system which is no longer used by any server. Using Hitachi Device Manager, what must be done to release the LUSE volume?

- A. The LUSE volume must be marked as "unused".
- B. The LUSE volume must be marked as "invalidated".
- C. You must format the LUSE volume first to delete all the data on it.
- D. You must release all defined data paths for this LUSE volume.

Correct Answer: D

---

## QUESTION 7

When enabled, what does the path health checking feature of Hitachi Dynamic Link Manager (HDLM) do?

- A. It causes HDLM to rotate I/Os across all healthy paths.
- B. It causes HDLM to automatically check the path status at regular intervals.
- C. It enables the last I/O recovery routine to execute upon path failure.

D. It logs path status information and generate path health reports.

Correct Answer: B

---

**QUESTION 8**

From the Mobility tab of the Hitachi Command Suite (HCS), which two operations would you perform to optimize placement of data within a Hitachi Dynamic Tiering (HDT) environment? (Choose two.)

- A. Create an HDT tiering policy.
- B. Edit Tier Relocation of HDT volumes.
- C. Expand HDT volumes.
- D. Start manual monitoring of HDT pools.

Correct Answer: BD

---

**QUESTION 9**

Which two operations would be performed on a VSP using the Element Manager feature of Hitachi Device Manager? (Choose two.)

- A. Change the ports settings of a storage system.
- B. Define tiering policies for Hitachi Tiered Storage Manager.
- C. Access external storage management functions.
- D. Launch the maintenance procedure for Customer Replaceable Parts.

Correct Answer: AC

---

**QUESTION 10**

A manufacturing company wants to centrally manage all their multi-pathing software using Hitachi Global Link Manager (HGLM). Which two types of multi-pathing software are supported? (Choose two.)

- A. HDLM
- B. HP-UX Multipathing
- C. PowerPath
- D. SDD

Correct Answer: AB

---

## QUESTION 11

How does a storage administrator obtain the Hitachi Device Manager (HDvM) CLI software?

- A. Install it from the Hitachi Command Suite DVD.
- B. Install the RAID Manager/CCI software.
- C. Download it from the HDvM server.
- D. Download the HDvM CLI license.

Correct Answer: C

---

## QUESTION 12

You have reported a Hitachi Device Manager problem to the HDS Global Support center and you are asked to provide troubleshooting data. Which Web site would allow you to upload the data?

- A. <https://tuf.hds.com>
- B. <http://www.hds.com>
- C. <https://support.hds.com>
- D. <https://customerservice.hds.com>

Correct Answer: A

---

## QUESTION 13

A storage administrator is planning to issue multiple Hitachi Device Manager CLI commands to the same storage system. What is the name of the file which can be used to prevent repetitive typing of CLI command parameters?

- A. DeviceManager.properties
- B. DeviceManagerCLI.properties
- C. HiCommandCLI.properties
- D. HiCommandCLI.parameter

Correct Answer: C

---

## QUESTION 14

In which Hitachi Device Manager screen is the Allocate Like Volumes feature available?

- A. Hosts
- B. Allocate Storage

C. Dynamic Provisioning

D. Allocate Volumes to Multiple Hosts

Correct Answer: A

---

## QUESTION 15

What information is provided by the Hitachi Device Manager Agent to the Hitachi Device Manager server? (Choose three.)

A. WWN

B. IP address

C. domain name

D. host name

E. MAC address

Correct Answer: ABD

[HAT-680 VCE Dumps](#)

[HAT-680 Study Guide](#)

[HAT-680 Exam Questions](#)