

HC-611^{Q&As}

Huawei Certified Network Associate - Building the Structure of Storage Network (HCNA-BSSN)

Pass Huawei HC-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hc-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

S5000T control software upgrade check preparation ago, the following conditions which are able to upgrade:

- A. HDD status indicator flashes green
- B. Hard disk in a single ring state
- C. Logic controllers and to upgrade the version of controller software supporting table is inconsistent
- D. Logic level versions even board controller software to be upgraded with matching table is inconsistent

Correct Answer: A

QUESTION 2

NAS what are the trends? (Choose three)

- A. High performance
- B. Structured data handling capacity
- C. Document management capabilities
- D. NAS and SAN convergence

Correct Answer: ACD

QUESTION 3

FC-SAN Direct Connect network, the connection between the host and storage via HBA card advantage of this networking is simple, economical, easy to host shared storage resources.

- A. True
- B. False

Correct Answer: B

QUESTION 4

NAS and SAN network storage, file system storage resources are used by the host application created.

- A. True
- B. False

Correct Answer: B

QUESTION 5

VTL3500 is mainly used for data backup, the most basic function is as a backup medium:

- A. True
- B. False

Correct Answer: A

QUESTION 6

If the S2600's A controller management port IP address is 192.168.128.101, IP address B controller manages the port 192.168.128.102, the array controller has two iscsi each host port, if A controlled 00 iscsi host port is 192.168.10.101, B controlled 00 iscsi host port is 192.168.11.101, then A iscsi host port control 01 which of the following segments can (assuming the mask is 24) (Choose two)

- A. 192.168.128.0
- B. 192.168.10.0
- C. 192.168.11.0
- D. 192.168.12.0

Correct Answer: CD

QUESTION 7

RAID6 disk utilization levels of RAID group (N: number of member disks):

- A. $N / (N-2)$
- B. 100%
- C. $(N-2) / N$
- D. $1 / (2N)$

Correct Answer: C

QUESTION 8

Storage system configuration process to create LUN then create RAID

- A. True
- B. False

Correct Answer: B

QUESTION 9

Which of the following components are part of the disk array: (Choose three)

- A. Fabric Switches
- B. BBU Module
- C. Controller
- D. Hard disk module

Correct Answer: BCD

QUESTION 10

The only two hard disk storage devices, you can choose to create a RAID levels are () (Choose two)

- A. RAID3
- B. RAID0
- C. RAID1
- D. RAID6

Correct Answer: BC

QUESTION 11

Under the same external conditions and the number of hard disk specifications, performance is relatively good Which RAID level?

- A. RAID0
- B. RAID3
- C. RAID5
- D. RAID10

Correct Answer: A

QUESTION 12

The basic starting point is to use proven iSCSI IP network and data transmission technology to achieve extended SAN systems.

A. True

B. False

Correct Answer: A

QUESTION 13

S5000T products are not safe dish.

A. True

B. False

Correct Answer: B

QUESTION 14

In S5000T, for example, the principle of fault diagnosis for storage devices: (Choose three)

A. First diagnosis of external factors,internal factors after diagnosis.

B. First diagnosis overall,partial diagnosis.

C. First analysis of high-level alarm,low level alarm after analysis.

D. First check service after checking storage

Correct Answer: ABC

QUESTION 15

ntfs file system supports a maximum partition size is 1TB.

A. True

B. False

Correct Answer: B

[HC-611 PDF Dumps](#)

[HC-611 Study Guide](#)

[HC-611 Exam Questions](#)